Index of Authors and Titles

Abad, J. P. *See* Carmena, M.

Abdel-Malek, Z., Swope, V., Collins, C., Boissy, R., Zhao, H. and Norlund, J. Contribution of melanogenic proteins to the heterogeneous pigmentation of human melanocytes **106**, 1323

Aberdam, E., Romero, C. and Ortonne, J.-P. Repeated UVB irradiations do not have the same potential to promote stimulation of melanogenesis in cultured normal human melanocytes **106**, 1015

Adams, J. C. and Lawler, J. Diverse mechanisms for cell attachment to platelet thrombospondin **104**, 1061

Adams, J. C. *See* Watt, F. M.

Addadi, L. *See* Hanein, D.

Addey, C. V. P. *See* Rennison, M. E.

Adjaye, J., Marsh, P. J. and Eagles, P. A. M. Immunological properties and cDNA sequence analysis of an intermediate-filament-like protein from squid neuronal tissue **106**, 1283

Adolph, S., Brusselbach, S. and Muller, R. Inhibition of transcription blocks cell cycle progression of NIH3T3 fibroblasts specifically in G_1 **105**, 113

Adoutte, A. *See* Nahon, P.

Ager, A. *See* Hourihan, H.

Ager, A. *See* May, M. J.

Aggeler, J. *See* Vergeres, G.

Aghion, J. *See* Gueth-Hallonet, C.

Aiba, K. *See* Fang, H.

Aihara, M. S. *See* Ishida, M.

Aist, J. R., Liang, H. and Berns, M. W. Astral and spindle forces in PtK_2 cells during anaphase B: a laser microbeam study **104**, 1207

Akazome, Y. *See* Inaba, K.

Akins, R. E. and Tuan, R. S. Transepithelial calcium transport in the chick chorioallantoic membrane. I. Isolation and characterization of chorionic ectoderm cells **105**, 369

Akins, R. E. and Tuan, R. S. Transepithelial calcium transport in the chick chorioallantoic membrane. II. Compartmentalization of calcium during uptake **105**, 381

Albert, M. *See* Perret, E.

Albrightson, C. *See* Trivinos-Lagos, L.

Alemany, R., Vila, M. R., Franci, C., Egea, G., Real, F. X. and Thomson, T. M. Glycosyl phosphatidylinositol membrane anchoring of melanotransferrin (p97): apical compartmentalization in intestinal epithelial cells **104**, 1155

Aletta, J. M. *See* Teng, K. K.

Allen, R. D., Ma, L. and Fok, A. K. Acidosomes: recipients of multiple sources of membrane and cargo during development and maturation **106**, 411

Allen, R. D. *See* Fok, A. K.

Allen, R. D. *See* Ishida, M.

Allen, T. *See* de Wynter, E.

Allen, T. D. *See* Goldberg, M. W.

Allen, T. D. *See* Hourihan, H.

Alphey, L. *See* White-Cooper, H.

Alvarez-Silva, M., da Silva, L.-C. F. and Borojevic, R. Cell membrane-associated proteoglycans mediate extramedullar myeloid proliferation in granulomatous inflammatory reactions to schistosome eggs **104**, 477

Amagai, M. *See* Hashimoto, T.

Amos, L. A. *See* Chen, R.

Andersland, J. M. and Parthasarathy, M. V. Conditions affecting depolymerization of actin in plant homogenates **104**, 1273

Anderson, S. A. *See* Sylwester, A.

Andre, C. *See* Roussel, P.

Andrews, P. *See* Petroll, W. M.

Ansorge, W. *See* Rothbarth, K.

Antony, C. *See* Gueth-Hallonet, C.

Argon, Y. *See* Burkhardt, J. K.

Armstrong, J. *See* Pidoux, A. L.

Arndt-Jovin, D. J. *See* Buchenau, P.

Arnemann, J., Sullivan, K. H., Magee, A. I., King, I. A. and Buxton, R. S. Stratification-related expression of isoforms of the desmosomal cadherins in human epidermis **104**, 741

Arnold, H.-H. and Braun, T. The role of Myf-5 in somitogenesis and the development of skeletal muscles in vertebrates **104**, 957

Arroyo, A. G. *See* Leach, L.

Ashford, A. E. *See* Shepherd, V. A.

Aubert, J.-P. *See* Lesuffleur, T.

Aubry, L., Klein, G., Martiel, J.-L. and Satre, M. Kinetics of endosomal pH evolution in *Dictyostelium discoideum* amoebae. Study by fluorescence spectroscopy **105**, 861

Aukhil, I. *See* Joshi, P.

Ausiello, D. *See* Bruno de Almeida, J.

Avila, J. *See* Fontalba, A.

Axton, J. M. *See* Philp, A. V.

Ayscough, K., Hajibagheri, N. M. A., Watson, R. and Warren, G. Stacking of Golgi cisternae in *Schizosaccharomyces pombe* requires intact microtubules **106**, 1227

Azarian, S. M., Schlamp, C. L. and Williams, D. S. Characterization of calpain II in the retina and photoreceptor outer segments **105**, 787

Bachi, T. *See* Schweizer, A.

Bagrodia, S. *See* David-Pfeuty, T.

Bajer, A. S. *See* Czaban, B. B.

Baker, J. and Garrod, D. Epithelial cells retain junctions during mitosis **104**, 415

Bakke, O. *See* Pieters, J.

Balague, C. *See* Garcia de Herreros, A. G.

Balber, A. E. *See* Bangs, J. D.

Bangs, J. D., Uyetake, L., Brickman, M. J., Balber, A. E. and Boothroyd, J. C. Molecular cloning and cellular localization of a BiP homologue in *Trypanosoma brucei*. Divergent ER retention signals in a lower eukaryote **105**, 1101

Bannister, L. H. *See* Che, A.

Bao, Z. Z., Lakonishok, M. and Horwitz, A. F. The $\alpha_7\beta_1$ integrin is a component of the myotendinous junction on skeletal muscle **106**, 579

Baptist, M., Dumont, J. E. and Roger, P. P. Demonstration of cell cycle kinetics in thyroid primary culture by immunostaining of proliferating cell nuclear antigen: differences in cyclic AMP-dependent and -independent mitogenic stimulations **105**, 69

Bard, J. B. L., Hulmes, D. J. S., Purdom, I. F. and Ross, A. S. A. Chick corneal development in vitro: diverse effects of pH on collagen assembly **105**, 1045

Bareggi, R. *See* Maraldi, N. M.

Baroja, A. *See* de la Hoz, C.

Baron, R. *See* Delaisse, J. M.

Barraclough, R. *See* Ke, Y.

Barret, A. *See* Tixier-Vidal, A.

Barry, P. *See* Petroll, W. M.

Batel, R. *See* Pfeifer, K.

Batlle, E. *See* Garcia de Herreros, A. G.

Baumann, O. and Takeyasu, K. Polarized distribution of Na,K-ATPase in honeybee photoreceptors is maintained by interaction with glial cells **105**, 287

Bayly, A. C., French, N. J., Dive, C. and Roberts, R. A. Non-genotoxic hepatocarcinogenesis in vitro: the FaO hepatoma line responds to peroxisome proliferators and retains the ability to undergo apoptosis **104**, 307

Beach, D. *See* Samejima, I.

Beckerle, M. C. *See* Bertagnolli, M. E.

Beghdadi-Rais, C., Schreyer, M., Rousseaux, M., Borel, P., Eisenberg, R. J., Cohen, G. H., Bron, C. and Fasel, N. Carboxyl terminus structural requirements for glycosyl-phosphatidylinositol anchor addition to cell surface proteins **105**, 831

Behrens, J. *See* Fenyves, A. M.

Behrens, S.-E. *See* Blencowe, B. J.

Belhumeur, P. *See* Lee, A.

Belloir, B. *See* Douaire, M.
Bement, W. M. *See* Peterson, M. D.
Benavente, R. *See* Vester, B.
Bennett, J. *See* Lindau, M.
Bennett, P. A., Dixon, R. J. and Kellie, S. The phosphotyrosine phosphatase inhibitor vanadyl hydroperoxide induces morphological alterations, cytoskeletal rearrangements and increased adhesiveness in rat neutrophil leucocytes **106**, 891
Bens, M. *See* Lacave, R.
Berger, E. G. *See* Pypaert, M.
Bernfield, M. *See* Yamagata, M.
Berns, M. W. *See* Aist, J. R.
Berridge, M. J. *See* Cheek, T. R.
Berryman, M., Franck, Z. and Bretscher, A. Ezrin is concentrated in the apical microvilli of a wide variety of epithelial cells whereas moesin is found primarily in endothelial cells **105**, 1025
Bertagnolli, M. E., Locke, S. J., Hensler, M. E., Bray, P. F. and Beckerle, M. C. Talin distribution and phosphorylation in thrombin-activated platelets **106**, 1189
Bertagnolo, V. *See* Maraldi, N. M.
Besharse, J. C. *See* Muresan, V.
Besseau, L. *See* Perret, E.
Bethke, P. C. *See* Gilroy, S.
Beven, A. F. *See* Highett, M. I.
Bhandari, R. *See* Griffin, M.
Bicknell, R. *See* Scott, P. A. E.
Bielser, D. A. *See* Song, W. K.
Bishop, J. E. *See* Gray, A. J.
Black, M. M. *See* Brown, A.
Blencowe, B. J., Carmo-Fonseca, M., Behrens, S.-E., Lurhmann, R. and Lamond, A. I. Interaction of the human autoantigen p150 with splicing snRNPs **105**, 685
Blijham, G. H. *See* Lichtenbeld, H. H. C.
Block, M. R. *See* Tranqui, L.
Blumenberg, M. *See* Wu, R.-L.
Bodorova, J. *See* Pasqualini, R.
Bohrmann, J. Antisera against a channel-forming 16 kDa protein inhibit dye-coupling and bind to cell membranes in *Drosophila* ovarian follicles **105**, 513
Boissy, R. *See* Abdel-Malek, Z.
Boitano, S. *See* Hansen, M.
Bominaar, A. A. and Van Haastert, P. J. M. Chemotactic antagonsists of cAMP inhibit *Dictyostelium* phospholipase C **104**, 181
Bondanza, S. *See* De Luca, M.
Bondanza, S. *See* Zambruno, G.
Bongrand, P. *See* Zaffran, Y.
Boothroyd, J. C. *See* Bangs, J. D.
Borel, P. *See* Beghdadi-Rais, C.
Borisy, G. G. *See* Rodionov, V. I.
Borojevic, R. *See* Alvarez-Silva, M.
Boschelli, F., Uptain, S. M. and Lightbody, J. J. The lethality of $p60^{v\text{-}src}$ in *Saccharomyces cerevisiae* and activation of $p34^{CDC28}$ kinase are dependent on the integrity of the SH2 domain **105**, 519
Bossie, C. A. and Sanders, M. M. A cDNA from *Drosophila melanogaster* encodes a lamin C-like intermediate filament protein **104**, 1263
Bossie, M. A. *See* Stochaj, U.
Bourdon, M. A. *See* Sriramarao, P.
Boutemy-Roulier, S. *See* Rebut-Bonneton, C.
Bowyer, D. E. *See* McMurray, H. F.
Boyd, A. *See* Bryant, N. J.
Boyer, B. *See* Matthay, M. A.
Bozzaro, S. *See* Sordano, C.
Braga, V. M. M. and Gendler, S. J. Modulation of Muc-1 mucin expression in the mouse uterus during the estrus cycle, early pregnancy and placentation **105**, 397
Braun, T. *See* Arnold, H.-H.
Bray, P. F. *See* Bertagnolli, M. E.
Bretscher, A. *See* Berryman, M.
Bretscher, A. *See* Franck, Z.
Briand, P. *See* Cartier, N.
Brickman, M. J. *See* Bangs, J. D.
Bridger, J. M., Kill, I. R., O'Farrell, M. and Hutchison, C. J. Internal lamin structures within G_1 nuclei of human dermal fibroblasts **104**, 297
Brinkley, B. R. *See* Ouspenski, I. I.
Britland, S. *See* Clark, P.
Bron, C. *See* Beghdadi-Rais, C.
Bronner-Fraser, M. *See* Perris, R.
Brookes, N. H. *See* Poole, C. A.
Brown, A., Li, Y., Slaughter, T. and Black, M. M. Composite microtubules of the axon: quantitative analysis of tyrosinated and acetylated tubulin along individual axonal microtubules **104**, 339
Brown, W. J. *See* Lawrence, B. P.
Brunette, D. M. *See* Oakley, C.
Brunkener, M. *See* Kouklis, P. D.
Bruno de Almeida, J., Doherty, J., Ausiello, D. and Stow, J. Binding of the cytosolic p200 protein to Golgi membranes is regulated by heterotrimeric G proteins **106**, 1239
Brusselbach, S. *See* Adolph, S.
Brusseibach, S. *See* Lucibello, F. C.
Brusselbach, S. *See* Sewing, A.
Bryant, N. J. and Boyd, A. Immunoisolation of Kex2p-containing organelles from yeast demonstrates colocalisation of three processing proteinases to a single Golgi compartment **106**, 815
Buc-Caron, M. H. *See* Poliard, A.
Buchenau, P., Arndt-Jovin, D. J. and Saumweber, H. In vivo observation of the puff-specific protein no-ontransient A (NONA) in nuclei of *Drosophila* embryos **106**, 189
Buchenau, P., Saumweber, H. and Arndt-Jovin, D. J. Consequences of topoisomerase II inhibition in early embryogenesis of *Drosophila* revealed by in vivo confocal laser scanning microscopy **104**, 1175
Buchman, T. G. *See* Schweizer, A.
Bultmann, H. *See* Killich, T.
Burdett, I. D. J. Internalisation of desmosomes and their entry into the endocytic pathway via late endosomes in MDCK cells. Possible mechanisms for the modulation of cell adhesion by desmosomes during development **106**, 1115
Burger, C. *See* Lucibello, F. C.
Burger, C. *See* Sewing, A.
Burgoyne, R. D. *See* Cheek, T. R.
Burgoyne, R. D. *See* Rennison, M. E.
Burgoyne, R. D. *See* Turner, M. D.
Burkhardt, J. K., McIlvain, J. M. Jr, Sheetz, M. P. and Argon, Y. Lytic granules from cytotoxic T cells exhibit kinesin-dependent motility on microtubules in vitro **104**, 151
Burns, R. G. *See* Trivinos-Lagos, L.
Bussolino, F. *See* Sordano, C.
Butler, M. *See* McDermott, R. H.
Buttgereit, D. Redundant enhancer elements guide β1 tubulin gene expression in apodemes during *Drosophila* embryogenesis **105**, 721
Buxbaum, R. E. *See* Zheng, J.
Buxton, R. S. *See* Arnemann, J.
Byrne, S. M. and Hoffman, C. S. Six *git* genes encode a glucose-induced adenylate cyclase activation pathway in the fission yeast *Schizosaccharomyces pombe* **105**, 1095
Calafat, J. *See* Sonnenberg, A.
Callaini, G., Dallai, R. and Riparbelli, M. G. F-actin domains in the syncytial blastoderm of the dipteran *Ceratitis capitata* **104**, 97
Campbell, G. *See* Edwards, J. G.
Cancedda, R. *See* De Luca, M.
Cancedda, R. *See* Zambruno, G.
Cande, W. Z. *See* Liu, Q.
Canlon, B. and Dulon, D. Dissociation between the calcium-induced and voltage-driven motility in cochlear outer hair cells from the waltzing guinea pig **104**, 1137
Cannon, G. C. *See* Heinhorst, S.

Cano, A. *See* Navarro, P.
Cao, Y., Ekstrom, M. and Pettersson, R. F. Characterization of the nuclear translocation of acidic fibroblast growth factor **104**, 77
Capitani, S. *See* Maraldi, N. M.
Capo, C. *See* Zaffran, Y.
Caprani, A. *See* Godin, C.
Carbonetto, S. *See* Grenz, H.
Cardenas, M. E. and Gasser, S. M. Regulation of topoisomerase II by phosphorylation: a role for casein kinase II **104**, 219
Cardenas, M. E., Walter, R., Hanna, D. and Gasser, S. M. Casein kinase II copurifies with yeast DNA topoisomerase II and reactivates the dephosphorylated enzyme **104**, 533
Carlberg, M. *See* Larsson, O.
Carmena, M., Abad, J. P., Villasante, A. and Gonzalez, C. The *Drosophila melanogaster dodecasatellite* sequence is closely linked to the centromere and can form connections between sister chromatids during mitosis **105**, 41
Carmo-Fonseca, M. *See* Blencowe, B. J.
Carr, M. *See* Edwards, J. G.
Carre, I. A. and Edmunds, L. N. Jr Oscillator control of cell division in *Euglena*: cyclic AMP oscillations mediate the phasing of the cell division cycle by the circadian clock **104**, 1163
Cartier, N., Lacave, R., Vallet, V., Hagege, J., Hellio, R., Robine, S., Pringault, E., Cluzeaud, F., Briand, P., Kahn, A. and Vandewalle, A. Establishment of renal proximal tubule cell lines by targeted oncogenesis in transgenic mice using the L-pyruvate kinase-SV40 (T) antigen hybrid gene **104**, 695
Cartier, N. *See* Lacave, R.
Casiano, C. A., Landberg, G., Ochs, R. L. and Tan, E. M. Autoantibodies to a novel cell cycle-regulated protein that accumulates in the nuclear matrix during S phase and is localized in the kinetochores and spindle midzone during mitosis **106**, 1045
Casselton, L. A. *See* Kues, U.
Cavanagh, H. D. *See* Petroll, W. M.
Caveney, S. *See* Churchill, D.
Cazenave, J.-P. *See* Schmitt, D. A.
Ceccarini, M. *See* Malchiodi-Albedi, F.
Chambers, J. A. and Harris, A. Expression of the cystic fibrosis gene and the major pancreatic mucin gene, MUC1, in human ductal epithelial cells **105**, 417
Chan, C.-T. J. *See* Timmons, P. M.
Chan, P. W. *See* Thomas, L.
Chan, Y.-C. *See* Griffin, M.
Chandler, D. E. *See* Mozingo, N. M.
Chandra, R., Endow, S. A. and Salmon, E. D. An N-terminal truncation of the ncd motor protein supports diffusional movement of microtubules in motility assays **104**, 899
Chang, K.-C., Fernandes, K. and Goldspink, G. In vivo expression and molecular characterization of the porcine slow-myosin heavy chain **106**, 331
Chang, S. *See* Thomas, L.
Che, A., Cherry, R. J., Bannister, L. H. and Dluzewski, A. R. Aggregation of band 3 in hereditary ovalocytic red blood cell membranes. Electron microscopy and protein rotational diffusion studies **105**, 655
Cheek, T. R., Morgan, A., O'Sullivan, A. J., Moreton, R. B., Berridge, M. J. and Burgoyne, R. D. Spatial localization of agonist-induced Ca^{2+} entry in bovine adrenal chromaffin cells. Different patterns induced by histamine and angiotensin II, and relationship to catecholamine release **105**, 913
Chen, R., Perrone, C. A., Amos, L. A. and Linck, R. W. Tektin B1 from ciliary microtubules: primary structure as deduced from the cDNA sequence and comparison with tektin A1 **106**, 909
Chen, S.-S., Lyons-Giordano, B., Lazarus, G. S. and Jensen, P. J. Differential expression of plasminogen activators and their inhibitors in an organotypic skin coculture system **106**, 45
Chen, Y.-L. *See* Tang, T. K.
Cherry, R. J. *See* Che, A.
Chiquet, M. *See* Wehrle-Haller, B.
Chisholm, R. L. *See* Trivinos-Lagos, L.
Chou, C.-F., Riopel, C. L., Rott, L. S. and Omary M. B. A significant soluble keratin fraction in 'simple' epithelial cells. Lack of an apparent phosphorylation and glycosylation role in keratin solubility **105**, 433
Chue, C. *See* Saunders, W. S.
Chugani, D. C., Rome, L. H. and Kedersha, N. L. Evidence that vault ribonucleoprotein particles localize to the nuclear pore complex **106**, 23
Chung, C.-Y. *See* Joshi, P.
Churchill, D., Coodin, S., Shivers, R. R. and Caveney, S. Rapid de novo formation of gap junctions between insect hemocytes in vitro: a freeze-fracture, dye-transfer and patch-clamp study **104**, 763
Cintron, C. *See* Girard, M. T.
Clark, M. W. *See* Lee, A.
Clark, P., Britland, S. and Connolly, P. Growth cone guidance and neuron morphology on micropatterned laminin surfaces **105**, 203
Clark, P. *See* Leach, L.
Clark, R. F. *See* Saunders, W. S.
Clarke, D. J., Johnson, R. T. and Downes, C. S. Topoisomerase II inhibition prevents anaphase chromatid segregation in mammalian cells independently of the generation of DNA strand breaks **105**, 563
Clarke, M. S. F., Khakee, R. and McNeil, P. L. Loss of cytoplasmic basic fibroblast growth factor from physiologically wounded myofibers of normal and dystrophic muscle **106**, 121
Clarke, M. *See* Fok, A. K.
Clarke, M. *See* Zhu, Q.
Clerot, J.-C. *See* Nahon, P.
Clover, G. M. *See* Poole, C. A.
Cluzeaud, F. *See* Cartier, N.
Coan, D. E., Wechezak, A. R., Viggers, R. F. and Sauvage, L. R. Effect of shear stress upon localization of the Golgi apparatus and microtubule organizing center in isolated cultured endothelial cells **104**, 1145
Coffe, G. *See* Nahon, P.
Cohen, G. H. *See* Beghdadi-Rais, C.
Cohen-Gould, L. *See* Nabi, I. R.
Collins, C. *See* Abdel-Malek, Z.
Collins, C. A. *See* Lin, S. X. H.
Connolly, P. *See* Clark, P.
Coodin, S. *See* Churchill, D.
Cook, P. R. *See* Hassan, A. B.
Cook, P. R. *See* Jackson, D. A.
Cooper, J. A. *See* Vojtek, A. B.
Cooper, R. *See* Ribeiro de Jesus, A.
Copeland, N. G. *See* Matsunami, H.
Cormier, F. Avian pluripotent haemopoietic progenitor cells: detection and enrichment from the para-aortic region of the early embryo **105**, 661
Cornet, V. *See* Roa, M.
Cossart, P. *See* Kocks, C.
Couchie, D. *See* Georgieff, I. S.
Couchman, J. R. *See* Dunlevy, J. R.
Coutinho, L. *See* de Wynter, E.
Craig, C. *See* Saunders, W. S.
Cristino, E. *See* Sordano, C.
Croes, H. J. E. *See* van der Ven, P. F. M.
Cromwell, O. *See* Lindau, M.
Cross, D., Vial, C. and Maccioni, R. B. A tau-like protein interacts with stress fibers and microtubules in human and rodent cultured cell lines **105**, 51
Cross, G. A. M. *See* Ribeiro de Jesus, A.
Crowe, D. L. Retinoic acid mediates post-transcriptional regulation of keratin 19 mRNA levels **106**, 183
Crowley, M. T. *See* Witmer-Pack, M. D.
Czaban, B. B., Forer, A. and Bajer, A. S. Ultraviolet microbeam irradiation of chromosomal spindle fibres in *Haemanthus katherinae* endosperm. I. Behaviour of the irradiated region **105**, 571
da Silva, L.-C. F. *See* Alvarez-Silva, M.

Dale, B. A. *See* Kam, E.
Dallai, R. *See* Callaini, G.
Dalton, B. A. *See* Underwood, P. A.
Damsky, C. *See* Thomas, L.
Dargemont, C. *See* Prakapas, Z.
Darmanaden-Delorme, J. *See* Nahon, P.
Dauvois, S., White, R. and Parker, M. G. The antiestrogen ICI 182780 disrupts estrogen receptor nucleocytoplasmic shuttling **106**, 1377
David-Pfeuty, T., Bagrodia, S. and Shalloway, D. Differential localization patterns of myristoylated and nonmyristoylated c-Src proteins in interphase and mitotic c-Src overexpresser cells **105**, 613
Davis, J. B. *See* McMurray, H. F.
Davison, I. *See* Shankar, G.
Davoust, J. *See* Perret, E.
De Boni, U. *See* Sahlas, D. J.
De Luca, M., Siegrist, W., Bondanza, S., Mathor, M., Cancedda, R. and Eberle, A. N. α Melanocyte stimulating hormone (αMSH) stimulates normal human melanocyte growth by binding to high-affinity receptors **105**, 1079
De Luca, M. *See* Zambruno, G.
de la Hoz, C. and Baroja, A. Proliferative behaviour of high-ploidy cells in two murine tumour lines **104**, 31
de Melker, A. A. *See* Sonnenberg, A.
de Pennart, H. *See* Szollosi, M. S.
de Wynter, E., Allen, T., Coutinho, L., Flavell, D., Flavell, S. U. and Dexter, T. M. Localisation of granulocyte macrophage colony-stimlating factor in human long-term bone marrow cultures. Biological and immunocytochemical characterisation **106**, 761
Dean, K. *See* Suprenant, K. A.
Debey, P. *See* Szollosi, M. S.
Decristoforo, T. *See* Lang, S.
Deiner, M., Tamm, S. L. and Tamm, S. Mechanical properties of ciliary axonemes and membranes as shown by paddle cilia **104**, 1251
Dejana, E. *See* Leach, L.
Delaisse, J. M., Eeckhout, Y., Neff, L., Francois-Gillet, Ch., Henriet, P., Su, Y., Vaes, G. and Baron, R. (Pro)collagenase (matrix metalloproteinase-1) is present in rodent osteoclasts and in the underlying bone resorbing compartment **106**, 1071
Delseny, M. *See* Olmedilla, A.
DeMaio, A. *See* Schweizer, A.
Denoyelle, M. *See* Prakapas, Z.
Deretic, D. and Papermaster, D. S. Rab6 is associated with a compartment that transports rhodopsin from the *trans*-Golgi to the site of rod outer segment disk formation in frog retinal photoreceptors **106**, 803
Deugnier, M.-A. *See* Prakapas, Z.
Dexter, T. M. *See* de Wynter, E.
Dexter, T. M. *See* Shearman, M. S.
Dhoot, G. K. *See* Morgan, M. J.
Di Primio, R. *See* Maraldi, N. M.
Dickinson, R. B. *See* Faassen, A. E.
Dijkwel, P. A. *See* Mah, D. C. W.
DiPaolo, T. *See* Lee, A.
Dirks, R. W., van de Rijke, F. M., Fujishita, S., van der Ploeg, M. and Raap, A. K. Methodologies for specific intron and exon RNA localization in cultured cells by haptenized and fluorochromized probes **104**, 1187
Dirksen, E. R. *See* Hansen, M.
Dive, C. *See* Bayly, A. C.
Dixon, R. J. *See* Bennett, P. A.
Dixon, T. W. *See* Hashimoto, T.
Dluzewski, A. R. *See* Che, A.
Dobberstein, B. *See* Pieters, J.
Dodds, R. *See* Merry, K.
Doherty, J. *See* Bruno de Almeida, J.
Doll, T., Meichsner, M., Riederer, B. M., Honegger, P. and Matus, A. An isoform of microtubule-associated protein 2(MAP2) containing four repeats of the tubulin-binding motif **106**, 633
Douaire, M., Belloir, B., Guillemot, J.-C., Fraslin, J.-M., Langlois, P. and Mallard, J. Lipogenic enzymes and apoprotein messenger RNAs in long-term primary culture of chicken hepatocytes **104**, 713
Downes, C. S. *See* Clarke, D. J.
Draber, P. *See* Draberova, E.
Draberova, E. and Draber, P. A microtubule-interacting protein involved in coalignment of vimentin intermediate filaments with microtubules **106**, 1263
Driouich, A. *See* Zhang, G. F.
du Cros, D. L., Isaacs, K. and Moore, G. P. M. Distribution of acidic and basic fibroblast growth factors in ovine skin during follicle morphogenesis **105**, 667
Duance, V. C. *See* Wardale, R. J.
Dufaux, J. *See* Godin, C.
Dulon, D. *See* Canlon, B.
Dumont, J. E. *See* Baptist, M.
Dunlevy, J. R. and Couchman, J. R. Controlled induction of focal adhesion disassembly and migration in primary fibroblasts **105**, 489
Dupree, P. *See* Olkkonen, V. M.
Dvorak, J. A. *See* Ward, G. E.
Eagles, P. A. M. *See* Adjaye, J.
Earnshaw, J. C. *See* Morgan, M. J.
Earnshaw, W. C. *See* Saunders, W. S.
Eberle, A. N. *See* De Luca, M.
Edmunds, L. N. Jr *See* Carre, I. A.
Edwards, C. C. *See* Edwards, J. G.
Edwards, J. G., Campbell, G., Carr, M. and Edwards, C. C. Shapes of cells spreading on fibronectin: measurement of the stellation of BHK21 cells induced by raising cyclic AMP, and of its reversal by serum and lysophosphatidic acid **104**, 399
Edwardson, J. M. *See* MacLean, C. M.
Eeckhout, Y. *See* Delaisse, J. M.
Egea, G., Franci, C., Gambus, G., Lesuffleur, T., Zweibaum, A. and Real, F. X. *cis*-Golgi resident proteins and *O*-glycans are abnormally compartmentalized in the RER of colon cancer cells **105**, 819
Egea, G. *See* Alemany, R.
Eisenberg, R. J. *See* Beghdadi-Rais, C.
Eissenberg, J. C. *See* Saunders, W. S.
Ekstrom, M. *See* Cao, Y.
Elgin, S. C. R. *See* Saunders, W. S.
Eliott, S., Joss, G. H., Spudich, A. and Williams, K. L. Patterns in *Dictyostelium discoideum*: the role of myosin II in the transition from the unicellular to the multicellular phase **104**, 457
Endo, S. *See* Ohta, K.
Endow, S. A. *See* Chandra, R.
Ennis, H. L. *See* Trivinos-Lagos, L.
Entwistle, G. *See* May, M. J.
Eppenberger, H. M. *See* Hemmer, W.
Erickson, H. P. *See* Joshi, P.
Ericsson, M. *See* Schweizer, A.
Espinosa, M. *See* Ribeiro de Jesus, A.
Etkin, L. D. *See* Li, X.
Evain-Brion, D. *See* Rebut-Bonneton, C.
Faassen, A. E., Mooradian, D. L., Tranquillo, R. T., Dickinson, R. B., Letourneau, P. C., Oegema, T. R. and McCarthy, J. B. Cell surface CD44-related chondroitin sulfate proteoglycan is required for transforming growth factor-β-stimulated mouse melanoma cell motility and invasive behavior on type 1 collagen **105**, 501
Fabre, M. and Garcia de Herreros, A. Phorbol ester-induced scattering of HT-29 human intestinal cancer cells is associated with down-modulation of E-cadherin **106**, 513
Fabre, M. *See* Garcia de Herreros, A. G.
Fang, F. and Newport, J. W. Distinct roles of cdk2 and cdc2 in RP-A phosphorylation during the cell cycle **106**, 983
Fang, H., Aiba, K., Higa, M., Urushihara, H. and Yanagisawa, K. Antisense RNA inactivation of gp138 gene expression results in

repression of sexual cell fusion in *Dictyostelium discoideum* **106**, 785
Farquharson, C. *See* Loveridge, N.
Fasel, N. *See* Beghdadi-Rais, C.
Fenyves, A. M., Behrens, J. and Spanel-Borowski, K. Cultured microvascular endothelial cells (MVEC) differ in cytoskeleton, expression of cadherins and fibronectin matrix. A study under the influence of interferon-γ **106**, 879
Fernandes, K. *See* Chang, K.-C.
Fernandez-Teran, M. A. *See* Garcia-Martinez, V.
Fernig, D. G. *See* Ke, Y.
Finbow, M. E. and Pitts, J. D. Is the gap junction channel - *the connexon* - made of connexin or ductin? **106**, 463
Fine, R. E. *See* Roberts, R. L.
Fini, M. E. *See* Girard, M. T.
Firth, J. A. *See* Leach, L.
Firth, J. A. *See* Schulze, C.
Flaadt, H., Jaworski, E. and Malchow, D. Evidence for two intracellular calcium pools in *Dictyostelium*: the cAMP-induced calcium influx is directed into a NBD-Cl- and 2,5-di-(tert-butyl)-1,4-hydroquinone-sensitive pool **105**, 1131
Flaadt, H., Jaworski, E., Schlatterer, C. and Malchow, D. Cyclic AMP- and Ins(1,4,5)P_3-induced Ca^{2+} fluxes in permeabilised cells of *Dictyostelium discoideum*: cGMP regulates Ca^{2+} entry across the plasma membrane **105**, 255
Flaherty, S. P. and Swann, N. J. Proteases are not involved in the membrane fusion events of the lysolecithin-mediated guinea pig sperm acrosome reaction **104**, 163
Flaud, P. *See* Godin, C.
Flavell, D. *See* de Wynter, E.
Flavell, S. U. *See* de Wynter, E.
Flouriot, G., Vaillant, C., Salbert, G., Pelissero, C., Guiraud, J. M. and Valotaire, Y. Monolayer and aggregate cultures of rainbow trout hepatocytes: long-term and stable liver-specific expression in aggregates **105**, 407
Fluck, R. A. *See* Miller, A. L.
Fok, A. K., Clarke, M., Ma, L. and Allen, R. D. Vacuolar H^+-ATPase of *Dictyostelium discoideum*. A monoclonal antibody study **106**, 1103
Fok, A. K. *See* Allen, R. D.
Fok, A. K. *See* Ishida, M.
Fontalba, A., Paciucci, R., Avila, J. and Zabala, J. C. Incorporation of tubulin subunits into dimers requires GTP hydrolysis **106**, 627
Foote, L. J. *See* Kennel, S. J.
Forer, A. *See* Czaban, B. B.
Fowke, L. C. *See* Galway, M. E.
Franci, C. *See* Alemany, R.
Franci, C. *See* Egea, G.
Francia, M. V. *See* Garcia-Martinez, V.
Franck, Z., Gary, R. and Bretscher, A. Meosin, like ezrin, colocalizes with actin in the cortical cytoskeleton in cultured cells, but its expression is more variable **105**, 219
Franck, Z. *See* Berryman, M.
Francois-Gillet, Ch. *See* Delaisse, J. M.
Frangioni, J. V. and Neel, B. G. Use of a general purpose mammalian expression vector for studying intracellular protein targeting: identification of critical residues in the nuclear lamin A/C nuclear localization signal **105**, 481
Frank, W. *See* Pfeifer, K.
Fraslin, J.-M. *See* Douaire, M.
Fredieu, J. R. and Mahowald, A. P. Characterization of a putative *Drosophila* GTP-binding protein **105**, 81
French, N. J. *See* Bayly, A. C.
Friederich, E., Kreis, T. E. and Louvard, D. Villin-induced growth of microvilli is reversibly inhibited by cytochalasin D **105**, 765
Fritsch, G. *See* Oberhammer, F.
Fuchs, M., Jones, M. K. and Williams, K. L. Characterisation of an epithelium-like layer of cells in the multicellular *Dictyostelium discoideum* slug **105**, 243
Fujishita, S. *See* Dirks, R. W.
Fulton, A. B. and L'Ecuyer, T. Cotranslational assembly of some cytoskeletal proteins: implications and prospects **105**, 867
Furlong, S. T. *See* Rogers, R. A.
Furst, D. O. *See* Vinkemeir, U.
Gachet, C. *See* Schmitt, D. A.
Gallant, P. *See* Maridor, G.
Galvin, S. *See* Wu, R.-L.
Galway, M. E., Rennie, P. J. and Fowke, L. C. Ultrastructure of the endocytotic pathway in glutaraldehyde-fixed and high pressure frozen/freeze-substituted protoplasts of white spruce (*Picea glauca*) **106**, 847
Gamage, M. *See* Soteriou, A.
Gambus, G. *See* Egea, G.
Gamulin, V. *See* Pfeifer, K.
Ganan, Y. *See* Garcia-Martinez, V.
Garcia de Herreros, A. G., Fabre, M., Batlle, E., Balague, C. and Real, F. X. The tumor promoter 12-*O*-tetradecanoylphorbol-13-acetate blocks differentiation of HT-29 human colon cancer cells **105**, 1165
Garcia de Herreros, A. *See* Fabre, M.
Garcia, E. S. *See* Ribeiro de Jesus, A.
Garcia, M., Mirre, Ch., Quaroni, A., Reggio, H. and Le Bivic, A. GPI-anchored proteins associate to form microdomains during their intracellular transport in Caco-2 cells **104**, 1281
Garcia-Lobo, J. M. *See* Garcia-Martinez, V.
Garcia-Martinez, V., Macias, D., Ganan, Y., Garcia-Lobo, J. M., Francia, M. V., Fernandez-Teran, M. A. and Hurle, J. M. Internucleosomal DNA fragmentation and programmed cell death (apoptosis) in the interdigital tissue of the embyronic chick leg bud **106**, 201
Garrod, D. *See* Baker, J.
Gary, R. *See* Franck, Z.
Gasser, S. M. *See* Cardenas, M. E.
Geiger, B. *See* Hanein, D.
Gelfand, V. L. *See* Rodionov, V. I.
Gendler, S. J. *See* Braga, V. M. M.
Georgatos, S. D. *See* Kouklis, P. D.
Georgieff, I. S., Liem, R. K. H., Couchie, D., Mavilia, C., Nunez, J. and Shelanski, M. L. Expression of high molecular weight tau in the central and peripheral nervous systems **105**, 729
Georgieff, I. S. *See* Teng, K. K.
Geraud, G. *See* Roussel, P.
Gerke, V. *See* Harder, T.
Germroth, P. *See* Gourdie, R. G.
Giannasca, P. J., Horowitz, R. A. and Woodcock, C. L. Transitions between in situ and isolated chromatin **105**, 551
Gilbert, D. J. *See* Matsunami, H.
Gilroy, S., Bethke, P. C. and Jones, R. L. Calcium homeostasis in plants **106**, 453
Ginsel, L. A. *See* van der Ven, P. F. M.
Girard, M. T., Matsubara, M., Kublin, C., Tessier, M. J., Cintron, C. and Fini, M. E. Stromal fibroblasts synthesize collagenase and stromelysin during long-term tissue remodeling **104**, 1001
Glover, D. M. *See* Gomes, R.
Glover, D. M. *See* Maldonado-Codina, G.
Glover, D. M. *See* Philp, A. V.
Glover, D. M. *See* White-Cooper, H.
Goday, C. *See* Jimenez, M.
Godin, C., Caprani, A., Dufaux, J. and Flaud, P. Interactions between neutrophils and endothelial cells **106**, 441
Goebl, M. *See* Saunders, W. S.
Goetinck, P. F. *See* Vertel, B. M.
Goldberg, M. W. and Allen, T. D. The nuclear pore complex: three-dimensional surface structure revealed by field emission, in-lens scanning electron microscopy with underlying structure uncovered by proteolysis **106**, 261
Goldspink, G. *See* Chang, K.-C.
Golsteyn, R. *See* Maridor, G.
Golubovskaya, I. *See* Liu, Q.
Gomes, J. E. P. L. *See* Ribeiro de Jesus, A.

Gomes, R., Karess, R. E., Ohkura, H., Glover, D. M. and Sunkel, C. E. Abnormal anaphase resolution (*aar*): a locus required for progression through mitosis in *Drosophila* **104**, 583
Gonella, P. A. and Wilmore, D. W. Co-localization of class II antigen and exogenous antigen in the rat enterocyte **106**, 937
Gonzalez, C. *See* Carmena, M.
Gonzalez-Fernandez, F., Kittredge, K. L., Rayborn, M. E., Hollyfield, J. G., Landers, R. A., Saha, M. and Grainger, R. M. Interphotoreceptor retinoid-binding protein (IRBP), a major 124 kDa glycoprotein in the interphotoreceptor matrix of *Xenopus laevis*: characterization, molecular cloning and biosynthesis **105**, 7
Goodbourn, S. *See* Whiteside, S. T.
Goodman, S. L. *See* Grenz, H.
Gordon, S. *See* Witmer-Pack, M. D.
Goss, S. J. A fresh look at the somatic cell genetics of hepatoma differentiation **104**, 231
Gotoh, Y. *See* Ohta, K.
Goud, B. *See* Roa, M.
Goud, B. *See* Tixier-Vidal, A.
Gounon, P. *See* Kocks, C.
Gourdie, R. G., Severs, N. J., Green, C. R., Rothery, S., Germroth, P. and Thompson, R. P. The spatial distribution and relative abundance of gap-junctional connexin40 and connexin43 correlate to functional properties of components of the cardiac atrioventricular conduction system **105**, 985
Gowen, M. *See* Merry, K.
Grainger, R. M. *See* Gonzalez-Fernandez, F.
Grallert, B. *See* Sipiczki, M.
Grant, K. E. *See* Mardon, H. J.
Grant, R. P. *See* Mardon, H. J.
Grassie, M., McNab, D. and Macnab, J. C. M. The characteristic which makes the cell-coded HSV-inducible U90 distinctive in transformed cells is its greatly increased half-life **104**, 1083
Gray, A. J., Bishop, J. E., Reeves, J. T. and Laurent, G. J. Aα and Bβ chains of fibrinogen stimulate proliferation of human fibroblasts **104**, 409
Green, C. R. *See* Gourdie, R. G.
Green, S. R. *See* Jimenez-Garcia, L. F.
Greene, L. A. *See* Teng, K. K.
Grenz, H., Carbonetto, S. and Goodman, S. L. $\alpha_3\beta_1$ integrin is moved into focal contacts in kidney mesangial cells **105**, 739
Greulich, K. O. *See* Kurkdjian, A.
Grier, B. *See* Vertel, B. M.
Griffin, M., Bhandari, R., Hamilton, G., Chan, Y.-C. and Powell, J. T. Alveolar type II cell-fibroblast interactions, synthesis and secretion of surfactant and type I collagen **105**, 423
Griffiths, G. *See* Schweizer, A.
Grinnell, F. *See* Lee, T.-L.
Gross, D. J. *See* Mahoney, M. G.
Gueth-Hallonet, C., Antony, C., Aghion, J., Santa-Maria, A., Lajoie-Mazenc, I., Wright, M. and Maro, B. γ-Tubulin is present in acentriolar MTOCs during early mouse development **105**, 157
Guido, S. and Tranquillo, R. T. A methodology for the systematic and quantitative study of cell contact guidance in oriented collagen gels. Correlation of fibroblast orientation and gel birefringence **105**, 317
Guillemot, J.-C. *See* Douaire, M.
Guiraud, J. M. *See* Flouriot, G.
Gulino, A. *See* Screpanti, I.
Gum, J. R. *See* Lesuffleur, T.
Gundersen, D. *See* Nabi, I. R.
Haase, W. *See* Ullrich, O.
Haefner, B. *See* Shearman, M. S.
Hagege, J. *See* Cartier, N.
Hajibagheri, N. M. A. *See* Ayscough, K.
Hake, S. *See* Suprenant, K. A.
Hall, D. V. *See* MacLean, C. M.
Hamilton, G. *See* Griffin, M.
Hamm-Alvarez, S. F., Kim, P. Y. and Sheetz, M. P. Regulation of vesicle transport in CV-1 cells and extracts **106**, 955
Hammarback, J. A. *See* Tucker, R. P.
Handel, S. E. *See* Rennison, M. E.
Handel, S. E. *See* Turner, M. D.
Hanein, D., Sabanay, H., Addadi, L. and Geiger, B. Selective interactions of cells with crystal surfaces. Implications for the mechanism of cell adhesion **104**, 275
Hanna, D. *See* Cardenas, M. E.
Hansen, M., Boitano, S., Dirksen, E. R. and Sanderson, M. J. Intercellular calcium signaling induced by extracellular adenosine 5′-triphosphate and mechanical stimulation in airway epithelial cells **106**, 995
Hanzel, D. K. *See* Rajasekaran, A. K.
Harborth, J. *See* Kallajoki, M.
Harder, T., Thiel, C. and Gerke, V. Formation of the annexin II_2p11_2 complex upon differentiation of F9 teratocarcinoma cells **104**, 1109
Harim, A. *See* Kurkdjian, A.
Harris, A. *See* Chambers, J. A.
Harris, H. *See* Mardon, H. J.
Hartshorne, D. J. *See* Hosoya, N.
Hashimoto, T., Amagai, M., Parry, D. A. D., Dixon, T. W., Tsukita, S., Tsukita, Sh., Miki, K., Sakai, K., Inokuchi, Y., Kudoh, J., Schimizu, N. and Nishikawa, T. Desmoyokin, a 680 kDa keratinocyte plasma membrane-associated protein, is homologous to the protein encoded by human gene AHNAK **105**, 275
Hashino, E. and Salvi, R. J. Changing spatial patterns of DNA replication in the noise-damaged chick cochlea **105**, 23
Hassan, A. B. and Cook, P. R. Visualization of replication sites in unfixed human cells **105**, 541
Hattori, H., Kaneda, T., Lokeshwar, B., Laszlo, A. and Ohtsuka, K. A stress-inducible 40 kDa protein (hsp40): purification by modified two-dimensional gel electrophoresis and co-localization with hsc70(p73) in heat-shocked HeLa cells **104**, 629
Hatzfeld, M. *See* Kouklis, P. D.
Hauri, H.-P. *See* Schweizer, A.
Hayakawa, T. *See* Watanabe, H.
Hayashi-Isimaru, Y., Ueda, K. and Nonaka, M. Detection of DNA in the nucleoids of chloroplasts and mitochondria in *Euglena gracilis* by immunoelectron microscopy **105**, 1159
Haydon, P. G. *See* Parpura, V.
Heidemann, S. R. *See* Zheng, J.
Heinhorst, S. and Cannon, G. C. DNA replication in chloroplasts **104**, 1
Helfrich, M. H. *See* Lakkakorpi, P. T.
Helfrich, M. H. *See* Shankar, G.
Hellio, R. *See* Cartier, N.
Hellio, R. *See* Kocks, C.
Hemler, M. E. *See* Pasqualini, R.
Hemmer, W., Riesinger, I., Wallimann, T., Eppenberger, H. M. and Quest, A. F. G. Brain-type creatine kinase in photoreceptor cell outer segments: role of a phosphocreatine circuit in outer segment energy metabolism and phototransduction **106**, 671
Henderson, E. *See* Parpura, V.
Henriet, P. *See* Delaisse, J. M.
Hensler, M. E. *See* Bertagnolli, M. E.
Hepler, P. K. *See* Mahoney, M. G.
Hernandez-Verdun, D. *See* Roussel, P.
Hesketh, J. E. *See* Loveridge, N.
Heyworth, C. M. *See* Shearman, M. S.
Higa, M. *See* Fang, H.
Highett, M. I., Beven, A. F. and Shaw, P. J. Localization of 5 S genes and transcripts in *Pisum sativum* nuclei **105**, 1151
Highett, M. I., Rawlins, D. J. and Shaw, P. J. Different patterns of rDNA distribution in *Pisum sativum* nucleoli correlate with different levels of nucleolar activity **104**, 843
Hiraiwa, N., Kida, H., Sakakura, T. and Kusakabe, M. Induction of tenascin in cancer cells by interactions with embryonic mesenchyme mediated by a diffusible factor **104**, 289
Hirokawa, N. *See* Nakata, T.

Hisanaga, S.-I. *See* Ohta, K.
Hisanaga, S.-i. *See* Ookata, K.
Hoffman, C. S. *See* Byrne, S. M.
Hollar, L. R. *See* Mozingo, N. M.
Hollenbeck, P. J. *See* Morris, R. L.
Hollyfield, J. G. *See* Gonzalez-Fernandez, F.
Holman, T. *See* Jenkins, H.
Holmyard, D. P. *See* Hunter, G. K.
Honegger, P. *See* Doll, T.
Hoops, H. J. Flagellar, cellular and organismal polarity in *Volvox carteri* **104**, 105
Hopkinson, S. B. *See* Langhofer, M.
Horowitz, R. A. *See* Giannasca, P. J.
Horton, M. A. *See* Lakkakorpi, P. T.
Horton, M. A. *See* Shankar, G.
Horwitz, A. F. *See* Bao, Z. Z.
Hosoya, N., Mitsui, M., Yazama, F., Ishihara, H., Ozaki, H., Karaki, H., Hartshorne, D. J. and Mohri, H. Changes in the cytoskeletal structure of cultured smooth muscle cells induced by calyculin-A **105**, 883
Hotchin, N. A., Kovach, N. L. and Watt, F. M. Functional down-regulation of $\alpha_5\beta_1$ integrin in keratinocytes is reversible but commitment to terminal differentiation is not **106**, 1131
Hotchin, N. A. *See* Watt, F. M.
Hourihan, H., Allen, T. D. and Ager, A. Lymphocyte migration across high endothelium is associated with increases in $\alpha_4\beta_1$ integrin (VLA-4) affinity **104**, 1049
Hozak, P., Schofer, C., Sylvester, J. and Wachtler, F. A study on nucleolar DNA: isolation of DNA from fibrillar components and ultrastructural localization of different DNA probes **104**, 1199
Hua, Q., Knudson, C. B. and Knudson, W. Internalization of hyaluronan by chondrocytes occurs via receptor-mediated endocytosis **106**, 365
Hughes, D. A. *See* Witmer-Pack, M. D.
Hulmes, D. J. S. *See* Bard, J. B. L.
Humphries, M. J. *See* May, M. J.
Hunter, G. K., Holmyard, D. P. and Pritzker, K. P. H. Calcification of chick vertebral chondrocytes grown in agarose gels: a biochemical and ultrastructural study **104**, 1031
Hurle, J. M. *See* Garcia-Martinez, V.
Hurtley, S. M. Recycling of a secretory granule membrane protein after stimulated secretion **106**, 649
Hutchison, C. J. *See* Bridger, J. M.
Hutchison, C. *See* Jenkins, H.
Inaba, K., Akazome, Y. and Morisawa, M. Purification of proteasomes from salmonid fish sperm and their periodical localization along sperm flagella **104**, 907
Inaba, K. *See* Witmer-Pack, M. D.
Ingber, D. E. Cellular tensegrity: defining new rules of biological design that govern the cytoskeleton **104**, 613
Inokuchi, Y. *See* Hashimoto, T.
Inoue, T. *See* Matsunami, H.
Iosi, F. *See* Malorni, W.
Isaacs, K. *See* du Cros, D. L.
Ishida, M., Aihara, M. S., Allen, R. D. and Fok, A. K. Osmoregulation in *Paramecium*: the locus of fluid segregation in the contractile vacuole complex **106**, 693
Ishida, S. *See* Liu, G.
Ishihara, H. *See* Hosoya, N.
Jack, R. M. *See* Rogers, R. A.
Jackson, D. A. and Cook, P. R. Transcriptionally active minichromosomes are attached transiently in nuclei through transcription units **105**, 1143
Jaffe, L. F. *See* Miller, A. L.
Jakowlew, S. B. *See* Loveridge, N.
James, D. E., Piper, R. C. and Slot, J. W. Targeting of mammalian glucose transporters **104**, 607
James, S. W., Silflow, C. D., Stroom, P. and Lefebvre, P. A. A mutation in the α-1 tubulin gene of *Chlamydomonas reinhardtii* confers resistance to anti-microtubule herbicides **106**, 209
Janssen, H. *See* Sonnenberg, A.
Jap, P. H. K. *See* van der Ven, P. F. M.
Jaworski, E. *See* Flaadt, H.
Jeanmaire-Wolf, R. *See* Nahon, P.
Jenkins, H., Holman, T., Lyons, C., Lane, B., Stick, R. and Hutchison, C. Nuclei that lack a lamina accumulate karyophilic proteins and assemble a nuclear matrix **106**, 275
Jenkins, N. A. *See* Matsunami, H.
Jeno, P. *See* Schweizer, A.
Jenrath, D. A. *See* Tucker, R. P.
Jensen, P. J. *See* Chen, S.-S.
Jester, J. V. *See* Petroll, W. M.
Jiang, C.-J. and Sonobe, S. Identification and preliminary characterization of a 65 kDa higher-plant microtubule-associated protein **105**, 891
Jimenez, M. and Goday, C. A centrosome-associated antibody from *Drosophila melanogaster* reveals a new microtubule-dependent structure in the equatorial zone of *Parascaris univalens* embryos **106**, 719
Jimenez-Garcia, L. F., Green, S. R., Mathews, M. B. and Spector, D. L. Organization of the double-stranded RNA-activated protein kinase DAI and virus-associated VA RNA_I in adenovirus-2-infected HeLa cells **106**, 11
Johnson, R. T. *See* Clarke, D. J.
Jones, J. C. R. *See* Langhofer, M.
Jones, M. K. *See* Fuchs, M.
Jones, R. L. *See* Gilroy, S.
Jordan, M. A. *See* Wendell, K. L.
Joshi, H. C. *See* Liu, B.
Joshi, H. C. *See* Muresan, V.
Joshi, H. C. *See* Palacios, M. J.
Joshi, P., Chung, C.-Y., Aukhil, I. and Erickson, H. P. Endothelial cells adhere to the RGD domain and the fibrinogen-like terminal knob of tenascin **106**, 389
Joss, G. H. *See* Eliott, S.
Joswig, G. *See* Rothbarth, K.
Jovin, T. M. *See* Palecek, E.
Julian, M., Tollon, Y., Lajoie-Mazene, I., Moisand, A., Mazarguil, H., Puget, A. and Wright, M. γ-Tubulin participates in the formation of the midbody during cytokinesis in mammalian cells **105**, 145
Kahn, A. *See* Cartier, N.
Kahn, A. *See* Lacave, R.
Kallajoki, M., Harborth, J., Weber, K. and Osborn, M. Microinjection of a monoclonal antibody against SPN antigen, now identified by peptide sequences as the NuMA protein, induces micronuclei in PtK_2 cells **104**, 139
Kam, E., Resing, K. A., Lim, S. K. and Dale, B. A. Identification of rat epidermal profilaggrin phosphatase as a member of the protein phosphatase 2A family **106**, 219
Kampinga, H. H. Thermotolerance in mammalian cells: protein denaturation and aggregation, and stress proteins **104**, 11
Kaneda, T. *See* Hattori, H.
Kaneda, Y., Kinoshita, K., Sato, M., Tanaka, K. and Kaneda, Y. The analysis of 40 kDa nuclear protein, p40, in interphase cells and mitotic cells **106**, 741
Kaneda, Y. *See* Kaneda, Y.
Kang, Y. *See* Mitchell, D. R.
Kaplan, J. *See* Perou, C. M.
Karaki, H. *See* Hosoya, N.
Karess, R. E. *See* Gomes, R.
Kato, M. *See* Yamagata, M.
Kaufman, S. J. *See* Song, W. K.
Ke, Y., Fernig, D. G., Wilkinson, M. C., Winstanley, J. H. R., Smith, J. A., Rudland, P. S. and Barraclough, R. The expression of basic fibroblast growth factor and its receptor in cell lines derived from normal human mammary gland and a benign mammary lesion **106**, 135
Kedersha, N. L. *See* Chugani, D. C.
Kellermann, O. *See* Poliard, A.

Kellie, S. *See* Bennett, P. A.
Kennedy, R. C. *See* Sylwester, A.
Kennel, S. J., Lankford, T. K., Foote, L. J., Shinpock, S. G. and Stringer, C. CD44 expression on murine tissues **104**, 373
Kensler, R. W. and Stewart, M. The relaxed crossbridge pattern in isolated rabbit psoas muscle thick filaments **105**, 841
Kerr, M. *See* Rennison, M. E.
Khakee, R. *See* Clarke, M. S. F.
Khoory, W., Wu, E. and Svoboda, K. K. H. Intracellular relationship between actin and alpha-actinin in a whole corneal epithelial tissue **106**, 703
Kida, H. *See* Hiraiwa, N.
Kielty, C. M. and Shuttleworth, C. A. Synthesis and assembly of fibrillin by fibroblasts and smooth muscle cells **106**, 167
Kill, I. R. *See* Bridger, J. M.
Killich, T., Plath, P. J., Wei, X., Bultmann, H., Rensing, L. and Vicker, M. G. The locomotion, shape and pseudopodial dynamics of unstimulated *Dictyostelium* cells are not random **106**, 1005
Killisch, I. *See* Olkkonen, V. M.
Kim, P. Y. *See* Hamm-Alvarez, S. F.
Kim, Y. S. *See* Lesuffleur, T.
Kimata, K. *See* Yamagata, M.
Kimura, M., Yamaguchi, Y., Takada, S. and Tanabe, K. Cloning of a Ca^{2+}-ATPase gene of *Plasmodium falciparum* and comparison with vertebrate Ca^{2+}-ATPases **104**, 1129
King, I. A. *See* Arnemann, J.
Kinoshita, K. *See* Kaneda, Y.
Kipling, D. *See* Mitchell, A. R.
Kishimoto, T. *See* Ohta, K.
Kishimoto, T. *See* Ookata, K.
Kitanishi-Yumura, T. *See* Yumura, S.
Kittredge, K. L. *See* Gonzalez-Fernandez, F.
Klein, G. *See* Aubry, L.
Klein, V. *See* Mah, D. C. W.
Knudson, C. B. *See* Hua, Q.
Knudson, W. *See* Hua, Q.
Koch-Brandt, C. *See* Ullrich, O.
Kocks, C., Hellio, R., Gounon, P., Ohayon, H. and Cossart, P. Polarized distribution of *Listeria monocytogenes* surface protein ActA at the site of directional actin assembly **105**, 699
Kopito, R. R. *See* Morgans, C. W.
Kouklis, P. D., Hatzfeld, M., Brunkener, M., Weber, K. and Georgatos, S. D. In vitro assembly properties of vimentin mutagenised at the β-site tail motif **106**, 919
Koutoulis, A., Ludwig, M. and Wetherbee, R. A scale associated protein of *Apedinella radians* (Pedinellophyceae) and its possible role in the adhesion of surface components **104**, 391
Kovach, N. L. *See* Hotchin, N. A.
Krawitz, L. E. *See* Nicklas, R. B.
Kreibich, G. *See* Rajasekaran, A. K.
Kreis, T. E. *See* Friederich, E.
Kroese, F. G. M. *See* Prakapas, Z.
Krohne, G. *See* Vester, B.
Kubiak, J. Z. *See* Szollosi, M. S.
Kubler, M.-D. *See* Watt, F. M.
Kublin, C. *See* Girard, M. T.
Kudoh, J. *See* Hashimoto, T.
Kues, U. and Casselton, L. A. The origin of multiple mating types in mushrooms **104**, 227
Kumar, P. *See* Rooney, P.
Kumar, S. *See* Rooney, P.
Kumble, S. *See* Vishwanatha, J. K.
Kurachi, K. *See* Yao, S.-N.
Kuriyama, R. *See* Maekawa, T.
Kurkdjian, A., Leitz, G., Manigault, P., Harim, A. and Greulich, K. O. Non-enzymatic access to the plasma membrane of *Medicago* root hairs by laser microsurgery **105**, 263
Kusakabe, M. *See* Hiraiwa, N.
Kuwayama, H. *See* Liu, G.
Lacave, R., Bens, M., Cartier, N., Vallet, V., Robine, S., Pringault, E., Kahn, A. and Vandewalle, A. Functional properties of proximal tubule cell lines derived from transgenic mice harboring L-pyruvate kinase-SV40(T) antigen hybrid gene **104**, 705
Lacave, R. *See* Cartier, N.
Lafont, F., Rouget, M., Rousselet, A., Valenza, C. and Prochiantz, A. Specific responses of axons and dendrites to cytoskeleton perturbations: an in vitro study **104**, 433
Lafont, F. *See* Matthay, M. A.
Lajoie-Mazenc, I. *See* Gueth-Hallonet, C.
Lajoie-Mazene, I. *See* Julian, M.
Lakkakorpi, P. T., Helfrich, M. H., Horton, M. A. and Vaananen, H. K. Spatial organization of microfilaments and vitronectin receptor, $\alpha_v\beta_3$, in osteoclasts. A study using confocal laser scanning microscopy **104**, 663
Lakonishok, M. *See* Bao, Z. Z.
Lamblin, D. *See* Poliard, A.
Lamond, A. I. *See* Blencowe, B. J.
Lampugnani, M.-G. *See* Leach, L.
Landberg, G. *See* Casiano, C. A.
Landers, R. A. *See* Gonzalez-Fernandez, F.
Lane, B. *See* Jenkins, H.
Lane, D. P. *See* Vojtesek, B.
Lang, S., Decristoforo, T., Waitz, W. and Loidl, P. Biochemical and morphological characterization of the nuclear matrix during the synchronous cell cycle of *Physarum polycephalum* **105**, 1121
Langhofer, M., Hopkinson, S. B. and Jones, J. C. R. The matrix secreted by 804G cells contains laminin-related components that participate in hemidesmosome assembly in vitro **105**, 753
Langlois, P. *See* Douaire, M.
Lankford, T. K. *See* Kennel, S. J.
Larsson, O., Carlberg, M. and Zetterberg, A. Selective killing induced by an inhibitor of N-linked glycosylation **106**, 299
Lassmann, H. *See* Oberhammer, F.
Laszlo, A. *See* Hattori, H.
Laurent, G. J. *See* Gray, A. J.
Laurila, P. and Leivo, I. Basement membrane and interstitial matrix components form separate matrices in heterokaryons of PYS-2 cells and fibroblasts **104**, 59
Lausier, J. *See* Vergeres, G.
Lawler, J. *See* Adams, J. C.
Lawrence, B. P. and Brown, W. J. Inhibition of protein synthesis separates autophagic sequestration from the delivery of lysosomal enzymes **105**, 473
Lawson, L. *See* Witmer-Pack, M. D.
Lazarus, G. S. *See* Chen, S.-S.
Le Bivic, A. *See* Garcia, M.
Le Guyader, H. *See* Nahon, P.
Leach, L., Clark, P., Lampugnani, M.-G., Arroyo, A. G., Dejana, E. and Firth, J. A. Immunoelectron characterisation of the inter-endothelial junctions of human term placenta **104**, 1073
Leamon, C. P. *See* Turek, J. J.
L'Ecuyer, T. *See* Fulton, A. B.
Lee, A., Tam, R., Belhumeur, P., DiPaolo, T. and Clark, M. W. Prp20, the *Saccharomyces cerevisiae* homolog of the regulator of chromosome condensation, RCC1, interacts with double-stranded DNA through a multi-component complex containing GTP-binding proteins **106**, 287
Lee, T.-L., Lin, Y.-C., Mochitate, K. and Grinnell, F. Stress-relaxation of fibroblasts in collagen matrices triggers ectocytosis of plasma membrane vesicles containing actin, annexins II and VI, and β_1 integrin receptors **105**, 167
Lefebvre, P. A. *See* James, S. W.
Lehto, V.-P. *See* Merilainen, J.
Leitz, G. *See* Kurkdjian, A.
Leivo, I. *See* Laurila, P.
Lendhal, U. *See* Sejersen, T.
Lepidi, H. *See* Zaffran, Y.
Lesuffleur, T., Porchet, N., Aubert, J.-P., Swallow, D., Gum, J. R., Kim, Y. S., Real, F. X. and Zweibaum, A. Differential expression of the human mucin genes *MUC1* to *MUC5* in relation to growth

and differentiation of different mucus-secreting HT-29 cell subpopulations **106**, 771
Lesuffleur, T. *See* Egea, G.
Letourneau, P. C. *See* Faassen, A. E.
Li, X. and Etkin, L. D. *Xenopus* nuclear factor 7 (xnf7) possesses an NLS that functions efficiently in both oocytes and embryos **105**, 389
Li, Y. *See* Brown, A.
Li, Z.-Q. *See* Rizzola, L. J.
Liang, H. *See* Aist, J. R.
Lichtenbeld, H. H. C., Muller, A. D., van Dam-Mieras, M. C. E. and Blijham, G. H. Tumor spheroid-induced vesicle formation on endothelial cells is associated with procoagulant properties **106**, 657
Liem, R. K. H. *See* Georgieff, I. S.
Lightbody, J. J. *See* Boschelli, F.
Lim, S. K. *See* Kam, E.
Lin, S. X. H. and Collins, C. A. Regulation of the intracellular distribution of cytoplasmic dynein by serum factors and calcium **105**, 579
Lin, Y.-C. *See* Lee, T.-L.
Linck, R. W. *See* Chen, R.
Lindau, M., Nusse, O., Bennett, J. and Cromwell, O. The membrane fusion events in degranulating guinea pig eosinophils **104**, 203
Littlewood, A. *See* Merry, K.
Liu, B., Marc, J., Joshi, H. C. and Palevitz, B. A. A γ-tubulin-related protein associated with the microtubule arrays of higher plants in a cell cycle-dependent manner **104**, 1217
Liu, G., Kuwayama, H., Ishida, S. and Newell, P. C. The role of cyclic GMP in regulating myosin during chemotaxis of *Dictyostelium*: evidence from a mutant lacking the normal cyclic GMP response to cyclic AMP **106**, 591
Liu, Q., Golubovskaya, I. and Cande, W. Z. Abnormal cytoskeletal and chromosome distrubution in *po*, *ms4* and *ms6*; mutant alleles of *polymitotic* that disrupt the cell cycle progression from meiosis to mitosis in maize **106**, 1169
Liu, T. *See* Zhu, Q.
Llamazares, S. *See* Maldonado-Codina, G.
Lo, W.-K. and Reese, T. S. Multiple structural types of gap junctions in mouse lens **106**, 227
Locke, S. J. *See* Bertagnolli, M. E.
Loeffler, M. *See* Paulus, U.
Loidl, P. *See* Lang, S.
Lokeshwar, B. *See* Hattori, H.
Louvard, D. *See* Friederich, E.
Loveridge, N., Farquharson, C., Hesketh, J. E., Jakowlew, S. B., Whitehead, C. C. and Thorp, B. H. The control of chondrocyte differentiation during endochondral bone growth in vivo: changes in TGF-β and the proto-oncogene c-*myc* **105**, 949
Low, P. S. *See* Turek, J. J.
Lozano, E. *See* Navarro, P.
Lu, X. *See* Rothbarth, K.
Luby-Phelps, K. *See* Provance, D. W. Jr
Lucibello, F. C., Sewing, A., Brusselbach, S., Burger, C. and Muller, R. Deregulation of cyclins D1 and E and suppression of cdk2 and cdk4 in senescent human fibroblasts **105**, 123
Lucibello, F. C. *See* Sewing, A.
Ludwig, M. *See* Koutoulis, A.
Lurhmann, R. *See* Blencowe, B. J.
Lutcke, A. *See* Olkkonen, V. M.
Lyons, C. *See* Jenkins, H.
Lyons-Giordano, B. *See* Chen, S.-S.
Ma, L. *See* Allen, R. D.
Ma, L. *See* Fok, A. K.
Maccioni, R. B. *See* Cross, D.
Macias, D. *See* Garcia-Martinez, V.
Mackie, E. J. *See* Tucker, R. P.
MacLean, C. M., Marciniak, S. J., Hall, D. V. and Edwardson, J. M. Involvement of a phosphoprotein on the zymogen granule membrane in the control of regulated exocytosis in the exocrine pancreas **106**, 663
Macnab, J. C. M. *See* Grassie, M.
Maekawa, T. and Kuriyama, R. Primary structure and microtubule-interacting domain of the SP-H antigen: a mitotic MAP located at the spindle pole and characterized as a homologous protein to NuMA **105**, 589
Magee, A. I. *See* Arnemann, J.
Mah, D. C. W., Dijkwel, P. A., Todd, A., Klein, V., Price, G. B. and Zannis-Hadjopoulos, M. *ors12*, a mammalian autonomously replicating DNA sequence, associates with the nuclear matrix in a cell cycle-dependent manner **105**, 807
Mahoney, M. G., Slakey, L. L., Hepler, P. K. and Gross, D. J. Independent modes of propagation of calcium waves in smooth muscle cells **104**, 1101
Mahowald, A. P. *See* Fredieu, J. R.
Maine, N. *See* Vertel, B. M.
Malchiodi-Albedi, F., Ceccarini, M., Winkelmann, J. C., Morrow, J. and Petrucci, T. C. The 270 kDa splice variant of erythrocyte β-spectrin (β1Σ2) segregates in vivo and in vitro to specific domains of cerebellar neurons **106**, 67
Malchow, D. *See* Flaadt, H.
Maldonado-Codina, G., Llamazares, S. and Glover, D. M. Heat shock results in cell cycle delay and synchronisation of mitotic domains in cellularised *Drosophila melanogaster* embryos **105**, 711
Mallard, J. *See* Douaire, M.
Malloy, P. *See* Mitchell, A. R.
Malorni, W., Iosi, F., Santini, M. T. and Testa, U. Menadione-induced oxidative stress leads to a rapid down-modulation of transferrin receptor recycling **106**, 309
Manigault, P. *See* Kurkdjian, A.
Maraldi, N. M., Santi, S., Zini, N., Ognibene, A., Rizzoli, R., Mazzotti, G., Di Primio, R., Bareggi, R., Bertagnolo, V., Pagliarini, C. and Capitani, S. Decrease in nuclear phospholipids associated with DNA replication **104**, 853
Marc, J. *See* Liu, B.
Marchisio, P. C. *See* Zambruno, G.
Marciniak, S. J. *See* MacLean, C. M.
Mardon, H. J., Grant, R. P., Grant, K. E. and Harris, H. Fibronectin splice variants are differentially incorporated into the extracellular matrix of tumorigenic and non-tumorigenic hybrids between normal fibroblasts and sarcoma cells **104**, 783
Maridor, G., Gallant, P., Golsteyn, R. and Nigg, E. A. Nuclear localization of vertebrate cyclin A correlates with its ability to form complexes with cdk catalytic subunits **106**, 535
Marie, C. *See* Tranqui, L.
Marie, P. J. *See* Poliard, A.
Marko, M. *See* Provance, D. W. Jr
Maro, B. *See* Gueth-Hallonet, C.
Maro, B. *See* Szollosi, M. S.
Marsh, P. J. *See* Adjaye, J.
Martiel, J.-L. *See* Aubry, L.
Martinez de Velasco, A. M. *See* Sonnenberg, A.
Mason, W. T. *See* Shankar, G.
Masson, C. *See* Roussel, P.
Mathews, A. P. *See* Nabi, I. R.
Mathews, M. B. *See* Jimenez-Garcia, L. F.
Mathor, M. *See* De Luca, M.
Matsubara, M. *See* Girard, M. T.
Matsumoto, T. *See* Samejima, I.
Matsunami, H., Miyatani, S., Inoue, T., Copeland, N. G., Gilbert, D. J., Jenkins, N. A. and Takeichi, M. Cell binding specificity of mouse R-cadherin and chromosomal mapping of the gene **106**, 401
Matthay, M. A., Thiery, J.-P., Lafont, F., Stampfer, M. F. and Boyer, B. Transient effect of epidermal growth factor on the motility of an immortalized mammary epithelial cell line **106**, 869
Matus, A. *See* Doll, T.
Mavilia, C. *See* Georgieff, I. S.
May, M. J., Entwistle, G., Humphries, M. J. and Ager, A. VCAM-

1 is a CS1 peptide-inhibitable adhesion molecule expressed by lymph node high endothelium **106**, 109
Mayau, V. *See* Tixier-Vidal, A.
Mazarguil, H. *See* Julian, M.
Mazzotti, G. *See* Maraldi, N. M.
McCann, M. C., Stacey, N. J., Wilson, R. and Roberts, K. Orientation of macromolecules in the walls of elongating carrot cells **106**, 1347
McCarthy, J. B. *See* Faassen, A. E.
McCrossan, M. V. *See* Searle, S.
McDermott, R. H. and Butler, M. Uptake of glutamate, not glutamine synthetase, regulates adaptation of mammalian cells to glutamine-free medium **104**, 51
McDowall, A. *See* Provance, D. W. Jr
McIlvain, J. M. Jr *See* Burkhardt, J. K.
McKee, J. *See* Suprenant, K. A.
McLaughlin, J. A. *See* Miller, A. L.
McMurray, H. F., Proudfoot, D., Davis, J. B., Parrott, D. P. and Bowyer, D. E. A small molecular mass inhibitor of growth of 3T3 cells and porcine aortic smooth muscle cells released from the macrophage cell line P388D1 **106**, 1301
McNab, D. *See* Grassie, M.
McNeil, P. L. *See* Clarke, M. S. F.
McWilliam, A. *See* Witmer-Pack, M. D.
Mege, J.-L. *See* Zaffran, Y.
Meichsner, M. *See* Doll, T.
Melchiori, A. *See* Zambruno, G.
Mendler, M. *See* Sriramarao, P.
Merilainen, J., Palovuori, R., Sormunen, R., Wasenius, V.-M. and Lehto, V.-P. Binding of the α-fodrin SH3 domain to the leading lamellae of locomoting chicken fibroblasts **105**, 647
Merry, K., Dodds, R., Littlewood, A. and Gowen, M. Expression of osteopontin mRNA by osteoclasts and osteoblasts in modeling adult human bone **104**, 1013
Messiaen, J., Read, N. D., Van Cutsem, P. and Trewavas, A. J. Cell wall oligogalacturonides increase cytosolic free calcium in carrot protoplasts **104**, 365
Miki, K. *See* Hashimoto, T.
Miklos, I. *See* Sipiczki, M.
Milankov, K. *See* Sahlas, D. J.
Miller, A. L., Fluck, R. A., McLaughlin, J. A. and Jaffe, L. F. Calcium buffer injections inhibit cytokinesis in *Xenopus* eggs **106**, 523
Miller, L. J. *See* Ward, G. E.
Minguez, A., Diaz de la Espina, S. M. Immunological characterization of lamins in the nuclear matrix of onion cells **106**, 431
Mirre, Ch. *See* Garcia, M.
Mitchell, A. R., Nicol, L., Malloy, P. and Kipling, D. Novel structural organisation of a *Mus musculus* DBA/2 chromosome shows a fixed position for the centromere **106**, 79
Mitchell, D. R. and Kang, Y. Reversion analysis of dynein intermediate chain function **105**, 1069
Mitchison, J. M. *See* Novak, B.
Mitsui, M. *See* Hosoya, N.
Miyatani, S. *See* Matsunami, H.
Mochitate, K. *See* Lee, T.-L.
Modesti, A. *See* Screpanti, I.
Mohri, H. *See* Hosoya, N.
Moisand, A. *See* Julian, M.
Montesano, R., Pepper, M. S. and Orci, L. Paracrine induction of angiogenesis in vitro by Swiss 3T3 fibroblasts **105**, 1013
Mooradian, D. L. *See* Faassen, A. E.
Moore, G. P. M. *See* du Cros, D. L.
Mooseker, M. S. *See* Peterson, M. D.
Moreton, R. B. *See* Cheek, T. R.
Morgan, A. *See* Cheek, T. R.
Morgan, M. J., Earnshaw, J. C. and Dhoot, G. K. Novel developmentally regulated exon identified in the rat fast skeletal muscle troponin T gene **106**, 903
Morgans, C. W. and Kopito, R. R. Association of the brain anion exchanger, AE3, with the repeat domain of ankyrin **105**, 1137
Morgans, C. W. and Kopito, R. R. Generation of truncated brain AE3 isoforms by alternate mRNA processing **106**, 1275
Morimoto, T. *See* Rajasekaran, A. K.
Morisawa, M. *See* Inaba, K.
Morris, R. L. and Hollenbeck, P. J. The regulation of bidirectional mitochondrial transport is coordinated with axonal outgrowth **104**, 917
Morrow, J. *See* Malchiodi-Albedi, F.
Mozingo, N. M., Hollar, L. R. and Chandler, D. E. Degradation of an extracellular matrix: sea urchin hatching enzyme removes cortical granule-derived proteins from the fertilization envelope **104**, 929
Muller, A. D. *See* Lichtenbeld, H. H. C.
Muller, I. M. *See* Pfeifer, K.
Muller, R. *See* Adolph, S.
Muller, R. *See* Lucibello, F. C.
Muller, R. *See* Sewing, A.
Muller, W. E. G. *See* Pfeifer, K.
Mullett, H., Ratcliffe, N. A. and Rowley, A. F. The generation and characterisation of anti-insect blood cell monclonal antibodies **105**, 93
Muresan, V., Joshi, H. C. and Besharse, J. C. γ-Tubulin in differentiated cell types: localization in the vicinity of basal bodies in retinal photoreceptors and ciliated epithelia **104**, 1229
Nabi, I. R., Mathews, A. P., Cohen-Gould, L., Gundersen, D. and Rodriguez-Boulan, E. Immortalization of polarized rat retinal pigment epithelium **104**, 37
Nahon, P., Coffe, G., Le Guyader, H., Darmanaden-Delorme, J., Jeanmaire-Wolf, R., Clerot, J.-C. and Adoutte, A. Identification of the epiplasmins, a new set of cortical proteins of the membrane cytoskeleton in *Paramecium* **104**, 975
Nakamura, N., Tanaka, J. and Sobue, K. Rous sarcoma virus-transformed cells develop peculiar adhesive structures along the cell periphery **106**, 1057
Nakamura, N. *See* Tanaka, J.
Nakanishi, I. *See* Watanabe, H.
Nakaseko, Y. *See* Samejima, I.
Nakata, T., Takemura, R. and Hirokawa, N. A novel member of the dynamin family of GTP-binding proteins is expressed specifically in the testis **105**, 1
Navarro, P., Lozano, E. and Cano, A. Expression of E- or P-cadherin is not sufficient to modify the morphology and the tumorigenic behavior of murine spindle carcinoma cells. Possible involvement of plakoglobin **105**, 923
Neel, B. G. *See* Frangioni, J. V.
Neetens, A. *See* Yang, Q. R.
Neff, L. *See* Delaisse, J. M.
Nelson, D. L. *See* Walczak, C. E.
Nelson, W. J. *See* Piepenhagen, P. A.
Neve, B. *See* Stoorvogel, W.
Newell, P. C. *See* Liu, G.
Newport, J. W. *See* Fang, F.
Nicholson, L. J. *See* Watt, F. M.
Nicklas, R. B., Krawitz, L. E. and Ward, S. C. Odd chromosome movement and inaccurate chromosome distribution in mitosis and meiosis after treatment with protein kinase inhibitors **104**, 961
Nicol, L. *See* Mitchell, A. R.
Niessen, C. M. *See* Sonnenberg, A.
Nigg, E. A. *See* Maridor, G.
Nigg, E. A. *See* Schmidt-Zachmann, M. S.
Nilsson, T. *See* Pypaert, M.
Nishida, E. *See* Ohta, K.
Nishikawa, T. *See* Hashimoto, T.
Nolta, K. V., Padh, H. and Steck, T. L. An immunocytochemical analysis of the vacuolar protein pump in *Dictyostelium discoideum* **105**, 849
Nonaka, M. *See* Hayashi-Isimaru, Y.
Norlund, J. *See* Abdel-Malek, Z.

Novak, B., Sveiczer, A. and Mitchison, J. M. CO_2 production in cell-free extracts of fission yeast detects cell cycle changes **105**, 529
Novak, B. and Tyson, J. J. Numerical analysis of a comprehensive model of M-phase control in *Xenopus* oocyte extracts and intact embryos **106**, 1153
Nunez, J. *See* Georgieff, I. S.
Nunez, J. *See* Teng, K. K.
Nusse, O. *See* Lindau, M.
Oakley, C. and Brunette, D. M. The sequence of alignment of microtubules, focal contacts and actin filaments in fibroblasts spreading on smooth and grooved titanium substrata **106**, 343
Oberhammer, F., Fritsch, G., Schmied, M., Pavelka, M., Printz, D., Purchio, T., Lassmann, H. and Schulte-Hermann, R. Condensation of the chromatin at the membrane of an apoptotic nucleus is not associated with activation of an endonuclease **104**, 317
Obermann, W. *See* Vinkemeir, U.
Ochs, R. L. *See* Casiano, C. A.
Oegema, T. R. *See* Faassen, A. E.
O'Farrell, M. *See* Bridger, J. M.
Ognibene, A. *See* Maraldi, N. M.
Ohayon, H. *See* Kocks, C.
Ohkura, H. *See* Gomes, R.
Ohlmann, P. *See* Schmitt, D. A.
Ohmachi, T. *See* Trivinos-Lagos, L.
Ohta, K., Shiina, N., Okumura, E., Hisanaga, S.-I., Kishimoto, T., Endo, S., Gotoh, Y., Nishida, E. and Sakai, H. Microtubule nucleating activity of centrosomes in cell-free extracts from *Xenopus* eggs: involvement of phosphorylation and accumulation of pericentriolar material **104**, 125
Ohtsuka, K. *See* Hattori, H.
Okada, Y. *See* Watanabe, H.
Okumura, E. *See* Ohta, K.
Okumura, E. *See* Ookata, K.
Olkkonen, V. M., Dupree, P., Killisch, I., Lutcke, A., Zerial, M. and Simons, K. Molecular cloning and subcellular localization of three GTP-binding proteins of the rab subfamily **106**, 1249
Olmedilla, A., Testillano, P. S., Vicente, O., Delseny, M. and Risueno, M. C. Ultrastructural rRNA localization in plant cell nucleoli: RNA/RNA in situ hybridization, autoradiography and cytochemistry **106**, 1333
Omary M. B. *See* Chou, C.-F.
Ookata, K., Hisanaga, S.-i., Okumura, E. and Kishimoto, T. Association of $p34^{cdc2}$/cyclin B complex with microtubules in starfish oocytes **105**, 873
Oorschot, V. *See* Stoorvogel, W.
Orci, L. *See* Montesano, R.
Orlovich, D. A. *See* Shepherd, V. A.
Ortonne, J.-P. *See* Aberdam, E.
Osborn, M. *See* Kallajoki, M.
O'Sullivan, A. J. *See* Cheek, T. R.
Ouspenski, I. I. and Brinkley, B. R. Centromeric DNA cloned from functional kinetochore fragments in mitotic cells with unreplicated genomes **105**, 359
Owen, G. *See* Paulus, U.
Owen, P. J. *See* Shearman, M. S.
Ozaki, H. *See* Hosoya, N.
Paciucci, R. *See* Fontalba, A.
Padh, H. *See* Nolta, K. V.
Pagliarini, C. *See* Maraldi, N. M.
Palacios, M. J., Joshi, H. C., Simerly, C. and Schatten, G. γ-Tubulin reorganization during mouse fertilization and early development **104**, 383
Palecek, E., Robert-Nicoud, M. and Jovin, T. M. Local opening of the DNA double helix in eukaryotic cells detected by osmium probe and adduct-specific immunofluorescence **104**, 653
Palevitz, B. A. *See* Liu, B.
Palovuori, R. *See* Merilainen, J.
Pang, Y.-Y. S., Schermer, A., Yu, J. and Sun, T.-T. Suprabasal change and subsequent formation of disulfide-stabilized homo- and heterodimers of keratins during esophageal epithelial differentiation **104**, 727
Papermaster, D. S. *See* Deretic, D.
Park, P. C. *See* Sahlas, D. J.
Parker, M. G. *See* Dauvois, S.
Parpura, V., Haydon, P. G. and Henderson, E. Three-dimensional imaging of living neurons and glia with the atomic force microscope **104**, 427
Parrott, D. P. *See* McMurray, H. F.
Parry, D. A. D. *See* Hashimoto, T.
Parsons, J. T. *See* Turner, C. E.
Parthasarathy, M. V. *See* Andersland, J. M.
Pasqualini, R., Bodorova, J., Ye, S. and Hemler, M. E. A study of the structure, function and distribution of β_5 integrins using novel anti-β_5 monoclonal antibodies **105**, 101
Paul, E. C. A. and Quaroni, A. Identification of a 102 kDa protein (cytocentrin) immunologically related to keratin 19, which is a cytoplasmically derived component of the mitotic spindle pole **106**, 967
Paulsson, M. *See* Perris, R.
Paulus, U., Loeffler, M., Zeidler, J., Owen, G. and Potten, C. S. The differentiation and lineage development of goblet cells in the murine small intestinal crypt: experimental and modelling studies **106**, 473
Pavelka, M. *See* Oberhammer, F.
Peek, R., Pruijn, G. J. M., van der Kemp, A. J. W. and van Venrooij, W. J. Subcellular distribution of Ro ribonucleoprotein complexes and their constituents **106**, 929
Peifer, M. The product of the *Drosophila* segment polarity gene *armadillo* is part of a multi-protein complex resembling the vertebrate adherens junction **105**, 993
Pelissero, C. *See* Flouriot, G.
Pepper, M. S. *See* Montesano, R.
Pepperkok, R. *See* Rothbarth, K.
Perou, C. M. and Kaplan, J. Chediak-Higashi Syndrome is not due to a defect in microtubule-based lysosomal mobility **106**, 99
Perret, E., Davoust, J., Albert, M., Besseau, L. and Soyer-Gobillard, M.-O. Microtubule organization during the cell cycle of the primitive eukaryote dinoflagellate *Crypthecodinium cohnii* **104**, 639
Perris, R., Syfrig, J., Paulsson, M. and Bronner-Fraser, M. Molecular mechanisms of neural crest cell attachment and migration on types I and IV collagen **106**, 1357
Perrone, C. A. *See* Chen, R.
Peterson, M. D. and Mooseker, M. S. An in vitro model for the analysis of intestinal brush border assembly. I. Ultrastructural analysis of cell contact-induced brush border assembly in Caco-2_{BBe} cells **105**, 445
Peterson, M. D., Bement, W. M. and Mooseker, M. S. An in vitro model for the analysis of intestinal brush border assembly. II. Changes in expression and localization of brush border proteins during cell contact-induced brush border assembly in Caco-2_{BBe} cells **105**, 461
Petroll, W. M., Cavanagh, H. D., Barry. P., Andrews, P. and Jester, J. V. Quantitative analysis of stress fiber orientation during corneal wound contraction **104**, 353
Petrucci, T. C. *See* Malchiodi-Albedi, F.
Pettersson, R. F. *See* Cao, Y.
Petzelt, C. *See* Rothbarth, K.
Pfeifer, K., Frank, W., Schroder, H. C., Gamulin, V., Rinkevich, B., Batel, R., Muller, I. M. and Muller, W. E. G. Cloning of the polyubiquitin cDNA from the marine sponge *Geodia cydonium* and its preferential expression during reaggregation of cells **106**, 545
Philp, A. V., Axton, J. M., Saunders, R. D. C. and Glover, D. M. Mutations in the *Drosophila melanogaster* gene *three rows* permit aspects of mitosis to continue in the absence of chromatid segregation **106**, 87
Picart, R. *See* Tixier-Vidal, A.
Pidoux, A. L. and Armstrong, J. The BiP protein and the

endoplasmic reticulum of *Schizosaccharomyces pombe*: fate of the nuclear envelope during cell division **105**, 1115
Piepenhagen, P. A. and Nelson, W. J. Defining E-cadherin-associated protein complexes in epithelial cells: plakoglobin, β- and γ-catenin are distinct components **104**, 751
Pieters, J., Bakke, O. and Dobberstein, B. The MHC class II-associated invariant chain contains two endosomal targeting signals within its cytoplasmic tail **106**, 831
Piper, R. C. *See* James, D. E.
Pitts, J. D. *See* Finbow, M. E.
Plath, P. J. *See* Killich, T.
Poirier, F. *See* Timmons, P. M.
Poliard, A., Lamblin, D., Marie, P. J., Buc-Caron, M. H. and Kellermann, O. Commitment of the teratocarcinoma-derived mesodermal clone C1 towards terminal osteogenic differentiation **106**, 503
Poole, C. A., Brookes, N. H. and Clover, G. M. Keratocyte networks visualised in the living cornea using vital dyes **106**, 685
Porchet, N. *See* Lesuffleur, T.
Potten, C. S. *See* Paulus, U.
Powell, J. T. *See* Griffin, M.
Powers, J. A. *See* Saunders, W. S.
Prakapas, Z., Denoyelle, M., Dargemont, C., Kroese, F. G. M., Thiery, J. P. and Deugnier, M.-A. Enrichment and characterization of thymus-repopulating cells in stroma-dependent cultures of rat bone marrow **104**, 1039
Pratt, M. M. *See* Salathe, M.
Price, G. B. *See* Mah, D. C. W.
Pringault, E. *See* Cartier, N.
Pringault, E. *See* Lacave, R.
Printz, D. *See* Oberhammer, F.
Pritzker, K. P. H. *See* Hunter, G. K.
Prochiantz, A. *See* Lafont, F.
Proudfoot, D. *See* McMurray, H. F.
Provance, D. W. Jr, McDowall, A., Marko, M. and Luby-Phelps, K. Cytoarchitecture of size-excluding compartments in living cells **106**, 565
Pruijn, G. J. M. *See* Peek, R.
Puget, A. *See* Julian, M.
Purchio, T. *See* Oberhammer, F.
Purdom, I. F. *See* Bard, J. B. L.
Pypaert, M., Nilsson, T., Berger, E. G. and Warren, G. Mitotic Golgi clusters are not tubular endosomes **104**, 811
Quaroni, A. *See* Garcia, M.
Quaroni, A. *See* Paul, E. C. A.
Quest, A. F. G. *See* Hemmer, W.
Raap, A. K. *See* Dirks, R. W.
Rajasekaran, A. K., Morimoto, T., Hanzel, D. K., Rodriguez-Boulan, E. and Kreibich, G. Structural reorganization of the rough endoplasmic reticulum without size expansion accounts for dexamethasone-induced secretory activity in AR42J cells **105**, 333
Ramaekers, F. C. S. *See* van der Ven, P. F. M.
Rapraeger, A. C. *See* Reiland, J.
Ratcliffe, N. A. *See* Mullett, H.
Rawlins, D. J. *See* Highett, M. I.
Rayborn, M. E. *See* Gonzalez-Fernandez, F.
Read, N. D. *See* Messiaen, J.
Real, F. X. *See* Alemany, R.
Real, F. X. *See* Egea, G.
Real, F. X. *See* Garcia de Herreros, A. G.
Real, F. X. *See* Lesuffleur, T.
Rebut-Bonneton, C., Boutemy-Roulier, S. and Evain-Brion, D. Modulation of $pp60^{c\text{-}src}$ activity and cellular localization during differentiation of human trophoblast cells in culture **105**, 629
Reese, T. S. *See* Lo, W.-K.
Reeves, J. T. *See* Gray, A. J.
Reggio, H. *See* Garcia, M.
Reiland, J. and Rapraeger, A. C. Heparan sulfate proteoglycan and FGF receptor target basic FGF to different intracellular destinations **105**, 1085
Remington, S. G. Chicken filensin: a lens fiber cell protein that exhibits sequence similarity to intermediate filament proteins **105**, 1057
Rennie, P. J. *See* Galway, M. E.
Rennison, M. E., Kerr, M., Addey, C. V. P., Handel, S. E., Turner, M. D., Wilde, C. J. and Burgoyne, R. D. Inhibition of constitutive protein secretion from lactating mouse mammary epithelial cells by FIL (feedback inhibitor of lactation), a secreted milk protein **106**, 641
Rensing, L. *See* Killich, T.
Resing, K. A. *See* Kam, E.
Ribeiro de Jesus, A., Cooper, R., Espinosa, M., Gomes, J. E. P. L., Garcia, E. S. and Cross, G. A. M. Gene deletion suggests a role for *Trypanosoma cruzi* surface glycoprotein GP72 in the insect and mammalian stages of the life cycle **106**, 1023
Riederer, B. M. *See* Doll, T.
Riesinger, I. *See* Hemmer, W.
Riezman, H. *See* Schimmoller, F.
Rigby, P. W. J. *See* Timmons, P. M.
Rinkevich, B. *See* Pfeifer, K.
Riopel, C. L. *See* Chou, C.-F.
Riparbelli, M. G. *See* Callaini, G.
Risueno, M. C. *See* Olmedilla, A.
Rizzola, L. J. and Li, Z.-Q. Diffusible, retinal factors stimulate the barrier properties of junctional complexes in the retinal pigment epithelium **106**, 859
Rizzoli, R. *See* Maraldi, N. M.
Roa, M., Cornet, V., Yang, C.-Z. and Goud, B. The small GTP-binding protein rab6P is redistributed in the cytosol by brefeldin A **106**, 789
Robert-Nicoud, M. *See* Palecek, E.
Roberts, K. *See* McCann, M. C.
Roberts, R. A. *See* Bayly, A. C.
Roberts, R. L., Fine, R. E. and Sandra, A. Receptor-mediated endocytosis of transferrin at the blood-brain barrier **104**, 521
Robine, S. *See* Cartier, N.
Robine, S. *See* Lacave, R.
Rodionov, V. I., Gelfand, V. L. and Borisy, G. G. Kinesin-like molecules involved in spindle formation **106**, 1179
Rodriguez-Boulan, E. *See* Nabi, I. R.
Rodriguez-Boulan, E. *See* Rajasekaran, A. K.
Roger, P. P. *See* Baptist, M.
Rogers, R. A., Jack, R. M. and Furlong, S. T. Lipid and membrane protein transfer from human neutrophils to schistosomes is mediated by ligand binding **106**, 485
Rohrer, J. *See* Schweizer, A.
Rome, L. H. *See* Chugani, D. C.
Romero, C. *See* Aberdam, E.
Rooney, P., Wang, M., Kumar, P. and Kumar, S. Angiogenic oligosaccharides of hyaluronan enhance the production of collagens by endothelial cells **105**, 213
Rorsman, H. *See* Winder, A. J.
Rosengren, E. *See* Winder, A. J.
Ross, A. S. A. *See* Bard, J. B. L.
Rothbarth, K., Petzelt, C., Lu, X., Todorov, I. T., Joswig, G., Pepperkok, R., Ansorge, W. and Werner, D. cDNA-derived molecular characteristics and antibodies to a new centrosome-associated and G_2/M phase-prevalent protein **104**, 19
Rothery, S. *See* Gourdie, R. G.
Rothfield, N. F. *See* Saunders, W. S.
Rott, L. S. *See* Chou, C.-F.
Rouget, M. *See* Lafont, F.
Rousseaux, M. *See* Beghdadi-Rais, C.
Roussel, P., Andre, C., Masson, C., Geraud, G. and Hernandez-Verdun, D. Localization of the RNA polymerase I transcription factor hUBF during the cell cycle **104**, 327
Rousselet, A. *See* Lafont, F.
Rowley, A. F. *See* Mullett, H.
Ruderman, J. V. *See* Zhang, H.
Rudick, V. L., Rudick, M. J., Brun-Zingernagel, A.-M.

Amplification of the Golgi complex in MDCK cells secreting human growth hormone **104**, 509
Rudland, P. S. *See* Ke, Y.
Sabanay, H. *See* Hanein, D.
Saga, S. *See* Yamagata, M.
Saha, M. *See* Gonzalez-Fernandez, F.
Sahlas, D. J., Milankov, K., Park, P. C. and De Boni, U. Distribution of snRNPs, splicing factor SC-35 and actin in interphase nuclei: immunocytochemical evidence for differential distribution during changes in functional states **105**, 347
Sakai, H. *See* Ohta, K.
Sakai, K. *See* Hashimoto, T.
Sakakura, T. *See* Hiraiwa, N.
Salathe, M., Pratt, M. M. and Wanner, A. Protein kinase C-dependent phosphorylation of a ciliary membrane protein and inhibition of ciliary beating **106**, 1211
Salbert, G. *See* Flouriot, G.
Salmon, E. D. *See* Chandra, R.
Salvi, R. J. *See* Hashino, E.
Samejima, I., Matsumoto, T., Nakaseko, Y., Beach, D. and Yanagida, M. Identification of seven new *cut* genes involved in *Schizosaccharomyces pombe* mitosis **105**, 135
Sanders, M. M. *See* Bossie, C. A.
Sanderson, M. J. *See* Hansen, M.
Sandra, A. *See* Roberts, R. L.
Santa-Maria, A. *See* Gueth-Hallonet, C.
Santi, S. *See* Maraldi, N. M.
Santini, M. T. *See* Malorni, W.
Sato, H. *See* Song, W. K.
Sato, M. *See* Kaneda, Y.
Satre, M. *See* Aubry, L.
Saumweber, H. *See* Buchenau, P.
Saunders, R. D. C. *See* Philp, A. V.
Saunders, W. S., Chue, C., Goebl, M., Craig, C., Clark, R. F., Powers, J. A., Eissenberg, J. C., Elgin, S. C. R., Rothfield, N. F. and Earnshaw, W. C. Molecular cloning of a human homologue of *Drosophila* heterochromatin protein HP1 using anti-centromere autoantibodies with *anti-chromo* specificity **104**, 573
Sauvage, L. R. *See* Coan, D. E.
Schaart, G. *See* van der Ven, P. F. M.
Schalk, C. *See* Sewing, A.
Schaller, M. D. *See* Turner, C. E.
Schatten, G. *See* Palacios, M. J.
Schermer, A. *See* Pang, Y.-Y. S.
Schimizu, N. *See* Hashimoto, T.
Schimmoller, F. and Riezman, H. Involvement of Ypt7p, a small GTPase, in traffic from late endosome to the vacuole in yeast **106**, 823
Schlamp, C. L. *See* Azarian, S. M.
Schlatterer, C. *See* Flaadt, H.
Schliwa, M. *See* Steinberg, G.
Schmidt-Zachmann, M. S. and Nigg, E. A. Protein localization to the nucleolus: a search for targeting domains in nucleolin **105**, 799
Schmied, M. *See* Oberhammer, F.
Schmitt, D. A., Ohlmann, P., Gachet, C. and Cazenave, J.-P. Platelet shape change and protein phosphorylation induced by ADP and thrombin are not sensitive to short periods of microgravity **104**, 805
Schofer, C. *See* Hozak, P.
Schreyer, M. *See* Beghdadi-Rais, C.
Schroder, H. C. *See* Pfeifer, K.
Schuler, G. *See* Witmer-Pack, M. D.
Schulte-Hermann, R. *See* Oberhammer, F.
Schulze, C. and Firth, J. A. Immunohistochemical localization of adherens junction components in blood-brain barrier microvessels of the rat **104**, 773
Schweitzer, E. S. Regulated and constitutive secretion of distinct molecular forms of acetylcholinesterase from PC12 cells **106**, 731
Schweizer, A., Ericsson, M., Bachi, T., Griffiths, G. and Hauri, H.-P. Characterization of a novel 63 kDa membrane protein: implications for the organization of the ER-to-Golgi pathway **104**, 671
Schweizer, A., Rohrer, J., Jeno, P., DeMaio, A., Buchman, T. G. and Hauri, H.-P. A reversibly palmitoylated resident protein (p63) of an ER-Golgi intermediate compartment is related to a circulatory shock resuscitation protein **104**, 685
Scott, P. A. E. and Bicknell, R. The isolation and culture of microvascular endothelium **105**, 269
Screpanti, I., Modesti, A. and Gulino, A. Heterogeneity of thymic stromal cells and thymocyte differentiation: a cell culture approach **105**, 601
Searle, S., McCrossan, M. V. and Smith, D. F. Expression of a mitochondrial stress protein in the protozoan parasite *Leishmania major* **104**, 1091
Sejersen, T. and Lendhal, U. Transient expression of the intermediate filament nestin during skeletal muscle development **106**, 1291
Severs, N. J. *See* Gourdie, R. G.
Sewing, A., Burger, C., Brusselbach, S., Schalk, C., Lucibello, F. C. and Muller, R. Human cyclin D1 encodes a labile nuclear protein whose synthesis is directly induced by growth factors and suppressed by cyclic AMP **104**, 545
Sewing, A. *See* Lucibello, F. C.
Shalloway, D. *See* David-Pfeuty, T.
Shankar, G., Davison, I., Helfrich, M. H., Mason, W. T. and Horton, M. A. Integrin receptor-mediated mobilisation of intranuclear calcium in rat osteoclasts **105**, 61
Shaw, P. J. *See* Highett, M. I.
Shearman, M. S., Heyworth, C. M., Dexter, T. M., Haefner, B., Owen, P. J. and Whetton, A. D. Haemopoietic stem cell development to neutrophils is associated with subcellular redistribution and differential expression of protein kinase C subspecies **104**, 173
Sheetz, M. P. *See* Burkhardt, J. K.
Sheetz, M. P. *See* Hamm-Alvarez, S. F.
Shelanski, M. L. *See* Georgieff, I. S.
Shelanski, M. L. *See* Teng, K. K.
Shen, W.-C. *See* Taub, M. E.
Shepherd, V. A., Orlovich, D. A. and Ashford, A. E. Tubular endoplasmic reticulum and vacuoles form a dynamoc continuum in fungal hyphae **104**, 495
Shepherd, V. A., Orlovich, D. A. and Ashford, A. E. Cell-to-cell transport via motile tubules in growing hyphae of a fungus **105**, 1173
Shiina, N. *See* Ohta, K.
Shinpock, S. G. *See* Kennel, S. J.
Shivers, R. R. *See* Churchill, D.
Shutt, D. C. *See* Sylwester, A.
Shuttleworth, C. A. *See* Kielty, C. M.
Siegrist, W. *See* De Luca, M.
Silflow, C. D. *See* James, S. W.
Silver, P. A. *See* Stochaj, U.
Simerly, C. *See* Palacios, M. J.
Simons, K. *See* Olkkonen, V. M.
Sipiczki, M., Grallert, B. and Miklos, I. Mycelial and syncytial growth in *Schizosaccharomyces pombe* induced by novel septation mutations **104**, 485
Slakey, L. L. *See* Mahoney, M. G.
Slaughter, T. *See* Brown, A.
Slot, J. W. *See* James, D. E.
Smets, R. M. E. *See* Yang, Q. R.
Smith, A. *See* Vester, B.
Smith, D. F. *See* Searle, S.
Smith, J. A. *See* Ke, Y.
Smyth, M. J., Sparks, R. L. and Wharton, W. Proadipocyte cell lines: models of cellular proliferation and differentiation **106**, 1
Sobue, K. *See* Nakamura, N.
Sobue, K. *See* Tanaka, J.
Soll, D. R. *See* Sylwester, A.
Song, W. K., Wang, W., Sato, H., Bielser, D. A. and Kaufman, S.

J. Expression of α_7 integrin cytoplasmic domains during skeletal muscle development: alternate forms, conformational change, and homologies with serine/threonine kinases and tyrosine phosphatases **106**, 1139
Sonnenberg, A., de Melker, A. A., Martinez de Velasco, A. M., Janssen, H., Calafat, J. and Niessen, C. M. Formation of hemidesmosomes in cells of a transformed murine mammary tumor cell line and mechanisms involved in adherence of these cells to laminin and kalinin **106**, 1083
Sonobe, S. *See* Jiang, C.-J.
Sordano, C., Cristino, E., Bussolino, F., Wurster, B. and Bozzaro, S. Platelet activating factor modulates signal transduction in *Dictyostelium* **104**, 197
Sormunen, R. *See* Merilainen, J.
Soteriou, A., Gamage, M. and Trinick, J. A survey of the interactions made by the giant protein titin **104**, 119
Soyer-Gobillard, M.-O. *See* Perret, E.
Spanel-Borowski, K. *See* Fenyves, A. M.
Sparks, R. L. *See* Smyth, M. J.
Spector, D. L. *See* Jimenez-Garcia, L. F.
Spudich, A. *See* Eliott, S.
Sriramarao, P., Mendler, M. and Bourdon, M. A. Endothelial cell attachment and spreading on human tenascin is mediated by $\alpha_2\beta_1$ and $\alpha_v\beta_3$ integrins **105**, 1001
Stacey, N. J. *See* McCann, M. C.
Staehelin, L. A. *See* Zhang, G. F.
Stampfer, M. F. *See* Matthay, M. A.
Steck, T. L. *See* Nolta, K. V.
Steele, J. G. *See* Underwood, P. A.
Steinberg, G. and Schliwa, M. Organelle movements in the wild type and wall-less fz;sg;os-1 mutants of *Neurospora crassa* are mediated by cytoplasmic microtubules **106**, 555
Steinman, R. M. *See* Witmer-Pack, M. D.
Stewart, M. *See* Kensler, R. W.
Stick, R. *See* Jenkins, H.
Stochaj, U., Bossie, M. A., van Zee, K., Whalen, A. M. and Silver, P. A. Analysis of conserved binding proteins for nuclear localization sequences **104**, 89
Stoorvogel, W., Oorschot, V. and Neve, B. A novel method for measuring protein expression at the cell surface **106**, 1201
Stow, J. *See* Bruno de Almeida, J.
Stringer, C. *See* Kennel, S. J.
Stroom, P. *See* James, S. W.
Su, Y. *See* Delaisse, J. M.
Sullivan, K. H. *See* Arnemann, J.
Sun, T.-T. *See* Pang, Y.-Y. S.
Sun, T.-T. *See* Wu, R.-L.
Sun, T.-T. *See* Wu, X.-R.
Sunkel, C. E. *See* Gomes, R.
Suprenant, K. A., Dean, K., McKee, J. and Hake, S. EMAP, an echinoderm microtubule-associated protein found in microtubule-ribosome complexes **104**, 445
Suprynowicz, F. A. Inactivation of cdc2 kinase during mitosis requires regulated and constitutive proteins in a cell-free system **104**, 873
Sveiczer, A. *See* Novak, B.
Svoboda, K. K. H. *See* Khoory, W.
Swallow, D. *See* Lesuffleur, T.
Swann, N. J. *See* Flaherty, S. P.
Swope, V. *See* Abdel-Malek, Z.
Syfrig, J. *See* Perris, R.
Sylvester, J. *See* Hozak, P.
Sylwester, A., Wessels, D., Anderson, S. A., Warren, R. Q., Shutt, D. C., Kennedy, R. C. and Soll, D. R. HIV-induced syncytia of a T cell line form single giant pseudopods and are motile **106**, 941
Szollosi, D. *See* Szollosi, M. S.
Szollosi, M. S., Kubiak, J. Z., Debey, P., de Pennart, H., Szollosi, D. and Maro, B. Inhibition of protein kinases by 6-dimethylaminopurine accelerates the transition to interphase in activated mouse oocytes **104**, 861
Takada, S. *See* Kimura, M.
Takeichi, M. *See* Matsunami, H.
Takemura, R. *See* Nakata, T.
Takeyasu, K. *See* Baumann, O.
Tam, R. *See* Lee, A.
Tamm, S. *See* Deiner, M.
Tamm, S. *See* Tamm, S. L.
Tamm, S. L. and Tamm, S. Dynamic control of cell-cell adhesion and membrane-associated actin during food-induced mouth opening in *Beroe* **106**, 355
Tamm, S. L. *See* Deiner, M.
Tan, E. M. *See* Casiano, C. A.
Tanabe, K. *See* Kimura, M.
Tanaka, J., Watanabe, T., Nakamura, N. and Sobue, K. Morphological and biochemical analyses of contractile proteins (actin, myosin, caldesmon and tropomyosin) in normal and transformed cells **104**, 595
Tanaka, J. *See* Nakamura, N.
Tanaka, K. *See* Kaneda, Y.
Tang, C.-j. C. *See* Tang, T. K.
Tang, T. K. and others Nuclear proteins of the bovine esophageal epithelium. I. Monoclonal antibody W2 specifically reacts with condensed nuclei of differentiated superficial cells **104**, 237
Tang, T. K., Tang, C.-j. C., Chen, Y.-L. and Wu, C.-W. Nuclear proteins of the bovine esophageal epithelium. II. The NuMA gene gives rise to multiple mRNAs and gene products reactive with monoclonal antibody W1 **104**, 249
Taub, M. E. and Shen, W.-C. Regulation of pathways within cultured epithelial cells for the trancytosis of a basal membrane-bound peroxidase-polylysine conjugate **106**, 1313
Teng, K. K., Georgieff, I. S., Aletta, J. M., Nunez, J., Shelanski, M. L. and Greene, L. A. Characterization of a PC12 cell sub-clone (PC12-C41) with enhanced neurite outgrowth capacity: implications for a modulatory role of high molecular weight tau in neuritogenesis **106**, 611
Tessier, M. J. *See* Girard, M. T.
Testa, U. *See* Malorni, W.
Testillano, P. S. *See* Olmedilla, A.
Thiel, C. *See* Harder, T.
Thiery, J.-P. *See* Matthay, M. A.
Thiery, J. P. *See* Prakapas, Z.
Thiry, M. Ultrastructural distribution of DNA and RNA within the nucleolus of human Sertoli cells as seen by molecular immunocytochemistry **105**, 33
Thomas, L., Chan, P. W., Chang, S. and Damsky, C. 5-Bromo-2-deoxyuridine regulates invasiveness and expression of integrins and matrix-degrading proteineases in a differentiated hamster melanoma cell **105**, 191
Thompson, R. P. *See* Gourdie, R. G.
Thompson-Coffe, C. and Zickler, D. Cytoskeleton interactions in the ascus development and sporulation of *Sordaria macrospora* **104**, 883
Thomson, T. M. *See* Alemany, R.
Thorp, B. H. *See* Loveridge, N.
Timmons, P. M., Chan, C.-T. J., Rigby, P. W. J. and Poirier, F. The gene encoding the calcium binding protein calcyclin is expressed at sites of exocytosis in the mouse **104**, 187
Tixier-Vidal, A., Barret, A., Picart, R., Mayau, V., Vogt, D., Wiedenmann, B. and Goud, B. The small GTP-binding protein, Rab6p, is associated with both Golgi and post-Golgi synaptophysin-containing membranes during synaptogenesis of hypothalamic neurons in culture **105**, 935
Todd, A. *See* Mah, D. C. W.
Todorov, I. T. *See* Rothbarth, K.
Tollon, Y. *See* Julian, M.
Tranqui, L., Usson, Y., Marie, C. and Block, M. R. Adhesion of CHO cells to fibronectin is mediated by functionally and structurally distinct adhesion plaques **106**, 377
Tranquillo, R. T. *See* Faassen, A. E.
Tranquillo, R. T. *See* Guido, S.

Trewavas, A. J. *See* Messiaen, J.
Trinick, J. *See* Soteriou, A.
Trivinos-Lagos, L., Ohmachi, T., Albrightson, C., Burns, R. G., Ennis, H. L. and Chisholm, R. L. The highly divergent α- and β-tubulins from *Dicytostelium discoideum* are encoded by single genes **105**, 903
Tsukita, S. *See* Hashimoto, T.
Tsukita, Sh. *See* Hashimoto, T.
Tuan, R. S. *See* Akins, R. E.
Tucker, R. P., Hammarback, J. A., Jenrath, D. A., Mackie, E. J. and Xu, Y. Tenascin expression in the mouse: in situ localization and induction in vitro by bFGF **104**, 69
Turek, J. J., Leamon, C. P. and Low, P. S. Endocytosis of folate-protein conjugates: ultrastructural localization in KB cells **106**, 423
Turner, C. E., Schaller, M. D. and Parsons, J. T. Tyrosine phosphorylation of the focal adhesion kinase pp125^{FAK} during development: relation to paxillin **105**, 637
Turner, M. D., Handel, S. E., Wilde, C. J. and Burgoyne, R. D. Differential effect of brefeldin A on phosphorylation of the caseins in lactating mouse mammary epithelial cells **106**, 1221
Turner, M. D. *See* Rennison, M. E.
Tyson, J. J. *See* Novak, B.
Ueda, K. *See* Hayashi-Isimaru, Y.
Ullrich, O., Haase, W. and Koch-Brandt, C. Elevated cAMP levels induce multilayering of MDCK cells without disrupting cell surface polarity **104**, 719
Underwood, P. A., Steele, J. G. and Dalton, B. A. Effects of polystyrene surface chemistry on the biological activity of solid phase fibronectin and vironectin, analysed with monoclonal antibodies **104**, 793
Uptain, S. M. *See* Boschelli, F.
Urushihara, H. *See* Fang, H.
Usson, Y. *See* Tranqui, L.
Uyetake, L. *See* Bangs, J. D.
Vaananen, H. K. *See* Lakkakorpi, P. T.
Vaes, G. *See* Delaisse, J. M.
Vaillant, C. *See* Flouriot, G.
Valenza, C. *See* Lafont, F.
Vallet, V. *See* Cartier, N.
Vallet, V. *See* Lacave, R.
Valotaire, Y. *See* Flouriot, G.
Van Cutsem, P. *See* Messiaen, J.
Van Haastert, P. J. M. *See* Bominaar, A. A.
van Dam-Mieras, M. C. E. *See* Lichtenbeld, H. H. C.
van de Rijke, F. M. *See* Dirks, R. W.
van der Kemp, A. J. W. *See* Peek, R.
van der Ploeg, M. *See* Dirks, R. W.
van der Ven, P. F. M., Schaart, G., Croes, H. J. E., Jap, P. H. K., Ginsel, L. A. and Ramaekers, F. C. S. Titin aggregates associated with intermediate filaments along stress fibre-like structures during human skeletal muscle cell differentiation **106**, 749
van Meer, G. and van 't Hof, W. Epithelial sphingolipid sorting is insensitive to reorganization of the Golgi by nocodazole, but is abolished by monensin in MDCK cells and by brefeldin A in Caco-2 cells **104**, 833
van 't Hof, W. *See* van Meer, G.
van Venrooij, W. J. *See* Peek, R.
van Zee, K. *See* Stochaj, U.
Vanden Berghe, D. *See* Yang, Q. R.
Vandewalle, A. *See* Cartier, N.
Vandewalle, A. *See* Lacave, R.
Vergeres, G., Yen, T. S. B., Aggeler, J., Lausier, J. and Waskell, L. A model system for studying membrane biogenesis: overexpression of cytochrome b_5 in yeast reults in marked proliferation of the intracellular membrane **106**, 249
Vertel, B. M., Walters, L. M., Grier, B., Maine, N. and Goetinck, P. F. Nanomelic chondrocytes synthesize, but fail to translocate, a truncated aggrecan precursor **104**, 939
Vester, B., Smith, A., Krohne, G. and Benavente, R. Presence of a nuclear lamina in pachytene spermatocytes of the rat **104**, 557
Vial, C. *See* Cross, D.
Vicente, O. *See* Olmedilla, A.
Vicker, M. G. *See* Killich, T.
Viggers, R. F. *See* Coan, D. E.
Vila, M. R. *See* Alemany, R.
Villasante, A. *See* Carmena, M.
Vinkemeir, U., Obermann, W., Weber, K. and Furst, D. O. The globular head domain of titin extends into the center of the sarcomeric M band cDNA cloning, epitope mapping and immunoelectron microscopy of two titin-associated proteins **106**, 319
Vishwanatha, J. K. and Kumble, S. Involvement of annexin II in DNA replication: evidence from cell-free extracts of *Xenopus* eggs **105**, 533
Vogt, D. *See* Tixier-Vidal, A.
Vojtek, A. B. and Cooper, J. A. Identification and characterization of a cDNA encoding mouse CAP: a homolog of the yeast adenylyl cyclase associated protein **105**, 777
Vojtesek, B. and Lane, D. P. Regulation of p53 protein expression in human breast cancer cell lines **105**, 607
Volz, A. Regulation of CD18 expression in human neutrophils as related to shape changes **106**, 493
Wachtler, F. *See* Hozak, P.
Waitz, W. *See* Lang, S.
Walczak, C. E. and Nelson, D. L. In vitro phosphorylation of ciliary dyneins by protein kinases from *Paramecium* **106**, 1369
Wallimann, T. *See* Hemmer, W.
Walter, R. *See* Cardenas, M. E.
Walters, L. M. *See* Vertel, B. M.
Wang, M. *See* Rooney, P.
Wang, W. *See* Song, W. K.
Wanner, A. *See* Salathe, M.
Ward, G. E., Miller, L. J. and Dvorak, J. A. The origin of parasitophorous vacuole membrane lipids in malaria-infected erythrocytes **106**, 237
Ward, S. C. *See* Nicklas, R. B.
Wardale, R. J. and Duance, V. C. Quantification and immunolocalisation of porcine articular and growth plate cartilage collagens **105**, 975
Warren, G. *See* Ayscough, K.
Warren, G. *See* Pypaert, M.
Warren, R. Q. *See* Sylwester, A.
Wasenius, V.-M. *See* Merilainen, J.
Waskell, L. *See* Vergeres, G.
Wasson, M. *See* Zieske, J. D.
Watanabe, H., Nakanishi, I., Yamashita, K., Hayakawa, T. and Okada, Y. Matrix metalloproteinase-9 (92 kDa gelatinase/type IV collagenase) from U937 monoblastoid cells: correlation with cellular invasion **104**, 991
Watanabe, T. *See* Tanaka, J.
Watson, R. *See* Ayscough, K.
Watt, F. M., Kubler, M.-D., Hotchin, N. A., Nicholson, L. J. and Adams, J. C. Regulation of keratinocyte terminal differentiation by integrin-extracellular matrix interactions **106**, 175
Watt, F. M. *See* Hotchin, N. A.
Weber, K. *See* Kallajoki, M.
Weber, K. *See* Kouklis, P. D.
Weber, K. *See* Vinkemeir, U.
Wechezak, A. R. *See* Coan, D. E.
Wehrle-Haller, B. and Chiquet, M. Dual function of tenascin: simultaneous promotion of neurite growth and inhibition of glial migration **106**, 597
Wei, X. *See* Killich, T.
Wendell, K. L., Wilson, L. and Jordan, M. A. Mitotic block in HeLa cells by vinblastine: ultrastructural changes in kinetochore-microtubule attachment and in centrosomes **104**, 261
Werner, D. *See* Rothbarth, K.
Wessels, D. *See* Sylwester, A.
Wetherbee, R. *See* Koutoulis, A.
Whalen, A. M. *See* Stochaj, U.

Wharton, W. *See* Smyth, M. J.
Whetton, A. D. *See* Shearman, M. S.
White, R. *See* Dauvois, S.
White-Cooper, H., Alphey, L. and Glover, D. M. The *cdc25* homologue *twine* is required for only some aspects of the entry into meiosis in *Drosophila* **106**, 1035
Whitehead, C. C. *See* Loveridge, N.
Whiteside, S. T. and Goodbourn, S. Signal transduction and nuclear targeting: regulation of transciption factor activity by subcellular localisation **104**, 949
Wiedenmann, B. *See* Tixier-Vidal, A.
Wilde, C. J. *See* Rennison, M. E.
Wilde, C. J. *See* Turner, M. D.
Wilkinson, M. C. *See* Ke, Y.
Williams, D. S. *See* Azarian, S. M.
Williams, K. L. *See* Eliott, S.
Williams, K. L. *See* Fuchs, M.
Wilmore, D. W. *See* Gonella, P. A.
Wilson, L. *See* Wendell, K. L.
Wilson, R. *See* McCann, M. C.
Winder, A. J., Wittbjer, A., Rosengren, E. and Rorsman, H. Fibroblasts expressing mouse *c* locus tyrosinase produce an authentic enzyme and synthesise phaeomelanin **104**, 467
Winder, A. J., Wittbjer, A., Rosengren, E. and Rorsman, H. The mouse *brown (b)* locus protein has dopachrome tautomerase activity and is located in lysosomes in transfected fibroblasts **106**, 153
Winkelmann, J. C. *See* Malchiodi-Albedi, F.
Winstanley, J. H. R. *See* Ke, Y.
Witmer-Pack, M. D., Crowley, M. T., Inaba, K. and Steinman, R. M. Macrophages, but not dendritic cells, accumulate colloidal carbon following administration in situ **105**, 965
Witmer-Pack, M. D., Hughes, D. A., Schuler, G., Lawson, L., McWilliam, A., Inaba, K., Steinman, R. M. and Gordon, S. Identification of macrophages and dendritic cells in the osteopetrotic (op/op) mouse **104**, 1021
Wittbjer, A. *See* Winder, A. J.
Woodcock, C. L. *See* Giannasca, P. J.
Wright, M. *See* Gueth-Hallonet, C.
Wright, M. *See* Julian, M.
Wu, C.-W. *See* Tang, T. K.
Wu, E. *See* Khoory, W.
Wu, R.-L., Galvin, S., Wu, S.-K., Xu, C., Blumenberg, M. and Sun, T.-T. A 300 bp 5′-upstream sequence of a differentiation-dependent rabbit K3 keratin gene can serve as a keratinocyte-specific promoter **105**, 303
Wu, S.-K. *See* Wu, R.-L.
Wu, X.-R. and Sun, T.-T. Molecular cloning of a 47 kDa tissue-specific and differentiation-dependent urothelial cell surface glycoprotein **106**, 31
Wurster, B. *See* Sordano, C.
Xu, C. *See* Wu, R.-L.
Xu, Y. *See* Tucker, R. P.
Yamagata, M., Saga, S., Kato, M., Bernfield, M. and Kimata, K. Selective distrubutions of proteoglycans and their ligands in pericellular matrix of cultured fibroblasts. Implications for their roles in cell-substrate adhesion **106**, 55
Yamaguchi, Y. *See* Kimura, M.
Yamashita, K. *See* Watanabe, H.
Yanagida, M. *See* Samejima, I.
Yanagisawa, K. *See* Fang, H.
Yang, C.-Z. *See* Roa, M.
Yang, Q. R., Smets, R. M. E., Neetens, A. and Vanden Berghe, D. Human retinal pigment epithelial cells from different donors continuously produce a vascular endothelial cell-stimulating factor into serum-free medium **104**, 211
Yao, S.-N. and Kurachi, K. Implanted myoblasts not only fuse with myofibers but also survive as muscle precursor cells **105**, 957
Yazama, F. *See* Hosoya, N.
Ye, S. *See* Pasqualini, R.
Yen, T. S. B. *See* Vergeres, G.
Yu, J. *See* Pang, Y.-Y. S.
Yumura, S. and Kitanishi-Yumura, T. A mechanism for the intracellular localization of myosin II filaments in *Dictyostelium* amoeba **105**, 233
Zabala, J. C. *See* Fontalba, A.
Zaffran, Y., Lepidi, H., Bongrand, P., Mege, J.-L. and Capo, C. F-actin content and spatial distribution in resting and chemoattractant-stimulated human polymorphonuclear leucocytes. Which role for intracellular free calcium? **105**, 675
Zambruno, G., Marchisio, P. C., Melchiori, A., Bondanza, S., Cancedda, R. and De Luca, M. Expression of integrin receptors and their role in adhesion, spreading and migration of normal human melanocytes **105**, 179
Zannis-Hadjopoulos, M. *See* Mah, D. C. W.
Zeidler, J. *See* Paulus, U.
Zerial, M. *See* Olkkonen, V. M.
Zetterberg, A. *See* Larsson, O.
Zhang, G. F., Driouich, A. and Staehelin, L. A. Effect of monensin on plant Golgi: re-examination of the monensin-induced changes in cisternal architecture and functional activities of the Golgi apparatus of sycamore suspension-cultured cells **104**, 819
Zhang, H. and Ruderman, J. V. Differential replication capacities fo G_1 and S-phase extracts from sea urchin eggs **104**, 565
Zhao, H. *See* Abdel-Malek, Z.
Zheng, J., Buxbaum, R. E. and Heidemann, S. R. Investigation of microtubule assembly and organization accompanying tension-induced neurite initiation **104**, 1239
Zhu, Q., Liu, T. and Clarke, M. Calmodulin and the contractile vacuole complex in mitotic cells of *Dictyostelium discoideum* **104**, 1119
Zickler, D. *See* Thompson-Coffe, C.
Zieske, J. D. and Wasson, M. Regional variation in distribution of EGF receptor in developing and adult corneal epithelium **106**, 145
Zini, N. *See* Maraldi, N. M.
Zweibaum, A. *See* Egea, G.
Zweibaum, A. *See* Lesuffleur, T.

Subject Index

aar
abnormal anaphase resolution: GOMES, KARESS, OHKURA, GLOVER AND SUNKEL **104**, 583.
A-CAM (N-cadherin)
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.
Acetylated tubulin
composite microtubules of the axon: BROWN, LI, SLAUGHTER AND BLACK **104**, 339.
Acetylcholine
secretion of PC12 acetylcholinesterase: SCHWEITZER **106**, 731.
Acetylcholinesterase
secretion of PC12 acetylcholinesterase: SCHWEITZER **106**, 731.
Acidic fibroblast growth factor
nuclear localization of aFGF: CAO, EKSTROM AND PETTERSSON **104**, 77.
Acidification
endosomal acidification kinetics: AUBRY, KLEIN, MARTIEL AND SATRE **105**, 861.
Acidosome
acidosome development and maturation: ALLEN, MA AND FOK **106**, 411.
evidence for two Ca^{2+} pools in *Dictyostelium*: FLAADT, JAWORSKI AND MALCHOW **105**, 1131.
Acrosome reaction
role of proteases in sperm acrosome reaction: FLAHERTY AND SWANN **104**, 163.
Actin
actin and α-actinin in whole epithelial tissue: KHOORY, WU AND SVOBODA **106**, 703.
actin-myosin in ascus morphogenesis: THOMPSON-COFFE AND ZICKLER **104**, 883.
adhesive structures in RSV-transformed cells: NAKAMURA, TANAKA AND SOBUE **106**, 1057.
calpain II in the retina: AZARIAN, SCHLAMP AND WILLIAMS **105**, 787.
cell shape and movement are not random: KILLICH, PLATH, WEI, BULTMANN, RENSING AND VICKER **106**, 1005.
cellular distribution of ezrin and moesin: BERRYMAN, FRANCK AND BRETSCHER **105**, 1025.
cytoarchitecture of living cells: PROVANCE, MCDOWALL, MARKO AND LUBY-PHELPS **106**, 565.
motility of HIV-induced T cell syncytia: SYLWESTER, WESSELS, ANDERSON, WARREN, SHUTT, KENNEDY AND SOLL **106**, 941.
stress-relaxation of fibroblasts: LEE, LIN, MOCHITATE AND GRINNELL **105**, 167.
Actin assembly
bacterial polarity and actin assembly: KOCKS, HELLIO, GOUNON, OHAYON AND COSSART **105**, 699.
Actin-binding
cytochalasin D inhibits microvilli growth: FRIEDERICH, KREIS AND LOUVARD **105**, 765.
Actin-binding protein
cytoarchitecture of living cells: PROVANCE, MCDOWALL, MARKO AND LUBY-PHELPS **106**, 565.
depolymerization of plant actin: ANDERSLAND AND PARTHASARATHY **104**, 1273.
Actin cytoskeleton
characterization of a mouse CAP cDNA: VOJTEK AND COOPER **105**, 777.
control of cell junctions: TAMM AND TAMM **106**, 355.
Actin defect
waltzing guinea pig outer hair cells: CANLON AND DULON **104**, 1137.
F-Actin distribution
morphological polarization of human PMNs: ZAFFRAN, LEPIDI, BONGRAND, MEGE AND CAPO **105**, 675.
Actin filament
tau interactions in cultured cells: CROSS, VIAL AND MACCIONI **105**, 51.
Actin microfilament
cellular tensegrity: INGBER **104**, 613.
α-Actinin
actin and α-actinin in whole epithelial tissue: KHOORY, WU AND SVOBODA **106**, 703.
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.
titin in human myofibrillogenesis: VAN DER VEN, SCHAART, CROES, JAP, GINSEL AND RAMAEKERS **106**, 749.
Active transport
calcium transport. I. Isolation of cells: AKINS AND TUAN **105**, 369.
calcium transport. II. Localization of calcium: AKINS AND TUAN **105**, 381.
Actomyosin system
analysis of contractile proteins: TANAKA, WATANABE, NAKAMURA AND SOBUE **104**, 595.
Adaptation
adaptation of mammalian cells to glutamine-free medium: MCDERMOTT AND BUTLER **104**, 51.
Adenovirus
localization of DAI and VA RNA_I: JIMENEZ-GARCIA, GREEN, MATHEWS AND SPECTOR **106**, 11.
Adenylate cyclase
Schizosaccharomyces pombe adenylate cyclase pathway: BYRNE AND HOFFMAN **105**, 1095.
Adenylyl cyclase-associated protein
characterization of a mouse CAP cDNA: VOJTEK AND COOPER **105**, 777.
Adherens junction
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.
adherens junctions in *Drosophila*: PEIFER **105**, 993.
Adhesion
adhesion and differentiation of keratinocyte: HOTCHIN, KOVACH AND WATT **106**, 1131.
endothelial cell attachment to tenascin: SRIRAMARAO, MENDLER AND BOURDON **105**, 1001.
growth cone guidance by substratum adhesion: CLARK, BRITLAND AND CONNOLLY **105**, 203.
integrins in normal human melanocytes: ZAMBRUNO, MARCHISIO, MELCHIORI, BONDANZA, CANCEDDA AND DE LUCA **105**, 179.
keratinocyte terminal differentiation: WATT, KUBLER, HOTCHIN, NICHOLSON AND ADAMS **106**, 175.
neural crest cell attachment and migration: PERRIS, SYFRIG, PAULSSON AND BRONNER-FRASER **106**, 1357.
neutrophil/endothelium interactions: GODIN, CAPRANI, DUFAUX AND FLAUD **106**, 441.
solid phase fibronectin and vitronectin: UNDERWOOD, STEELE AND DALTON **104**, 793.
Adhesion plaque
distinct adhesion plaques in CHO cells: TRANQUI, USSON, MARIE AND BLOCK **106**, 377.
Adhesion receptor
BrdU regulates melanoma cell invasion and differentiation: THOMAS, CHAN, CHANG AND DAMSKY **105**, 191.
Adhesive structure
adhesive structures in RSV-transformed cells: NAKAMURA, TANAKA AND SOBUE **106**, 1057.

Adhesive substrata
cell adhesion to crystal surfaces: HANEIN, SABANAY, ADDADI AND GEIGER **104**, 275.
Adipocyte-specific gene expression
adipocytes: proliferation and differentiation: SMYTH, SPARKS AND WHARTON **106**, 1.
Adipogenesis
adipocytes: proliferation and differentiation: SMYTH, SPARKS AND WHARTON **106**, 1.
AE3
alternate splicing of brain AE3: MORGANS AND KOPITO **106**, 1275.
Aequorin
calcium homeostasis in plants: GILROY, BETHKE AND JONES **106**, 453.
AFM
living cell imaging with the AFM: PARPURA, HAYDON AND HENDERSON **104**, 427.
Agarose
calcification of chondrocyte cultures: HUNTER, HOLMYARD AND PRITZKER **104**, 1031.
Aggregation factor
polyubiquitin in marine sponge: PFEIFER, FRANK, SCHRODER, GAMULIN, RINKEVICH, BATEL, MULLER AND MULLER **106**, 545.
AHNAK
desmoyokin is homologous to AHNAK: HASHIMOTO, AMAGAI, PARRY, DIXON, TSUKITA, TSUKITA, MIKI, SAKAI, INOKUCHI, KUDOH, SCHIMIZU AND NISHIKAWA **105**, 275.
Airway epithelium
Ca^{2+} signaling in epithelial cells: HANSEN, BOITANO, DIRKSEN AND SANDERSON **106**, 995.
Alkaline phosphatase
calcification of chondrocyte cultures: HUNTER, HOLMYARD AND PRITZKER **104**, 1031.
Alternate splicing
alternate splicing of brain AE3: MORGANS AND KOPITO **106**, 1275.
expression of fibronectins in hybrid cells: MARDON, GRANT, GRANT AND HARRIS **104**, 783.
four-repeat isoform of MAP2: DOLL, MEICHSNER, RIEDERER, HONEGGER AND MATUS **106**, 633.
novel developmental exon in rat fast troponin T: MORGAN, EARNSHAW AND DHOOT **106**, 903.
nuclear mitotic apparatus protein: TANG, TANG, CHEN AND WU **104**, 249.
the cytoplasmic domains of α_7 integrin: SONG, WANG, SATO, BIELSER AND KAUFMAN **106**, 1139.
Alveolar type II cell
alveolar type II cell-fibroblast interactions: GRIFFIN, BHANDARI, HAMILTON, CHAN AND POWELL **105**, 423.
α-Amanitin
restriction of cell cycle progression: ADOLPH, BRUSSELBACH AND MULLER **105**, 113.
Amino acid sequence
four-repeat isoform of MAP2: DOLL, MEICHSNER, RIEDERER, HONEGGER AND MATUS **106**, 633.
Amiprophos-methyl
resistance to anti-microtubule herbicides: JAMES, SILFLOW, STROOM AND LEFEBVRE **106**, 209.
Amplification
amplification of the Golgi complex: RUDICK, RUDICK AND BRUN-ZINKERNAGEL **104**, 509.
Anaphase
abnormal anaphase resolution: GOMES, KARESS, OHKURA, GLOVER AND SUNKEL **104**, 583.
topoisomerase II function in mitosis: CLARKE, JOHNSON AND DOWNES **105**, 563.
Angiogenesis
stimulation of collagen synthesis by angiogenic hyaluronan: ROONEY, WANG, KUMAR AND KUMAR **105**, 213.
Anion exchanger
AE3-ankyrin association: MORGANS AND KOPITO **105**, 1137.
alternate splicing of brain AE3: MORGANS AND KOPITO **106**, 1275.
Ankyrin
AE3-ankyrin association: MORGANS AND KOPITO **105**, 1137.
Annexin
annexin II/p11 expression in F9 cells: HARDER, THIEL AND GERKE **104**, 1109.
stress-relaxation of fibroblasts: LEE, LIN, MOCHITATE AND GRINNELL **105**, 167.
Annexin II
annexin II and *Xenopus* DNA replication: VISHWANATHA AND KUMBLE **105**, 533.
Anti-β_5 integrin
structure, function and distribution of β_5 integrins: PASQUALINI, BODOROVA, YE AND HEMLER **105**, 101.
Anti-idiotype antibody
binding proteins for nuclear localization sequences: STOCHAJ, BOSSIE, VAN ZEE, WHALEN AND SILVER **104**, 89.
Antiestrogen
estrogen receptor shuttling: DAUVOIS, WHITE AND PARKER **106**, 1377.
Aorta
myelo-erythroid progenitors from chick embryo aorta: CORMIER **105**, 661.
Apedinella
scale protein of *Apedinella radians*: KOUTOULIS, LUDWIG AND WETHERBEE **104**, 391.
Apical sorting
sorting of apical proteins in Caco-2 cells: GARCIA, MIRRE, QUARONI, REGGIO AND LE BIVIC **104**, 1281.
Apoptosis
hepatocarcinogenesis in vitro: BAYLY, FRENCH, DIVE AND ROBERTS **104**, 307.
late endonuclease activation during apoptosis: OBERHAMMER, FRITSCH, SCHMIED, PAVELKA, PRINTZ, PURCHIO, LASSMANN AND SCHULTE-HERMANN **104**, 317.
Arbacia punctulata
echinoderm microtubule-associated protein (EMAP): SUPRENANT, DEAN, MCKEE AND HAKE **104**, 445.
Architecture
orientations of cell wall macromolecules: MCCANN, STACEY, WILSON AND ROBERTS **106**, 1347.
Area of reduced birefringence (ARB)
ARB behaviour in *Haemanthus* endosperm: CZABAN, FORER AND BAJER **105**, 571.
armadillo
adherens junctions in *Drosophila*: PEIFER **105**, 993.
Ascomycete sporulation
actin-myosin in ascus morphogenesis: THOMPSON-COFFE AND ZICKLER **104**, 883.
Asialoglycoprotein receptor
determining protein expression at the cell surface: STOORVOGEL, OORSCHOT AND NEVE **106**, 1201.
Assembly
cotranslational assembly of cytoskeletal proteins: FULTON AND L'ECUYER **105**, 867.
Aster
astral and spindle forces in PtK_2 cells: AIST, LIANG AND BERNS **104**, 1207.
Asterias vulgaris
echinoderm microtubule-associated protein (EMAP): SUPRENANT, DEAN, MCKEE AND HAKE **104**, 445.
Asymmetrical unit membrane
molecular cloning of uroplakin III: WU AND SUN **106**, 31.

Asymmetry
polarity in *Volvox*: HOOPS **104**, 105.
Atherosclerosis
inhibitor of cell growth from P388D1 macrophages: MCMURRAY, PROUDFOOT, DAVIS, PARROTT AND BOWYER **106**, 1301.
ATP
independent propagating Ca^{2+}i waves: MAHONEY, SLAKEY, HEPLER AND GROSS **104**, 1101.
v-ATPase
contractile vacuole proton pumps in *Dictyostelium*: FOK, CLARKE, MA AND ALLEN **106**, 1103.
endosomal acidification kinetics: AUBRY, KLEIN, MARTIEL AND SATRE **105**, 861.
the gap junction channel protein: FINBOW AND PITTS **106**, 463.
ATP-dependent proteolysis
proteasomes of salmonid fish sperm: INABA, AKAZOME AND MORISAWA **104**, 907.
Autoantibody
cloned human heterochromatin protein HP1: SAUNDERS, CHUE, GOEBL, CRAIG, CLARK, POWERS, EISSENBERG, ELGIN, ROTHFIELD AND EARNSHAW **104**, 573.
molecular cloning of the SP-H antigen: MAEKAWA AND KURIYAMA **105**, 589.
novel cell cycle-related centromere protein: CASIANO, LANDBERG, OCHS AND TAN **106**, 1045.
Autoantigen
interaction of p150 with snRNPs: BLENCOWE, CARMO-FONSECA, BEHRENS, LURHMANN AND LAMOND **105**, 685.
Autoimmune sera
cell cycle localization of UBF: ROUSSEL, ANDRE, MASSON, GERAUD AND HERNANDEZ-VERDUN **104**, 327.
Autophagic vacuole
fluid segregation in *Paramecium*: ISHIDA, AIHARA, ALLEN AND FOK **106**, 693.
Autophagy
cycloheximide inhibits autophagic degradation: LAWRENCE AND BROWN **105**, 473.
Axon
composite microtubules of the axon: BROWN, LI, SLAUGHTER AND BLACK **104**, 339.
effects of cytoskeleton drugs on neuronal polarity: LAFONT, ROUGET, ROUSSELET, VALENZA AND PROCHIANTZ **104**, 433.
growth cone guidance by substratum adhesion: CLARK, BRITLAND AND CONNOLLY **105**, 203.
Axonal elongation
neurite tension and microtubule assembly: ZHENG, BUXBAUM AND HEIDEMANN **104**, 1239.
Axonal initiation
neurite tension and microtubule assembly: ZHENG, BUXBAUM AND HEIDEMANN **104**, 1239.
Axonal transport
regulation of mitochondrial transport: MORRIS AND HOLLENBECK **104**, 917.
Axonemal coiling and elasticity
structure and formation of paddle cilia: DEINER, TAMM AND TAMM **104**, 1251.
Axoneme
phosphorylation of ciliary dynein: WALCZAK AND NELSON **106**, 1369.
polarity in *Volvox*: HOOPS **104**, 105.
Baculovirus
molecular cloning of the SP-H antigen: MAEKAWA AND KURIYAMA **105**, 589.
Bafilomycin A_1
evidence for two Ca^{2+} pools in *Dictyostelium*: FLAADT, JAWORSKI AND MALCHOW **105**, 1131.
Basal body
basal body-associated γ-tubulin: MURESAN, JOSHI AND BESHARSE **104**, 1229.
Basement membrane
fibronectin and laminin in heterokaryons: LAURILA AND LEIVO **104**, 59.
Basic fibroblast growth factor
differential targeting of basic FGF: REILAND AND RAPRAEGER **105**, 1085.
Basidiomycete
multiple mating types in mushrooms: KUES AND CASSELTON **104**, 227.
***Beroe* mouth**
control of cell junctions: TAMM AND TAMM **106**, 355.
bFGF
loss of bFGF from wounded myofibers: CLARKE, KHAKEE AND MCNEIL **106**, 121.
Binding site
four-repeat isoform of MAP2: DOLL, MEICHSNER, RIEDERER, HONEGGER AND MATUS **106**, 633.
BiP/grp78
a trypanosomal homologue of BiP/grp78: BANGS, UYETAKE, BRICKMAN, BALBER AND BOOTHROYD **105**, 1101.
Birefringence
contact guidance in oriented collagen gels: GUIDO AND TRANQUILLO **105**, 317.
Bladder epithelium
molecular cloning of uroplakin III: WU AND SUN **106**, 31.
Blastocyst
γ-tubulin and centrosomes during early mouse development: GUETH-HALLONET, ANTONY, AGHION, SANTA-MARIA, LAJOIE-MAZENC, WRIGHT AND MARO **105**, 157.
Blood brain-barrier
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.
transferrin receptor at the blood-brain barrier: ROBERTS, FINE AND SANDRA **104**, 521.
Bone
nuclear signalling via integrin receptors: SHANKAR, DAVISON, HELFRICH, MASON AND HORTON **105**, 61.
osteopontin mRNA expression in human bone: MERRY, DODDS, LITTLEWOOD AND GOWEN **104**, 1013.
Bone marrow culture
localisation of GM-CSF in bone marrow: DE WYNTER, ALLEN, COUTINHO, FLAVELL, FLAVELL AND DEXTER **106**, 761.
thymus-repopulating cells in marrow cultures: PRAKAPAS, DENOYELLE, DARGEMONT, KROESE, THIERY AND DEUGNIER **104**, 1039.
Bone resorption
osteoclast migration and attachment: LAKKAKORPI, HELFRICH, HORTON AND VAANANEN **104**, 663.
BrdU
mRNA in situ hybridization on cultured cells: DIRKS, VAN DE RIJKE, FUJISHITA, VAN DER PLOEG AND RAAP **104**, 1187.
nuclear phospholipids during DNA replication: MARALDI, SANTI, ZINI, OGNIBENE, RIZZOLI, MAZZOTTI, DI PRIMIO, BAREGGI, BERTAGNOLO, PAGLIARINI AND CAPITANI **104**, 853.
Breast cancer
p53 in human breast cancer: VOJTESEK AND LANE **105**, 607.
Brefeldin A
abnormal subcellular compartmentalization in colon cancer: EGEA, FRANCI, GAMBUS, LESUFFLEUR, ZWEIBAUM AND REAL **105**, 819.
casein phosphorylation: TURNER, HANDEL, WILDE AND BURGOYNE **106**, 1221.
epithelial lipid sorting and Golgi structure: VAN MEER AND VAN 'T HOF **104**, 833.

rab6p is distributed in cytosol by BFA: ROA, CORNET, YANG AND GOUD **106**, 789.
Bromodeoxyuridine (see BrdU)
Brush border
brush border protein expression in Caco-2_{BBe} cells: PETERSON, BEMENT AND MOOSEKER **105**, 461.
cytochalasin D inhibits microvilli growth: FRIEDERICH, KREIS AND LOUVARD **105**, 765.
ultrastructure of brush border assembly in Caco-2_{BBe} cells: PETERSON AND MOOSEKER **105**, 445.
2,3-Butanedione monoxime
actin-myosin in ascus morphogenesis: THOMPSON-COFFE AND ZICKLER **104**, 883.
Ca-ATPase
calcium transport. I. Isolation of cells: AKINS AND TUAN **105**, 369.
calcium transport. II. Localization of calcium: AKINS AND TUAN **105**, 381.
Ca^{2+}
mechanism for the localization of myosin II: YUMURA AND KITANISHI-YUMURA **105**, 233.
Ca^{2+}-ATPase
Ca^{2+}-ATPases of malaria parasites: KIMURA, YAMAGUCHI, TAKADA AND TANABE **104**, 1129.
Ca^{2+} flux
Ca^{2+} flux in *Dictyostelium discoideum*: FLAADT, JAWORSKI, SCHLATTERER AND MALCHOW **105**, 255.
Ca^{2+} sequestration
evidence for two Ca^{2+} pools in *Dictyostelium*: FLAADT, JAWORSKI AND MALCHOW **105**, 1131.
Ca^{2+} signaling
independent propagating $[Ca^{2+}]i$ waves: MAHONEY, SLAKEY, HEPLER AND GROSS **104**, 1101.
Caco-2
brush border protein expression in Caco-2_{BBe} cells: PETERSON, BEMENT AND MOOSEKER **105**, 461.
ultrastructure of brush border assembly in Caco-2_{BBe} cells: PETERSON AND MOOSEKER **105**, 445.
Cadherin
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.
adherens junctions in *Drosophila*: PEIFER **105**, 993.
cadherins in spindle carcinoma cells: NAVARRO, LOZANO AND CANO **105**, 923.
cell adhesion molecules in placental microvessels: LEACH, CLARK, LAMPUGNANI, ARROYO, DEJANA AND FIRTH **104**, 1073.
desmosomal cadherin expression: ARNEMANN, SULLIVAN, MAGEE, KING AND BUXTON **104**, 741.
E-cadherin-associated protein complexes: PIEPENHAGEN AND NELSON **104**, 751.
mouse R-caderin: MATSUNAMI, MIYATANI, INOUE, COPELAND, GILBERT, JENKINS AND TAKEICHI **106**, 401.
MVEC differences in cytoskeleton: FENYVES, BEHRENS AND SPANEL-BOROWSKI **106**, 879.
$pp60^{c\text{-}src}$ and EGF-R in trophoblast differentiation: REBUT-BONNETON, BOUTEMY-ROULIER AND EVAIN-BRION **105**, 629.
scattering of HT-29 cells: FABRE AND GARCIA DE HERREROS **106**, 513.
Calcein-AM
corneal keratocyte networks: POOLE, BROOKES AND CLOVER **106**, 685.
Calcification
calcification of chondrocyte cultures: HUNTER, HOLMYARD AND PRITZKER **104**, 1031.
Calcium
calcium homeostasis in plants: GILROY, BETHKE AND JONES **106**, 453.
factors affecting dynein localization: LIN AND COLLINS **105**, 579.
localized calcium entry in chromaffin cells: CHEEK, MORGAN, O'SULLIVAN, MORETON, BERRIDGE AND BURGOYNE **105**, 913.
morphological polarization of human PMNs: ZAFFRAN, LEPIDI, BONGRAND, MEGE AND CAPO **105**, 675.
oligogalacturonides increase cytosolic calcium: MESSIAEN, READ, VAN CUTSEM AND TREWAVAS **104**, 365.
platelet activating factor in *Dictyostelium*: SORDANO, CRISTINO, BUSSOLINO, WURSTER AND BOZZARO **104**, 197.
scattering of HT-29 cells: FABRE AND GARCIA DE HERREROS **106**, 513.
waltzing guinea pig outer hair cells: CANLON AND DULON **104**, 1137.
Calcium-binding protein
calcium-binding protein of condensed nuclei: TANG AND OTHERS **104**, 237.
calcium transport. I. Isolation of cells: AKINS AND TUAN **105**, 369.
calcium transport. II. Localization of calcium: AKINS AND TUAN **105**, 381.
S100 calcium-binding protein
calcyclin expression in mouse tissues: TIMMONS, CHAN, RIGBY AND POIRIER **104**, 187.
Calcium wave
calcium buffers block cytokinesis: MILLER, FLUCK, MCLAUGHLIN AND JAFFE **106**, 523.
Calcyclin
calcyclin expression in mouse tissues: TIMMONS, CHAN, RIGBY AND POIRIER **104**, 187.
Calmodulin
calmodulin in mitotic *Dictyostelium* cells: ZHU, LIU AND CLARKE **104**, 1119.
contractile vacuole proton pumps in *Dictyostelium*: FOK, CLARKE, MA AND ALLEN **106**, 1103.
mechanism for the localization of myosin II: YUMURA AND KITANISHI-YUMURA **105**, 233.
Calpain
calpain II in the retina: AZARIAN, SCHLAMP AND WILLIAMS **105**, 787.
Calyculin A
CD18 expression in neutrophils: VOLZ **106**, 493.
cytoskeletal changes induced by calyculin-A: HOSOYA, MITSUI, YAZAMA, ISHIHARA, OZAKI, KARAKI, HARTSHORNE AND MOHRI **105**, 883.
cAMP
characterization of proximal renal cell lines: LACAVE, BENS, CARTIER, VALLET, ROBINE, PRINGAULT, KAHN AND VANDEWALLE **104**, 705.
chemotaxis in *Dictyostelium discoideum*: BOMINAAR AND VAN HAASTERT **104**, 181.
cyclic AMP and circadian control of cell division: CARRE AND EDMUNDS **104**, 1163.
PCNA as a thyroid cell cycle marker: BAPTIST, DUMONT AND ROGER **105**, 69.
platelet activating factor in *Dictyostelium*: SORDANO, CRISTINO, BUSSOLINO, WURSTER AND BOZZARO **104**, 197.
polarity in MDCK cell multilayers: ULLRICH, HAASE AND KOCH-BRANDT **104**, 719.
regulation of cellular vesicle transport: HAMM-ALVAREZ, KIM AND SHEETZ **106**, 955.
Schizosaccharomyces pombe adenylate cyclase pathway: BYRNE AND HOFFMAN **105**, 1095.
stellation of BHK21 cells: EDWARDS, CAMPBELL, CARR AND EDWARDS **104**, 399.

Capacitance
granule fusion in eosinophils: LINDAU, NUSSE, BENNETT AND CROMWELL **104**, 203.
6-Carboxyfluorescein
cell-to-cell transport via motile tubules: SHEPHERD, ORLOVICH AND ASHFORD **105**, 1173.
continuum of tubules and vacuoles in hyphae: SHEPHERD, ORLOVICH AND ASHFORD **104**, 495.
Carboxypeptidase Y
Ypt7p in yeast endocytosis: SCHIMMOLLER AND RIEZMAN **106**, 823.
Cartilage
c-*myc*, TGF-β and chondrocyte differentiation: LOVERIDGE, FARQUHARSON, HESKETH, JAKOWLEW, WHITEHEAD AND THORP **105**, 949.
growth plate cartilage collagens: WARDALE AND DUANCE **105**, 975.
nanomelic chondrocytes do not translocate truncated precursor: VERTEL, WALTERS, GRIER, MAINE AND GOETINCK **104**, 939.
Casein
casein phosphorylation: TURNER, HANDEL, WILDE AND BURGOYNE **106**, 1221.
Casein kinase
phosphorylation of ciliary dynein: WALCZAK AND NELSON **106**, 1369.
Casein kinase II
activation of topo II by casein kinase II: CARDENAS, WALTER, HANNA AND GASSER **104**, 533.
topoisomerase II phosphorylation by CKII: CARDENAS AND GASSER **104**, 219.
β-Catenin
adherens junctions in *Drosophila*: PEIFER **105**, 993.
Cationized ferritin
endocytosis in freeze-fixed protoplasts: GALWAY, RENNIE AND FOWKE **106**, 847.
Caveolae
endocytosis of folate-protein conjugates: TUREK, LEAMON AND LOW **106**, 423.
CCD41
centrosome-associated G_2/M phase-prevalent protein: ROTHBARTH, PETZELT, LU, TODOROV, JOSWIG, PEPPERKOK, ANSORGE AND WERNER **104**, 19.
CD18
CD18 expression in neutrophils: VOLZ **106**, 493.
CD44
CD44-CSPG in melanoma cell motility: FAASSEN, MOORADIAN, TRANQUILLO, DICKINSON, LETOURNEAU, OEGEMA AND MCCARTHY **105**, 501.
CD44 expression on murine tissues: KENNEL, LANKFORD, FOOTE, SHINPOCK AND STRINGER **104**, 373.
cdc2
association of $p34^{cdc2}$/cyclin B with microtubules: OOKATA, HISANAGA, OKUMURA AND KISHIMOTO **105**, 873.
RP-A phosphorylation: FANG AND NEWPORT **106**, 983.
cdc2 kinase
activation of centrosomes in vitro: OHTA, SHIINA, OKUMURA, HISANAGA, KISHIMOTO, ENDO, GOTOH, NISHIDA AND SAKAI **104**, 125.
inactivation of cdc2 kinase during mitosis: SUPRYNOWICZ **104**, 873.
modelling M-phase control in *Xenopus*: NOVAK AND TYSON **106**, 1153.
cdc25
meiotic role of *twine*: WHITE-COOPER, ALPHEY AND GLOVER **106**, 1035.
modelling M-phase control in *Xenopus*: NOVAK AND TYSON **106**, 1153.
cdc28
v-Src SH2 domain in yeast killing: BOSCHELLI, UPTAIN AND LIGHTBODY **105**, 519.
cdc mutant
cell-free extracts of fission yeast: NOVAK, SVEICZER AND MITCHISON **105**, 529.
cdk
cyclin A localization: MARIDOR, GALLANT, GOLSTEYN AND NIGG **106**, 535.
cdk2
cell cycle genes in senescent cells: LUCIBELLO, SEWING, BRUSSELBACH, BURGER AND MULLER **105**, 123.
RP-A phosphorylation: FANG AND NEWPORT **106**, 983.
cdk4
cell cycle genes in senescent cells: LUCIBELLO, SEWING, BRUSSELBACH, BURGER AND MULLER **105**, 123.
cdk5
cell cycle genes in senescent cells: LUCIBELLO, SEWING, BRUSSELBACH, BURGER AND MULLER **105**, 123.
cDNA
centrosome-associated G_2/M phase-prevalent protein: ROTHBARTH, PETZELT, LU, TODOROV, JOSWIG, PEPPERKOK, ANSORGE AND WERNER **104**, 19.
Dictyostelium α- and β-tubulin: TRIVINOS-LAGOS, OHMACHI, ALBRIGHTSON, BURNS, ENNIS AND CHISHOLM **105**, 903.
cDNA cloning
molecular cloning of uroplakin III: WU AND SUN **106**, 31.
cDNA library
novel rab subfamily GTPases: OLKKONEN, DUPREE, KILLISCH, LUTCKE, ZERIAL AND SIMONS **106**, 1239.
3T3 Cell
open DNA structures in eukaryotic cells: PALECEK, ROBERT-NICOUD AND JOVIN **104**, 653.
Cell adhesion
cell adhesion to crystal surfaces: HANEIN, SABANAY, ADDADI AND GEIGER **104**, 275.
cell junctions during mitosis: BAKER AND GARROD **104**, 415.
control of cell junctions: TAMM AND TAMM **106**, 355.
E-cadherin-associated protein complexes: PIEPENHAGEN AND NELSON **104**, 751.
EGF and epithelial cell motility: MATTHAY, THIERY, LAFONT, STAMPFER AND BOYER **106**, 869.
endothelial cell adhesion to tenascin domains: JOSHI, CHUNG, AUKHIL AND ERICKSON **106**, 389.
hemidesmosome matrix elements: LANGHOFER, HOPKINSON AND JONES **105**, 753.
mouse R-caderin: MATSUNAMI, MIYATANI, INOUE, COPELAND, GILBERT, JENKINS AND TAKEICHI **106**, 401.
polyubiquitin in marine sponge: PFEIFER, FRANK, SCHRODER, GAMULIN, RINKEVICH, BATEL, MULLER AND MULLER **106**, 545.
proteoglycans in cell-substratum adhesion: YAMAGATA, SAGA, KATO, BERNFIELD AND KIMATA **106**, 55.
structure, function and distribution of β_5 integrins: PASQUALINI, BODOROVA, YE AND HEMLER **105**, 101.
Cell adhesion molecule
ATPase polarity in photoreceptors: BAUMANN AND TAKEYASU **105**, 287.
cell adhesion molecules in placental microvessels: LEACH, CLARK, LAMPUGNANI, ARROYO, DEJANA AND FIRTH **104**, 1073.
Cell attachment
cell attachment to thrombospondin: ADAMS AND LAWLER **104**, 1061.
Cell-cell adhesion
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.

Cell-cell interaction
tenascin induction in cancer: HIRAIWA, KIDA, SAKAKURA AND KUSAKABE **104**, 289.
Cell compartmentalization
cytoarchitecture of living cells: PROVANCE, MCDOWALL, MARKO AND LUBY-PHELPS **106**, 565.
Cell culture
adaptation of mammalian cells to glutamine-free medium: MCDERMOTT AND BUTLER **104**, 51.
mRNAs in cultured chicken hepatocytes: DOUAIRE, BELLOIR, GUILLEMOT, FRASLIN, LANGLOIS AND MALLARD **104**, 713.
MVEC differences in cytoskeleton: FENYVES, BEHRENS AND SPANEL-BOROWSKI **106**, 879.
thymic stromal cells and T cell development: SCREPANTI, MODESTI AND GULINO **105**, 601.
Cell cycle
activation of centrosomes in vitro: OHTA, SHIINA, OKUMURA, HISANAGA, KISHIMOTO, ENDO, GOTOH, NISHIDA AND SAKAI **104**, 125.
cell cycle arrest and selective killing: LARSSON, CARLBERG AND ZETTERBERG **106**, 299.
cell cycle genes in senescent cells: LUCIBELLO, SEWING, BRUSSELBACH, BURGER AND MULLER **105**, 123.
cell-free extracts of fission yeast: NOVAK, SVEICZER AND MITCHISON **105**, 529.
centrosome-associated G_2/M phase-prevalent protein: ROTHBARTH, PETZELT, LU, TODOROV, JOSWIG, PEPPERKOK, ANSORGE AND WERNER **104**, 19.
Crypthecodinium cohnii microtubular organization: PERRET, DAVOUST, ALBERT, BESSEAU AND SOYER-GOBILLARD **104**, 639.
cyclin D1 regulation: SEWING, BURGER, BRUSSELBACH, SCHALK, LUCIBELLO AND MULLER **104**, 545.
localization of wt and myr⁻ c-Src: DAVID-PFEUTY, BAGRODIA AND SHALLOWAY **105**, 613.
maize polymitotic mutant: LIU, GOLUBOVSKAYA AND CANDE **106**, 1169.
novel cell cycle-related centromere protein: CASIANO, LANDBERG, OCHS AND TAN **106**, 1045.
nuclear matrix during the cell cycle: LANG, DECRISTOFORO, WAITZ AND LOIDL **105**, 1121.
ors12 associates with the nuclear matrix: MAH, DIJKWEL, TODD, KLEIN, PRICE AND ZANNIS-HADJOPOULOS **105**, 807.
PCNA as a thyroid cell cycle marker: BAPTIST, DUMONT AND ROGER **105**, 69.
RP-A phosphorylation: FANG AND NEWPORT **106**, 983.
v-Src SH2 domain in yeast killing: BOSCHELLI, UPTAIN AND LIGHTBODY **105**, 519.
topoisomerase II phosphorylation by CKII: CARDENAS AND GASSER **104**, 219.
γ-tubulin and centrosomes during early mouse development: GUETH-HALLONET, ANTONY, AGHION, SANTA-MARIA, LAJOIE-MAZENC, WRIGHT AND MARO **105**, 157.
Cell cycle delay
cell cycle in *Drosophila melanogaster* embryos: MALDONADO-CODINA, LLAMAZARES AND GLOVER **105**, 711.
Cell cycle phase-specific transcript
centrosome-associated G_2/M phase-prevalent protein: ROTHBARTH, PETZELT, LU, TODOROV, JOSWIG, PEPPERKOK, ANSORGE AND WERNER **104**, 19.
Cell cycle progression
restriction of cell cycle progression: ADOLPH, BRUSSELBACH AND MULLER **105**, 113.
Cell death
DNA fragmentation in interdigital tissue regression: GARCIA-MARTINEZ, MACIAS, GANAN, GARCIA-LOBO, FRANCIA, FERNANDEZ-TERAN AND HURLE **106**, 201.
Cell differentiation
annexin II/p11 expression in F9 cells: HARDER, THIEL AND GERKE **104**, 1109.
Cell division cycle
cyclic AMP and circadian control of cell division: CARRE AND EDMUNDS **104**, 1163.
Cell-ECM interaction
cell and ECM interactions in development: FUCHS, JONES AND WILLIAMS **105**, 243.
Cell elongation
orientations of cell wall macromolecules: MCCANN, STACEY, WILSON AND ROBERTS **106**, 1347.
Cell-free extract
cell-free extracts of fission yeast: NOVAK, SVEICZER AND MITCHISON **105**, 529.
Cell-free system
inactivation of cdc2 kinase during mitosis: SUPRYNOWICZ **104**, 873.
Cell growth
mycelial and syncytial growth in *S. pombe*: SIPICZKI, GRALLERT AND MIKLOS **104**, 485.
Cell growth regulation
regulation of hepatoma differentiation: GOSS **104**, 231.
Cell mechanics
cellular tensegrity: INGBER **104**, 613.
Cell membrane
$pp60^{c\text{-}src}$ and EGF-R in trophoblast differentiation: REBUT-BONNETON, BOUTEMY-ROULIER AND EVAIN-BRION **105**, 629.
Cell morphogenesis
monoclonals to *Paramecium epiplasm*: NAHON, COFFE, LE GUYADER, DARMANADEN-DELORME, JEANMAIRE-WOLF, CLEROT AND ADOUTTE **104**, 975.
Cell motility
analysis of contractile proteins: TANAKA, WATANABE, NAKAMURA AND SOBUE **104**, 595.
Cell oscillation
cell shape and movement are not random: KILLICH, PLATH, WEI, BULTMANN, RENSING AND VICKER **106**, 1005.
Cell polarity
ATPase polarity in photoreceptors: BAUMANN AND TAKEYASU **105**, 287.
polarity in *Volvox*: HOOPS **104**, 105.
Cell polarization
morphological polarization of human PMNs: ZAFFRAN, LEPIDI, BONGRAND, MEGE AND CAPO **105**, 675.
Cell proliferation
mitogenic activity of HRPE cells: YANG, SMETS, NEETENS AND VANDEN BERGHE **104**, 211.
Cell scattering
scattering of HT-29 cells: FABRE AND GARCIA DE HERREROS **106**, 513.
Cell shape
stellation of BHK21 cells: EDWARDS, CAMPBELL, CARR AND EDWARDS **104**, 399.
Cell sorting
mouse R-caderin: MATSUNAMI, MIYATANI, INOUE, COPELAND, GILBERT, JENKINS AND TAKEICHI **106**, 401.
Cell spreading
endothelial cell attachment to tenascin: SRIRAMARAO, MENDLER AND BOURDON **105**, 1001.
Cell-substratum attachment
hemidesmosome matrix elements: LANGHOFER, HOPKINSON AND JONES **105**, 753.
Cell surface adhesive
scale protein of *Apedinella radians*: KOUTOULIS, LUDWIG AND WETHERBEE **104**, 391.
Cell surface component
scale protein of *Apedinella radians*: KOUTOULIS, LUDWIG AND WETHERBEE **104**, 391.

Cell surface glycoprotein
repression of sexual fusion in *Dictyostelium discoideum*: FANG, AIBA, HIGA, URUSHIHARA AND YANAGISAWA **106**, 785.
Cell surface proteoglycan
CD44-CSPG in melanoma cell motility: FAASSEN, MOORADIAN, TRANQUILLO, DICKINSON, LETOURNEAU, OEGEMA AND MCCARTHY **105**, 501.
Cell-to-cell transport
cell-to-cell transport via motile tubules: SHEPHERD, ORLOVICH AND ASHFORD **105**, 1173.
Cell wall
orientations of cell wall macromolecules: MCCANN, STACEY, WILSON AND ROBERTS **106**, 1347.
Cellular interaction
gene expression in a clonal osteogenic cell line: POLIARD, LAMBLIN, MARIE, BUC-CARON AND KELLERMANN **106**, 503.
Centriole
HeLa spindles blocked in metaphase by vinblastine: WENDELL, WILSON AND JORDAN **104**, 261.
structure of tektin B1 from microtubules: CHEN, PERRONE, AMOS AND LINCK **106**, 909.
Centromere
centromeric DNA from kinetochore fragments: OUSPENSKI AND BRINKLEY **105**, 359.
Drosophila dodecasatellite: CARMENA, ABAD, VILLASANTE AND GONZALEZ **105**, 41.
novel cell cycle-related centromere protein: CASIANO, LANDBERG, OCHS AND TAN **106**, 1045.
Centromere satellite DNA
Mus musculus DBA/2 chromosome organization: MITCHELL, NICOL, MALLOY AND KIPLING **106**, 79.
Centrosome
activation of centrosomes in vitro: OHTA, SHIINA, OKUMURA, HISANAGA, KISHIMOTO, ENDO, GOTOH, NISHIDA AND SAKAI **104**, 125.
centrosome-associated G_2/M phase-prevalent protein: ROTHBARTH, PETZELT, LU, TODOROV, JOSWIG, PEPPERKOK, ANSORGE AND WERNER **104**, 19.
HeLa spindles blocked in metaphase by vinblastine: WENDELL, WILSON AND JORDAN **104**, 261.
midzone and midbody antigens in the nematode *Parascaris*: JIMENEZ AND GODAY **106**, 719.
novel mitotic pole protein: PAUL AND QUARONI **106**, 967.
γ-tubulin and centrosomes during early mouse development: GUETH-HALLONET, ANTONY, AGHION, SANTA-MARIA, LAJOIE-MAZENC, WRIGHT AND MARO **105**, 157.
γ-tubulin in plants: LIU, MARC, JOSHI AND PALEVITZ **104**, 1217.
Centrosomin A
centrosome-associated G_2/M phase-prevalent protein: ROTHBARTH, PETZELT, LU, TODOROV, JOSWIG, PEPPERKOK, ANSORGE AND WERNER **104**, 19.
CFTR
expression of CFTR and MUC1 in ductal epithelia: CHAMBERS AND HARRIS **105**, 417.
cGMP
Ca^{2+} flux in *Dictyostelium discoideum*: FLAADT, JAWORSKI, SCHLATTERER AND MALCHOW **105**, 255.
Chediak-Higashi syndrome
Chediak-Higashi syndrome: PEROU AND KAPLAN **106**, 99.
Chemical probing of DNA conformation
open DNA structures in eukaryotic cells: PALECEK, ROBERT-NICOUD AND JOVIN **104**, 653.
Chemokinesis
focal adhesion disassembly and migration: DUNLEVY AND COUCHMAN **105**, 489.
Chemotactic peptide
CD18 expression in neutrophils: VOLZ **106**, 493.
morphological polarization of human PMNs: ZAFFRAN, LEPIDI, BONGRAND, MEGE AND CAPO **105**, 675.
Chemotaxis
cell shape and movement are not random: KILLICH, PLATH, WEI, BULTMANN, RENSING AND VICKER **106**, 1005.
chemotaxis in *Dictyostelium discoideum*: BOMINAAR AND VAN HAASTERT **104**, 181.
focal adhesion disassembly and migration: DUNLEVY AND COUCHMAN **105**, 489.
Chick embryo
calcium transport. I. Isolation of cells: AKINS AND TUAN **105**, 369.
calcium transport. II. Localization of calcium: AKINS AND TUAN **105**, 381.
DNA fragmentation in interdigital tissue regression: GARCIA-MARTINEZ, MACIAS, GANAN, GARCIA-LOBO, FRANCIA, FERNANDEZ-TERAN AND HURLE **106**, 201.
myelo-erythroid progenitors from chick embryo aorta: CORMIER **105**, 661.
Chicken
mRNAs in cultured chicken hepatocytes: DOUAIRE, BELLOIR, GUILLEMOT, FRASLIN, LANGLOIS AND MALLARD **104**, 713.
Chicken dyschondroplasia
c-*myc*, TGF-β and chondrocyte differentiation: LOVERIDGE, FARQUHARSON, HESKETH, JAKOWLEW, WHITEHEAD AND THORP **105**, 949.
Chlamydomonas
flagellar outer arm dynein mutants: MITCHELL AND KANG **105**, 1069.
polarity in *Volvox*: HOOPS **104**, 105.
resistance to anti-microtubule herbicides: JAMES, SILFLOW, STROOM AND LEFEBVRE **106**, 209.
Chloroplast
DNA replication in chloroplasts: HEINHORST AND CANNON **104**, 1.
Chloroplast nucleoid
detection of DNA in the nucleoids: HAYASHI-ISIMARU, UEDA AND NONAKA **105**, 1159.
Cholinergic
secretion of PC12 acetylcholinesterase: SCHWEITZER **106**, 731.
Chondrocyte
calcification of chondrocyte cultures: HUNTER, HOLMYARD AND PRITZKER **104**, 1031.
endocytosis of hyaluronan by chondrocytes: HUA, KNUDSON AND KNUDSON **106**, 365.
Chondrocyte differentiation
c-*myc*, TGF-β and chondrocyte differentiation: LOVERIDGE, FARQUHARSON, HESKETH, JAKOWLEW, WHITEHEAD AND THORP **105**, 949.
Chromaffin cell
localized calcium entry in chromaffin cells: CHEEK, MORGAN, O'SULLIVAN, MORETON, BERRIDGE AND BURGOYNE **105**, 913.
recycling after stimulated secretion: HURTLEY **106**, 649.
Chromatid segregation
topoisomerase II function in mitosis: CLARKE, JOHNSON AND DOWNES **105**, 563.
Chromatin
cloned human heterochromatin protein HP1: SAUNDERS, CHUE, GOEBL, CRAIG, CLARK, POWERS, EISSENBERG, ELGIN, ROTHFIELD AND EARNSHAW **104**, 573.
6-DMAP accelerates transition to interphase: SZOLLOSI, KUBIAK, DEBEY, DE PENNART, SZOLLOSI AND MARO **104**, 861.
NONA distribution in vivo: BUCHENAU, ARNDT-JOVIN AND SAUMWEBER **106**, 189.
nuclear matrix during the cell cycle: LANG, DECRISTOFORO, WAITZ AND LOIDL **105**, 1121.

topo II in *Drosophila* embryogenesis: BUCHENAU, SAUMWEBER AND ARNDT-JOVIN **104**, 1175.
transitions during chromatin isolation: GIANNASCA, HOROWITZ AND WOODCOCK **105**, 551.
Chromatin condensation
late endonuclease activation during apoptosis: OBERHAMMER, FRITSCH, SCHMIED, PAVELKA, PRINTZ, PURCHIO, LASSMANN AND SCHULTE-HERMANN **104**, 317.
Chromatin domain
minichromosomal attachments in nuclei: JACKSON AND COOK **105**, 1143.
Chromatin loop
minichromosomal attachments in nuclei: JACKSON AND COOK **105**, 1143.
Chromosomal mapping
mouse R-caderin: MATSUNAMI, MIYATANI, INOUE, COPELAND, GILBERT, JENKINS AND TAKEICHI **106**, 401.
Chromosomal spindle fibre
ARB behaviour in *Haemanthus* endosperm: CZABAN, FORER AND BAJER **105**, 571.
Chromosome
maize polymitotic mutant: LIU, GOLUBOVSKAYA AND CANDE **106**, 1169.
Chromosome distribution
mitosis and kinase inhibitors: NICKLAS, KRAWITZ AND WARD **104**, 961.
Chromosome segregation
centromeric DNA from kinetochore fragments: OUSPENSKI AND BRINKLEY **105**, 359.
Cilia
basal body-associated γ-tubulin: MURESAN, JOSHI AND BESHARSE **104**, 1229.
structure of tektin B1 from microtubules: CHEN, PERRONE, AMOS AND LINCK **106**, 909.
Ciliary beat frequency
PKC-dependent ciliary phosphorylation: SALATHE, PRATT AND WANNER **106**, 1211.
Ciliary phosphorylation
PKC-dependent ciliary phosphorylation: SALATHE, PRATT AND WANNER **106**, 1211.
Cinculin
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.
Circadian rhythm
cyclic AMP and circadian control of cell division: CARRE AND EDMUNDS **104**, 1163.
***Claret* microtubule motor protein**
diffusional movement of ncd motor protein: CHANDRA, ENDOW AND SALMON **104**, 899.
Class II antigen
class II antigen and exogenous antigen: GONELLA AND WILMORE **106**, 937.
Close contact
adhesive structures in RSV-transformed cells: NAKAMURA, TANAKA AND SOBUE **106**, 1057.
Cochlea
waltzing guinea pig outer hair cells: CANLON AND DULON **104**, 1137.
Coiled-coil protein
structure of tektin B1 from microtubules: CHEN, PERRONE, AMOS AND LINCK **106**, 909.
Collagen
growth plate cartilage collagens: WARDALE AND DUANCE **105**, 975.
neural crest cell attachment and migration: PERRIS, SYFRIG, PAULSSON AND BRONNER-FRASER **106**, 1357.
pH and abnormal corneal fibrillogenesis: BARD, HULMES, PURDOM AND ROSS **105**, 1045.
stimulation of collagen synthesis by angiogenic hyaluronan: ROONEY, WANG, KUMAR AND KUMAR **105**, 213.
Collagen gel
contact guidance in oriented collagen gels: GUIDO AND TRANQUILLO **105**, 317.
Collagen matrix
stress-relaxation of fibroblasts: LEE, LIN, MOCHITATE AND GRINNELL **105**, 167.
Collagen type I
alveolar type II cell-fibroblast interactions: GRIFFIN, BHANDARI, HAMILTON, CHAN AND POWELL **105**, 423.
Collagenase
collagenase synthesis during tissue remodeling: GIRARD, MATSUBARA, KUBLIN, TESSIER, CINTRON AND FINI **104**, 1001.
Co-localization
class II antigen and exogenous antigen: GONELLA AND WILMORE **106**, 937.
co-localization of hsp40 and hsc70(p73): HATTORI, KANEDA, LOKESHWAR, LASZLO AND OHTSUKA **104**, 629.
Colon cancer
abnormal subcellular compartmentalization in colon cancer: EGEA, FRANCI, GAMBUS, LESUFFLEUR, ZWEIBAUM AND REAL **105**, 819.
Colorectal cancer
melanotransferrin in intestinal epithelial cells: ALEMANY, VILA, FRANCI, EGEA, REAL AND THOMSON **104**, 1155.
Complex formation
cyclin A localization: MARIDOR, GALLANT, GOLSTEYN AND NIGG **106**, 535.
Condensed nuclei
calcium binding protein of condensed nuclei: TANG AND OTHERS **104**, 237.
Conditioned medium
mitogenic activity of HRPE cells: YANG, SMETS, NEETENS AND VANDEN BERGHE **104**, 211.
Conduction tissue
connexins in heart conduction tissues: GOURDIE, SEVERS, GREEN, ROTHERY, GERMROTH AND THOMPSON **105**, 985.
Confocal laser scanning microscopy
5 S genes and transcript in *Pisum sativum*: HIGHETT, BEVEN AND SHAW **105**, 1151.
actin and α-actinin in whole epithelial tissue: KHOORY, WU AND SVOBODA **106**, 703.
adhesive structures in RSV-transformed cells: NAKAMURA, TANAKA AND SOBUE **106**, 1057.
cell cycle localization of UBF: ROUSSEL, ANDRE, MASSON, GERAUD AND HERNANDEZ-VERDUN **104**, 327.
cell-to-cell transport via motile tubules: SHEPHERD, ORLOVICH AND ASHFORD **105**, 1173.
Crypthecodinium cohnii microtubular organization: PERRET, DAVOUST, ALBERT, BESSEAU AND SOYER-GOBILLARD **104**, 639.
cytoskeleton of spreading fibroblasts: OAKLEY AND BRUNETTE **106**, 343.
host antigen acquisition by *S. mansoni*: ROGERS, JACK AND FURLONG **106**, 485.
internal lamin structures within G_1 nuclei: BRIDGER, KILL, O'FARRELL AND HUTCHISON **104**, 297.
NONA distribution in vivo: BUCHENAU, ARNDT-JOVIN AND SAUMWEBER **106**, 189.
open DNA structures in eukaryotic cells: PALECEK, ROBERT-NICOUD AND JOVIN **104**, 653.
osteoclast migration and attachment: LAKKAKORPI, HELFRICH, HORTON AND VAANANEN **104**, 663.
rDNA arrangement in *Pisum sativum*: HIGHETT, RAWLINS AND SHAW **104**, 843.
stress fiber orientation: PETROLL, CAVANAGH, BARRY, ANDREWS AND JESTER **104**, 353.
topo II in *Drosophila* embryogenesis: BUCHENAU, SAUMWEBER AND ARNDT-JOVIN **104**, 1175.

Connexin
connexins in heart conduction tissues: GOURDIE, SEVERS, GREEN, ROTHERY, GERMROTH AND THOMPSON **105**, 985.
the gap junction channel protein: FINBOW AND PITTS **106**, 463.
Connexon
the gap junction channel protein: FINBOW AND PITTS **106**, 463.
Constitutive
secretion of PC12 acetylcholinesterase: SCHWEITZER **106**, 731.
Constitutive secretion
control of constitutive secretion in mammary cells: RENNISON, KERR, ADDEY, HANDEL, TURNER, WILDE AND BURGOYNE **106**, 641.
Contact guidance
contact guidance in oriented collagen gels: GUIDO AND TRANQUILLO **105**, 317.
cytoskeleton of spreading fibroblasts: OAKLEY AND BRUNETTE **106**, 343.
Contractile vacuole
calmodulin in mitotic *Dictyostelium* cells: ZHU, LIU AND CLARKE **104**, 1119.
fluid segregation in *Paramecium*: ISHIDA, AIHARA, ALLEN AND FOK **106**, 693.
Contractile vacuole complex
contractile vacuole proton pumps in *Dictyostelium*: FOK, CLARKE, MA AND ALLEN **106**, 1103.
COOH-terminal processing
signal for GPI anchor attachment: BEGHDADI-RAIS, SCHREYER, ROUSSEAUX, BOREL, EISENBERG, COHEN, BRON AND FASEL **105**, 831.
Coprinus
multiple mating types in mushrooms: KUES AND CASSELTON **104**, 227.
Cornea
actin and α-actinin in whole epithelial tissue: KHOORY, WU AND SVOBODA **106**, 703.
collagenase synthesis during tissue remodeling: GIRARD, MATSUBARA, KUBLIN, TESSIER, CINTRON AND FINI **104**, 1001.
corneal keratocyte networks: POOLE, BROOKES AND CLOVER **106**, 685.
pH and abnormal corneal fibrillogenesis: BARD, HULMES, PURDOM AND ROSS **105**, 1045.
Corneal epithelium
distribution of EGF receptor: ZIESKE AND WASSON **106**, 145.
Cortical cytoskeleton
moesin and ezrin in the cortical cytoskeleton: FRANCK, GARY AND BRETSCHER **105**, 219.
CO_2 production
cell-free extracts of fission yeast: NOVAK, SVEICZER AND MITCHISON **105**, 529.
Creatine kinase
creatine kinase in photoreceptor cell outer segments: HEMMER, RIESINGER, WALLIMANN, EPPENBERGER AND QUEST **106**, 671.
Crossbridge
rabbit thick filament structure: KENSLER AND STEWART **105**, 841.
Cross-bridge microtubule
a plant microtubule-associated protein: JIANG AND SONOBE **105**, 891.
Cryofixation
Crypthecodinium cohnii microtubular organization: PERRET, DAVOUST, ALBERT, BESSEAU AND SOYER-GOBILLARD **104**, 639.
Crypthecodinium cohnii
Crypthecodinium cohnii microtubular organization: PERRET, DAVOUST, ALBERT, BESSEAU AND SOYER-GOBILLARD **104**, 639.
Crystal
cell adhesion to crystal surfaces: HANEIN, SABANAY, ADDADI AND GEIGER **104**, 275.
CS1 peptide
VCAM-1 expression by high endothelium: MAY, ENTWISTLE, HUMPHRIES AND AGER **106**, 109.
***cut* mutant**
new *cut* genes required in fission yeast mitosis: SAMEJIMA, MATSUMOTO, NAKASEKO, BEACH AND YANAGIDA **105**, 135.
Cyclic AMP (see cAMP)
Cyclic GMP (see cGMP)
Cyclin
cyclin A localization: MARIDOR, GALLANT, GOLSTEYN AND NIGG **106**, 535.
modelling M-phase control in *Xenopus*: NOVAK AND TYSON **106**, 1153.
Cyclin B
activation of centrosomes in vitro: OHTA, SHIINA, OKUMURA, HISANAGA, KISHIMOTO, ENDO, GOTOH, NISHIDA AND SAKAI **104**, 125.
association of $p34^{cdc2}$/cyclin B with microtubules: OOKATA, HISANAGA, OKUMURA AND KISHIMOTO **105**, 873.
Cyclin D
cell cycle genes in senescent cells: LUCIBELLO, SEWING, BRUSSELBACH, BURGER AND MULLER **105**, 123.
Cyclin D1
cyclin D1 regulation: SEWING, BURGER, BRUSSELBACH, SCHALK, LUCIBELLO AND MULLER **104**, 545.
Cyclin-dependent kinase
cyclin A localization: MARIDOR, GALLANT, GOLSTEYN AND NIGG **106**, 535.
Cyclin E
cell cycle genes in senescent cells: LUCIBELLO, SEWING, BRUSSELBACH, BURGER AND MULLER **105**, 123.
Cycloheximide
cycloheximide inhibits autophagic degradation: LAWRENCE AND BROWN **105**, 473.
Cytocentrin
novel mitotic pole protein: PAUL AND QUARONI **106**, 967.
Cytochalasin
actin-myosin in ascus morphogenesis: THOMPSON-COFFE AND ZICKLER **104**, 883.
CD18 expression in neutrophils: VOLZ **106**, 493.
Cytochrome b_5
model system for membrane biogenesis: VERGERES, YEN, AGGELER, LAUSIER AND WASKELL **106**, 249.
Cytokine
3T3 cells induce angiogenesis in vitro: MONTESANO, PEPPER AND ORCI **105**, 1013.
Cytokinesis
actin-myosin in ascus morphogenesis: THOMPSON-COFFE AND ZICKLER **104**, 883.
BiP from fission yeast: PIDOUX AND ARMSTRONG **105**, 1115.
calcium buffers block cytokinesis: MILLER, FLUCK, MCLAUGHLIN AND JAFFE **106**, 523.
midzone and midbody antigens in the nematode *Parascaris*: JIMENEZ AND GODAY **106**, 719.
mycelial and syncytial growth in *S. pombe*: SIPICZKI, GRALLERT AND MIKLOS **104**, 485.
transient presence of γ-tubulin in the midbody: JULIAN, TOLLON, LAJOIE-MAZENE, MOISAND, MAZARGUIL, PUGET AND WRIGHT **105**, 145.
Cytolysis
kinesin-based motility of lytic granules: BURKHARDT, MCILVAIN, SHEETZ AND ARGON **104**, 151.
Cytomatrix
cytoarchitecture of living cells: PROVANCE, MCDOWALL, MARKO AND LUBY-PHELPS **106**, 565.

Cytomechanics
neurite tension and microtubule assembly: ZHENG, BUXBAUM AND HEIDEMANN **104**, 1239.
Cytoplasmic domain
the cytoplasmic domains of α_7 integrin: SONG, WANG, SATO, BIELSER AND KAUFMAN **106**, 1139.
Cytoplasmic dynein
factors affecting dynein localization: LIN AND COLLINS **105**, 579.
Cytoplasmic tail
endosomal targeting signals in Ii mutants: PIETERS, BAKKE AND DOBBERSTEIN **106**, 831.
Cytoskeleton
alternate splicing of brain AE3: MORGANS AND KOPITO **106**, 1275.
calpain II in the retina: AZARIAN, SCHLAMP AND WILLIAMS **105**, 787.
cotranslational assembly of cytoskeletal proteins: FULTON AND L'ECUYER **105**, 867.
cytoarchitecture of living cells: PROVANCE, MCDOWALL, MARKO AND LUBY-PHELPS **106**, 565.
cytoskeletal changes induced by calyculin-A: HOSOYA, MITSUI, YAZAMA, ISHIHARA, OZAKI, KARAKI, HARTSHORNE AND MOHRI **105**, 883.
cytoskeleton and tyrosine phosphorylation: BENNETT, DIXON AND KELLIE **106**, 891.
cytoskeleton of spreading fibroblasts: OAKLEY AND BRUNETTE **106**, 343.
effects of cytoskeleton drugs on neuronal polarity: LAFONT, ROUGET, ROUSSELET, VALENZA AND PROCHIANTZ **104**, 433.
four-repeat isoform of MAP2: DOLL, MEICHSNER, RIEDERER, HONEGGER AND MATUS **106**, 633.
HMW tau and neurite outgrowth: TENG, GEORGIEFF, ALETTA, NUNEZ, SHELANSKI AND GREENE **106**, 611.
HMW tau from dorsal root ganglia: GEORGIEFF, LIEM, COUCHIE, MAVILIA, NUNEZ AND SHELANSKI **105**, 729.
$\alpha_7\beta_1$ integrin is a component of the MTJ: BAO, LAKONISHOK AND HORWITZ **106**, 579.
monoclonals to *Paramecium epiplasm*: NAHON, COFFE, LE GUYADER, DARMANADEN-DELORME, JEANMAIRE-WOLF, CLEROT AND ADOUTTE **104**, 975.
MVEC differences in cytoskeleton: FENYVES, BEHRENS AND SPANEL-BOROWSKI **106**, 879.
mycelial and syncytial growth in *S. pombe*: SIPICZKI, GRALLERT AND MIKLOS **104**, 485.
pp125^{FAK} in development: TURNER, SCHALLER AND PARSONS **105**, 637.
role of cyclic GMP in regulating myosin: LIU, KUWAYAMA, ISHIDA AND NEWELL **106**, 591.
role of myosin II in *Dictyostelium* development: ELIOTT, JOSS, SPUDICH AND WILLIAMS **104**, 457.
β-spectrin in neurons: MALCHIODI-ALBEDI, CECCARINI, WINKELMANN, MORROW AND PETRUCCI **106**, 67.
the cytoplasmic domains of α_7 integrin: SONG, WANG, SATO, BIELSER AND KAUFMAN **106**, 1139.
Cytotactin
bFGF and tenascin expression: TUCKER, HAMMARBACK, JENRATH, MACKIE AND XU **104**, 69.
DAB cytochemistry
determining protein expression at the cell surface: STOORVOGEL, OORSCHOT AND NEVE **106**, 1201.
Decidua
Muc-1 protein expression in the mouse uterus: BRAGA AND GENDLER **105**, 397.
Decorated spongiome
fluid segregation in *Paramecium*: ISHIDA, AIHARA, ALLEN AND FOK **106**, 693.
Dedifferentiation
regulation of hepatoma differentiation: GOSS **104**, 231.
Dendrite
effects of cytoskeleton drugs on neuronal polarity: LAFONT, ROUGET, ROUSSELET, VALENZA AND PROCHIANTZ **104**, 433.
Dendritic cell
carbon uptake by presenting cells in situ: WITMER-PACK, CROWLEY, INABA AND STEINMAN **105**, 965.
op/op mouse macrophages and dendritic cells: WITMER-PACK, HUGHES, SCHULER, LAWSON, MCWILLIAM, INABA, STEINMAN AND GORDON **104**, 1021.
Dephosphorylation
profilaggrin phosphatase: KAM, RESING, LIM AND DALE **106**, 219.
Desmosome
desmosomal cadherin expression: ARNEMANN, SULLIVAN, MAGEE, KING AND BUXTON **104**, 741.
desmoyokin is homologous to AHNAK: HASHIMOTO, AMAGAI, PARRY, DIXON, TSUKITA, TSUKITA, MIKI, SAKAI, INOKUCHI, KUDOH, SCHIMIZU AND NISHIKAWA **105**, 275.
Desmosome-associated vacuole
internalisation of desmosomes: BURDETT **106**, 1115.
Desmosome internalisation
internalisation of desmosomes: BURDETT **106**, 1115.
Desmoyokin
desmoyokin is homologous to AHNAK: HASHIMOTO, AMAGAI, PARRY, DIXON, TSUKITA, TSUKITA, MIKI, SAKAI, INOKUCHI, KUDOH, SCHIMIZU AND NISHIKAWA **105**, 275.
Development
actin-myosin in ascus morphogenesis: THOMPSON-COFFE AND ZICKLER **104**, 883.
aFGF and bFGF in developing ovine skin: DU CROS, ISAACS AND MOORE **105**, 667.
cell and ECM interactions in development: FUCHS, JONES AND WILLIAMS **105**, 243.
xnf7 nuclear localization signal: LI AND ETKIN **105**, 389.
Dexamethasone
reorganization of RER in AR42J cells: RAJASEKARAN, MORIMOTO, HANZEL, RODRIGUEZ-BOULAN AND KREIBICH **105**, 333.
Dictyostelium discoideum
acidosome development and maturation: ALLEN, MA AND FOK **106**, 411.
Ca^{2+} flux in *Dictyostelium discoideum*: FLAADT, JAWORSKI, SCHLATTERER AND MALCHOW **105**, 255.
calmodulin in mitotic *Dictyostelium* cells: ZHU, LIU AND CLARKE **104**, 1119.
contractile vacuole proton pumps in *Dictyostelium*: FOK, CLARKE, MA AND ALLEN **106**, 1103.
Dictyostelium α- and β-tubulin: TRIVINOS-LAGOS, OHMACHI, ALBRIGHTSON, BURNS, ENNIS AND CHISHOLM **105**, 903.
endosomal acidification kinetics: AUBRY, KLEIN, MARTIEL AND SATRE **105**, 861.
fluid segregation in *Paramecium*: ISHIDA, AIHARA, ALLEN AND FOK **106**, 693.
mechanism for the localization of myosin II: YUMURA AND KITANISHI-YUMURA **105**, 233.
platelet activating factor in *Dictyostelium*: SORDANO, CRISTINO, BUSSOLINO, WURSTER AND BOZZARO **104**, 197.
repression of sexual fusion in *Dictyostelium discoideum*: FANG, AIBA, HIGA, URUSHIHARA AND YANAGISAWA **106**, 785.
role of cyclic GMP in regulating myosin: LIU, KUWAYAMA, ISHIDA AND NEWELL **106**, 591.
vacuolar proton pumps in *Dictyostelium*: NOLTA, PADH AND STECK **105**, 849.

***Dictyostelium* development**
cell and ECM interactions in development: FUCHS, JONES AND WILLIAMS **105**, 243.
role of myosin II in *Dictyostelium* development: ELIOTT, JOSS, SPUDICH AND WILLIAMS **104**, 457.
Differential hybridization
centrosome-associated G_2/M phase-prevalent protein: ROTHBARTH, PETZELT, LU, TODOROV, JOSWIG, PEPPERKOK, ANSORGE AND WERNER **104**, 19.
Differentiation
adhesion and differentiation of keratinocyte: HOTCHIN, KOVACH AND WATT **106**, 1131.
adipocytes: proliferation and differentiation: SMYTH, SPARKS AND WHARTON **106**, 1.
goblet cell development: PAULUS, LOEFFLER, ZEIDLER, OWEN AND POTTEN **106**, 473.
keratin synthesis by esophageal epithelium: PANG, SCHERMER, YU AND SUN **104**, 727.
molecular cloning of uroplakin III: WU AND SUN **106**, 31.
nestin expression in muscle development: SEJERSEN AND LENDAHL **106**, 1291.
PA cascade in skin equivalent: CHEN, LYONS-GIORDANO, LAZARUS AND JENSEN **106**, 45.
regulation of hepatoma differentiation: GOSS **104**, 231.
Diffusional movement
diffusional movement of ncd motor protein: CHANDRA, ENDOW AND SALMON **104**, 899.
Digital image processing
cell shape and movement are not random: KILLICH, PLATH, WEI, BULTMANN, RENSING AND VICKER **106**, 1005.
Dimerization
tubulin dimer formation requires GTP hydrolysis: FONTALBA, PACIUCCI, AVILA AND ZABALA **106**, 627.
Dinoflagellate
Crypthecodinium cohnii microtubular organization: PERRET, DAVOUST, ALBERT, BESSEAU AND SOYER-GOBILLARD **104**, 639.
Dipteran embryo
microfilament localization in a dipteran embryo: CALLAINI, DALLAI AND RIPARBELLI **104**, 97.
6-DMAP
6-DMAP accelerates transition to interphase: SZOLLOSI, KUBIAK, DEBEY, DE PENNART, SZOLLOSI AND MARO **104**, 861.
DMAP (6-dimethylaminopurine)
mitosis and kinase inhibitors: NICKLAS, KRAWITZ AND WARD **104**, 961.
DNA degradation
DNA fragmentation in interdigital tissue regression: GARCIA-MARTINEZ, MACIAS, GANAN, GARCIA-LOBO, FRANCIA, FERNANDEZ-TERAN AND HURLE **106**, 201.
DNA immunofluorescence
open DNA structures in eukaryotic cells: PALECEK, ROBERT-NICOUD AND JOVIN **104**, 653.
DNA polymerase
sites of DNA replication: HASSAN AND COOK **105**, 541.
DNA replication
annexin II and *Xenopus* DNA replication: VISHWANATHA AND KUMBLE **105**, 533.
DNA replication in chick cochleas: HASHINO AND SALVI **105**, 23.
DNA replication in chloroplasts: HEINHORST AND CANNON **104**, 1.
DNA structure in cells
open DNA structures in eukaryotic cells: PALECEK, ROBERT-NICOUD AND JOVIN **104**, 653.
DNA synthesis
DNA replication in egg extracts: ZHANG AND RUDERMAN **104**, 565.
DNA-synthesis stimulation
mitogenic activity of HRPE cells: YANG, SMETS, NEETENS AND VANDEN BERGHE **104**, 211.
DNA topoisomerase II
new *cut* genes required in fission yeast mitosis: SAMEJIMA, MATSUMOTO, NAKASEKO, BEACH AND YANAGIDA **105**, 135.
DNase I
depolymerization of plant actin: ANDERSLAND AND PARTHASARATHY **104**, 1273.
Dopachrome tautomerase
expression of mouse b-protein: WINDER, WITTBJER, ROSENGREN AND RORSMAN **106**, 153.
Drosophila
abnormal anaphase resolution: GOMES, KARESS, OHKURA, GLOVER AND SUNKEL **104**, 583.
adherens junctions in *Drosophila*: PEIFER **105**, 993.c
cell-cell communication in follicles: BOHRMANN **105**, 513.
Drosophila C-type nuclear lamin cDNA: BOSSIE AND SANDERS **104**, 1263.
Drosophila dodecasatellite: CARMENA, ABAD, VILLASANTE AND GONZALEZ **105**, 41.
GTP-binding protein in *Drosophila*: FREDIEU AND MAHOWALD **105**, 81.
meiotic role of *twine*: WHITE-COOPER, ALPHEY AND GLOVER **106**, 1035.
mitosis without chromatid separation: PHILP, AXTON, SAUNDERS AND GLOVER **106**, 87.
NONA distribution in vivo: BUCHENAU, ARNDT-JOVIN AND SAUMWEBER **106**, 189.
topo II in *Drosophila* embryogenesis: BUCHENAU, SAUMWEBER AND ARNDT-JOVIN **104**, 1175.
***Drosophila* embryogensis**
β1 tubulin gene expression during *Drosophila* embryogensis: BUTTGEREIT **105**, 721.
***Drosophila melanogaster* embryo**
cell cycle in *Drosophila melanogaster* embryos: MALDONADO-CODINA, LLAMAZARES AND GLOVER **105**, 711.
dTTP analogue
sites of DNA replication: HASSAN AND COOK **105**, 541.
Ductal epithelial cell
expression of CFTR and MUC1 in ductal epithelia: CHAMBERS AND HARRIS **105**, 417.
Ductin
cell-cell communication in follicles: BOHRMANN **105**, 513.
the gap junction channel protein: FINBOW AND PITTS **106**, 463.
Dye-coupling
cell-cell communication in follicles: BOHRMANN **105**, 513.
Dynamin
dynamin family protein in testis: NAKATA, TAKEMURA AND HIROKAWA **105**, 1.
Dynein mutant
flagellar outer arm dynein mutants: MITCHELL AND KANG **105**, 1069.
Dystrophic muscle
loss of bFGF from wounded myofibers: CLARKE, KHAKEE AND MCNEIL **106**, 121.
235E
β-spectrin in neurons: MALCHIODI-ALBEDI, CECCARINI, WINKELMANN, MORROW AND PETRUCCI **106**, 67.
Echinarachnius parma
echinoderm microtubule-associated protein (EMAP): SUPRENANT, DEAN, MCKEE AND HAKE **104**, 445.
Ectocytosis
stress-relaxation of fibroblasts: LEE, LIN, MOCHITATE AND GRINNELL **105**, 167.
EGF
EGF and epithelial cell motility: MATTHAY, THIERY, LAFONT, STAMPFER AND BOYER **106**, 869.

PCNA as a thyroid cell cycle marker: BAPTIST, DUMONT AND ROGER **105**, 69.
pp60$^{c\text{-}src}$ and EGF-R in trophoblast differentiation: REBUT-BONNETON, BOUTEMY-ROULIER AND EVAIN-BRION **105**, 629.
EGF receptor
distribution of EGF receptor: ZIESKE AND WASSON **106**, 145.
Egg shell membrane
calcium transport. I. Isolation of cells: AKINS AND TUAN **105**, 369.
Electron microscopy
cell cycle localization of UBF: ROUSSEL, ANDRE, MASSON, GERAUD AND HERNANDEZ-VERDUN **104**, 327.
nuclear phospholipids during DNA replication: MARALDI, SANTI, ZINI, OGNIBENE, RIZZOLI, MAZZOTTI, DI PRIMIO, BAREGGI, BERTAGNOLO, PAGLIARINI AND CAPITANI **104**, 853.
rabbit thick filament structure: KENSLER AND STEWART **105**, 841.
EM
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.
Embryogenesis
GTP-binding protein in *Drosophila*: FREDIEU AND MAHOWALD **105**, 81.
xnf7 nuclear localization signal: LI AND ETKIN **105**, 389.
Embryonic mesenchyme
tenascin induction in cancer: HIRAIWA, KIDA, SAKAKURA AND KUSAKABE **104**, 289.
Encapsulation
rapid gap junction formation in hemocytes: CHURCHILL, COODIN, SHIVERS AND CAVENEY **104**, 763.
Endochondral ossification
c-*myc*, TGF-β and chondrocyte differentiation: LOVERIDGE, FARQUHARSON, HESKETH, JAKOWLEW, WHITEHEAD AND THORP **105**, 949.
Endocytic pathway
endosomal targeting signals in Ii mutants: PIETERS, BAKKE AND DOBBERSTEIN **106**, 831.
Endocytosis
acidosome development and maturation: ALLEN, MA AND FOK **106**, 411.
calcium transport. II. Localization of calcium: AKINS AND TUAN **105**, 381.
carbon uptake by presenting cells in situ: WITMER-PACK, CROWLEY, INABA AND STEINMAN **105**, 965.
determining protein expression at the cell surface: STOORVOGEL, OORSCHOT AND NEVE **106**, 1201.
differential targeting of basic FGF: REILAND AND RAPRAEGER **105**, 1085.
distinct adhesion plaques in CHO cells: TRANQUI, USSON, MARIE AND BLOCK **106**, 377.
endocytosis in freeze-fixed protoplasts: GALWAY, RENNIE AND FOWKE **106**, 847.
endocytosis of folate-protein conjugates: TUREK, LEAMON AND LOW **106**, 423.
endocytosis of hyaluronan by chondrocytes: HUA, KNUDSON AND KNUDSON **106**, 365.
transferrin receptor at the blood-brain barrier: ROBERTS, FINE AND SANDRA **104**, 521.
Endometrium
Muc-1 protein expression in the mouse uterus: BRAGA AND GENDLER **105**, 397.
Endonuclease
late endonuclease activation during apoptosis: OBERHAMMER, FRITSCH, SCHMIED, PAVELKA, PRINTZ, PURCHIO, LASSMANN AND SCHULTE-HERMANN **104**, 317.
Endoplasmic reticulum
a trypanosomal homologue of BiP/grp78: BANGS, UYETAKE, BRICKMAN, BALBER AND BOOTHROYD **105**, 1101.
abnormal subcellular compartmentalization in colon cancer: EGEA, FRANCI, GAMBUS, LESUFFLEUR, ZWEIBAUM AND REAL **105**, 819.
cytoarchitecture of living cells: PROVANCE, MCDOWALL, MARKO AND LUBY-PHELPS **106**, 565.
model system for membrane biogenesis: VERGERES, YEN, AGGELER, LAUSIER AND WASKELL **106**, 249.
nanomelic chondrocytes do not translocate truncated precursor: VERTEL, WALTERS, GRIER, MAINE AND GOETINCK **104**, 939.
reorganization of RER in AR42J cells: RAJASEKARAN, MORIMOTO, HANZEL, RODRIGUEZ-BOULAN AND KREIBICH **105**, 333.
Endosomal pH
endosomal acidification kinetics: AUBRY, KLEIN, MARTIEL AND SATRE **105**, 861.
Endosomal targeting
endosomal targeting signals in Ii mutants: PIETERS, BAKKE AND DOBBERSTEIN **106**, 831.
Endosome
calcium transport. II. Localization of calcium: AKINS AND TUAN **105**, 381.
continuum of tubules and vacuoles in hyphae: SHEPHERD, ORLOVICH AND ASHFORD **104**, 495.
determining protein expression at the cell surface: STOORVOGEL, OORSCHOT AND NEVE **106**, 1201.
Golgi clusters are not tubular endosomes: PYPAERT, NILSSON, BERGER AND WARREN **104**, 811.
Ypt7p in yeast endocytosis: SCHIMMOLLER AND RIEZMAN **106**, 823.
Endothelia cell
3T3 cells induce angiogenesis in vitro: MONTESANO, PEPPER AND ORCI **105**, 1013.
cellular distribution of ezrin and moesin: BERRYMAN, FRANCK AND BRETSCHER **105**, 1025.
endothelial cell adhesion to tenascin domains: JOSHI, CHUNG, AUKHIL AND ERICKSON **106**, 389.
endothelial cell attachment to tenascin: SRIRAMARAO, MENDLER AND BOURDON **105**, 1001.
tumors and endothelial cell coagulation: LICHTENBELD, MULLER, VAN DAM-MIERAS AND BLIJHAM **106**, 657.
Endothelial migration
shear stress effects on Golgi apparatus/MTOC localization: COAN, WECHEZAK, VIGGERS AND SAUVAGE **104**, 1145.
Endothelium
cell adhesion molecules in placental microvessels: LEACH, CLARK, LAMPUGNANI, ARROYO, DEJANA AND FIRTH **104**, 1073.
endothelial cell isolation and culture: SCOTT AND BICKNELL **105**, 269.
neutrophil/endothelium interactions: GODIN, CAPRANI, DUFAUX AND FLAUD **106**, 441.
transferrin receptor at the blood-brain barrier: ROBERTS, FINE AND SANDRA **104**, 521.
Energy metabolism
creatine kinase in photoreceptor cell outer segments: HEMMER, RIESINGER, WALLIMANN, EPPENBERGER AND QUEST **106**, 671.
Enterocyte
class II antigen and exogenous antigen: GONELLA AND WILMORE **106**, 937.
Enucleation
subcellular distribution of Ro RNPs: PEEK, PRUIJN, VAN DER KEMP AND VAN VENROOIJ **106**, 929.
Eosinophil
granule fusion in eosinophils: LINDAU, NUSSE, BENNETT AND CROMWELL **104**, 203.
Epidermal carcinogenesis
cadherins in spindle carcinoma cells: NAVARRO, LOZANO AND CANO **105**, 923.

Epidermal growth factor (see EGF)
Epidermis
desmosomal cadherin expression: ARNEMANN, SULLIVAN, MAGEE, KING AND BUXTON **104**, 741.
keratinocyte terminal differentiation: WATT, KUBLER, HOTCHIN, NICHOLSON AND ADAMS **106**, 175.
αMSH and normal human melanocyte growth: DE LUCA, SIEGRIST, BONDANZA, MATHOR, CANCEDDA AND EBERLE **105**, 1079.
Epiplasm
monoclonals to *Paramecium epiplasm*: NAHON, COFFE, LE GUYADER, DARMANADEN-DELORME, JEANMAIRE-WOLF, CLEROT AND ADOUTTE **104**, 975.
Epithelia
epithelial lipid sorting and Golgi structure: VAN MEER AND VAN 'T HOF **104**, 833.
Epithelial cell differentiation
calcium binding protein of condensed nuclei: TANG AND OTHERS **104**, 237.
Epithelial cell
cell adhesion to crystal surfaces: HANEIN, SABANAY, ADDADI AND GEIGER **104**, 275.
cell junctions during mitosis: BAKER AND GARROD **104**, 415.
E-cadherin-associated protein complexes: PIEPENHAGEN AND NELSON **104**, 751.
sorting of apical proteins in Caco-2 cells: GARCIA, MIRRE, QUARONI, REGGIO AND LE BIVIC **104**, 1281.
Epithelial cell polarity
stimulation of barrier function of RPE: RIZZOLA AND LI **106**, 859.
Epithelial polarity
cellular distribution of ezrin and moesin: BERRYMAN, FRANCK AND BRETSCHER **105**, 1025.
immortalization of RPE: NABI, MATHEWS, COHEN-GOULD, GUNDERSEN AND RODRIGUEZ-BOULAN **104**, 37.
polarity in MDCK cell multilayers: ULLRICH, HAASE AND KOCH-BRANDT **104**, 719.
Epithelium
calcium transport. I. Isolation of cells: AKINS AND TUAN **105**, 369.
calcium transport. II. Localization of calcium: AKINS AND TUAN **105**, 381.
cell and ECM interactions in development: FUCHS, JONES AND WILLIAMS **105**, 243.
ultrastructure of brush border assembly in Caco-2_{BBe} cells: PETERSON AND MOOSEKER **105**, 445.
ER-Golgi intermediate compartment
cDNA cloning of p63: SCHWEIZER, ROHRER, JENO, DEMAIO, BUCHMAN AND HAURI **104**, 685.
the ER-to-Golgi exocytic pathway: SCHWEIZER, ERICSSON, BACHI, GRIFFITHS AND HAURI **104**, 671.
Erwinia carotovora
oligogalacturonides increase cytosolic calcium: MESSIAEN, READ, VAN CUTSEM AND TREWAVAS **104**, 365.
Erythrocyte
parasitophorous vacuole membrane lipids: WARD, MILLER AND DVORAK **106**, 237.
β-spectrin in neurons: MALCHIODI-ALBEDI, CECCARINI, WINKELMANN, MORROW AND PETRUCCI **106**, 67.
Esophageal epithelium
keratin synthesis by esophageal epithelium: PANG, SCHERMER, YU AND SUN **104**, 727.
Estrogen
Muc-1 protein expression in the mouse uterus: BRAGA AND GENDLER **105**, 397.
Estrogen receptor
estrogen receptor shuttling: DAUVOIS, WHITE AND PARKER **106**, 1377.
trout hepatocytes in monolayers and aggregates: FLOURIOT, VAILLANT, SALBERT, PELISSERO, GUIRAUD AND VALOTAIRE **105**, 407.
Estrus cycle
Muc-1 protein expression in the mouse uterus: BRAGA AND GENDLER **105**, 397.
Euglena
cyclic AMP and circadian control of cell division: CARRE AND EDMUNDS **104**, 1163.
Exocytosis
calcyclin expression in mouse tissues: TIMMONS, CHAN, RIGBY AND POIRIER **104**, 187.
control of constitutive secretion in mammary cells: RENNISON, KERR, ADDEY, HANDEL, TURNER, WILDE AND BURGOYNE **106**, 641.
granule fusion in eosinophils: LINDAU, NUSSE, BENNETT AND CROMWELL **104**, 203.
localized calcium entry in chromaffin cells: CHEEK, MORGAN, O'SULLIVAN, MORETON, BERRIDGE AND BURGOYNE **105**, 913.
role of a phosphoprotein in exocytosis: MACLEAN, MARCINIAK, HALL AND EDWARDSON **106**, 663.
Exogenous antigen
class II antigen and exogenous antigen: GONELLA AND WILMORE **106**, 937.
Extinction
regulation of hepatoma differentiation: GOSS **104**, 231.
Extracellular matrix
3T3 cells induce angiogenesis in vitro: MONTESANO, PEPPER AND ORCI **105**, 1013.
bFGF and tenascin expression: TUCKER, HAMMARBACK, JENRATH, MACKIE AND XU **104**, 69.
collagenase synthesis during tissue remodeling: GIRARD, MATSUBARA, KUBLIN, TESSIER, CINTRON AND FINI **104**, 1001.
dual function of tenascin: WEHRLE-HALLER AND CHIQUET **106**, 597.
endothelial cell adhesion to tenascin domains: JOSHI, CHUNG, AUKHIL AND ERICKSON **106**, 389.
expression of fibronectins in hybrid cells: MARDON, GRANT, GRANT AND HARRIS **104**, 783.
fibronectin and laminin in heterokaryons: LAURILA AND LEIVO **104**, 59.
$\alpha_3\beta_1$ in mesangial cell focal contacts: GRENZ, CARBONETTO AND GOODMAN **105**, 739.
pH and abnormal corneal fibrillogenesis: BARD, HULMES, PURDOM AND ROSS **105**, 1045.
tenascin induction in cancer: HIRAIWA, KIDA, SAKAKURA AND KUSAKABE **104**, 289.
Extracellular proteolysis
collagenase and osteoclastic bone resorption: DELAISSE, EECKHOUT, NEFF, FRANCOIS-GILLET, HENRIET, SU, VAES AND BARON **106**, 1071.
Ezrin
cellular distribution of ezrin and moesin: BERRYMAN, FRANCK AND BRETSCHER **105**, 1025.
moesin and ezrin in the cortical cytoskeleton: FRANCK, GARY AND BRETSCHER **105**, 219.
F9 cell
annexin II/p11 expression in F9 cells: HARDER, THIEL AND GERKE **104**, 1109.
α-Factor
Ypt7p in yeast endocytosis: SCHIMMOLLER AND RIEZMAN **106**, 823.
Factor IX
the fate of implanted myoblasts: YAO AND KURACHI **105**, 957.
Factor X
tumors and endothelial cell coagulation: LICHTENBELD, MULLER, VAN DAM-MIERAS AND BLIJHAM **106**, 657.

Fast-freeze deep-etch electron microscopy
orientations of cell wall macromolecules: MCCANN, STACEY, WILSON AND ROBERTS **106**, 1347.
Fertilization
6-DMAP accelerates transition to interphase: SZOLLOSI, KUBIAK, DEBEY, DE PENNART, SZOLLOSI AND MARO **104**, 861.
DNA replication in egg extracts: ZHANG AND RUDERMAN **104**, 565.
γ tubulin during early mouse development: PALACIOS, JOSHI, SIMERLY AND SCHATTEN **104**, 383.
Fertilization envelope
fertilization envelope disassembly: MOZINGO, HOLLAR AND CHANDLER **104**, 929.
Fetal thymic organ culture
thymus-repopulating cells in marrow cultures: PRAKAPAS, DENOYELLE, DARGEMONT, KROESE, THIERY AND DEUGNIER **104**, 1039.
FGF
aFGF and bFGF in developing ovine skin: DU CROS, ISAACS AND MOORE **105**, 667.
bFGF expression in mammary cell lines: KE, FERNIG, WILKINSON, WINSTANLEY, SMITH, RUDLAND AND BARRACLOUGH **106**, 135.
differential targeting of basic FGF: REILAND AND RAPRAEGER **105**, 1085.
mitogenic activity of HRPE cells: YANG, SMETS, NEETENS AND VANDEN BERGHE **104**, 211.
Fiber (30 nm)
transitions during chromatin isolation: GIANNASCA, HOROWITZ AND WOODCOCK **105**, 551.
Fibrillin synthesis
fibrillin synthesis and assembly: KIELTY AND SHUTTLEWORTH **106**, 167.
Fibrillogenesis
pH and abnormal corneal fibrillogenesis: BARD, HULMES, PURDOM AND ROSS **105**, 1045.
Fibrinogen
fibrinogen Aα and Bβ chains are fibroblast mitogens: GRAY, BISHOP, REEVES AND LAURENT **104**, 409.
Fibroblast
alveolar type II cell-fibroblast interactions: GRIFFIN, BHANDARI, HAMILTON, CHAN AND POWELL **105**, 423.
contact guidance in oriented collagen gels: GUIDO AND TRANQUILLO **105**, 317.
cytoskeleton of spreading fibroblasts: OAKLEY AND BRUNETTE **106**, 343.
fibrillin synthesis and assembly: KIELTY AND SHUTTLEWORTH **106**, 167.
fibrinogen Aα and Bβ chains are fibroblast mitogens: GRAY, BISHOP, REEVES AND LAURENT **104**, 409.
focal adhesion disassembly and migration: DUNLEVY AND COUCHMAN **105**, 489.
stellation of BHK21 cells: EDWARDS, CAMPBELL, CARR AND EDWARDS **104**, 399.
Fibroblast growth factor (see FGF)
Fibronectin
adhesion and differentiation of keratinocyte: HOTCHIN, KOVACH AND WATT **106**, 1131.
adhesive structures in RSV-transformed cells: NAKAMURA, TANAKA AND SOBUE **106**, 1057.
distinct adhesion plaques in CHO cells: TRANQUI, USSON, MARIE AND BLOCK **106**, 377.
endothelial cell adhesion to tenascin domains: JOSHI, CHUNG, AUKHIL AND ERICKSON **106**, 389.
expression of fibronectins in hybrid cells: MARDON, GRANT, GRANT AND HARRIS **104**, 783.
fibronectin and laminin in heterokaryons: LAURILA AND LEIVO **104**, 59.
keratinocyte terminal differentiation: WATT, KUBLER, HOTCHIN, NICHOLSON AND ADAMS **106**, 175.
solid phase fibronectin and vitronectin: UNDERWOOD, STEELE AND DALTON **104**, 793.
stellation of BHK21 cells: EDWARDS, CAMPBELL, CARR AND EDWARDS **104**, 399.
Fibronectin type III domain
titin-associated M-band proteins: VINKEMEIR, OBERMANN, WEBER AND FURST **106**, 319.
Field emission scanning electron microscopy
3D surface structure of nuclear pore complex: GOLDBERG AND ALLEN **106**, 261.
Filament
rabbit thick filament structure: KENSLER AND STEWART **105**, 841.
Filament assembly
mutations in the β-site of vimentin: KOUKLIS, HATZFELD, BRUNKENER, WEBER AND GEORGATOS **106**, 919.
Filensin
filensin is related to IF proteins: REMINGTON **105**, 1057.
Fission yeast
cell-free extracts of fission yeast: NOVAK, SVEICZER AND MITCHISON **105**, 529.
Golgi unstacking in fission yeast: AYSCOUGH, HAJIBAGHERI, WATSON AND WARREN **106**, 1227.
mycelial and syncytial growth in *S. pombe*: SIPICZKI, GRALLERT AND MIKLOS **104**, 485.
new *cut* genes required in fission yeast mitosis: SAMEJIMA, MATSUMOTO, NAKASEKO, BEACH AND YANAGIDA **105**, 135.
Schizosaccharomyces pombe adenylate cyclase pathway: BYRNE AND HOFFMAN **105**, 1095.
Fixation
sites of DNA replication: HASSAN AND COOK **105**, 541.
Flagellar motility
flagellar outer arm dynein mutants: MITCHELL AND KANG **105**, 1069.
polarity in *Volvox*: HOOPS **104**, 105.
Flagellum
structure of tektin B1 from microtubules: CHEN, PERRONE, AMOS AND LINCK **106**, 909.
Trypanosoma cruzi developmental mutant: RIBEIRO DE JESUS, COOPER, ESPINOSA, GOMES, GARCIA AND CROSS **106**, 1023.
Flow chamber
shear stress effects on Golgi apparatus/MTOC localization: COAN, WECHEZAK, VIGGERS AND SAUVAGE **104**, 1145.
Flow cytometry
adipocytes: proliferation and differentiation: SMYTH, SPARKS AND WHARTON **106**, 1.
Fluid segregation
fluid segregation in *Paramecium*: ISHIDA, AIHARA, ALLEN AND FOK **106**, 693.
Fluorescein diacetate
corneal keratocyte networks: POOLE, BROOKES AND CLOVER **106**, 685.
Fluorescein-dextran
endosomal acidification kinetics: AUBRY, KLEIN, MARTIEL AND SATRE **105**, 861.
Fluorescence microscopy
corneal keratocyte networks: POOLE, BROOKES AND CLOVER **106**, 685.
cytoarchitecture of living cells: PROVANCE, MCDOWALL, MARKO AND LUBY-PHELPS **106**, 565.
laser-mediated access to plant plasma membrane: KURKDJIAN, LEITZ, MANIGAULT, HARIM AND GREULICH **105**, 263.
Fluorescence ratio imaging
oligogalacturonides increase cytosolic calcium: MESSIAEN, READ, VAN CUTSEM AND TREWAVAS **104**, 365.

Focal adhesion
adhesive structures in RSV-transformed cells: NAKAMURA, TANAKA AND SOBUE **106**, 1057.
analysis of contractile proteins: TANAKA, WATANABE, NAKAMURA AND SOBUE **104**, 595.
focal adhesion disassembly and migration: DUNLEVY AND COUCHMAN **105**, 489.
pp125^{FAK} in development: TURNER, SCHALLER AND PARSONS **105**, 637.
Focal contact
$\alpha_3\beta_1$ in mesangial cell focal contacts: GRENZ, CARBONETTO AND GOODMAN **105**, 739.
cytoskeletal changes induced by calyculin-A: HOSOYA, MITSUI, YAZAMA, ISHIHARA, OZAKI, KARAKI, HARTSHORNE AND MOHRI **105**, 883.
proteoglycans in cell-substratum adhesion: YAMAGATA, SAGA, KATO, BERNFIELD AND KIMATA **106**, 55.
Fodrin
binding of SH3 to leading lamellae: MERILAINEN, PALOVUORI, SORMUNEN, WASENIUS AND LEHTO **105**, 647.
Folate
endocytosis of folate-protein conjugates: TUREK, LEAMON AND LOW **106**, 423.
Freeze-fracture
band 3 aggregation in ovalocytes: CHE, CHERRY, BANNISTER AND DLUZEWSKI **105**, 655.
fertilization envelope disassembly: MOZINGO, HOLLAR AND CHANDLER **104**, 929.
multiple types of lens gap junctions: LO AND REESE **106**, 227.
Freeze-substitution
cell and ECM interactions in development: FUCHS, JONES AND WILLIAMS **105**, 243.
cell-to-cell transport via motile tubules: SHEPHERD, ORLOVICH AND ASHFORD **105**, 1173.
continuum of tubules and vacuoles in hyphae: SHEPHERD, ORLOVICH AND ASHFORD **104**, 495.
endocytosis in freeze-fixed protoplasts: GALWAY, RENNIE AND FOWKE **106**, 847.
multiple types of lens gap junctions: LO AND REESE **106**, 227.
FTIR spectroscopy
orientations of cell wall macromolecules: MCCANN, STACEY, WILSON AND ROBERTS **106**, 1347.
Fungal cytoskeleton
actin-myosin in ascus morphogenesis: THOMPSON-COFFE AND ZICKLER **104**, 883.
fura-2
localized calcium entry in chromaffin cells: CHEEK, MORGAN, O'SULLIVAN, MORETON, BERRIDGE AND BURGOYNE **105**, 913.
fura-2 dextran
independent propagating [Ca^{2+}]i waves: MAHONEY, SLAKEY, HEPLER AND GROSS **104**, 1101.
Fusion
role of proteases in sperm acrosome reaction: FLAHERTY AND SWANN **104**, 163.
Fusion pore
granule fusion in eosinophils: LINDAU, NUSSE, BENNETT AND CROMWELL **104**, 203.
Fusion protein
centrosome-associated G_2/M phase-prevalent protein: ROTHBARTH, PETZELT, LU, TODOROV, JOSWIG, PEPPERKOK, ANSORGE AND WERNER **104**, 19.
G_1 phase
internal lamin structures within G_1 nuclei: BRIDGER, KILL, O'FARRELL AND HUTCHISON **104**, 297.
Gap junction
cell-cell communication in follicles: BOHRMANN **105**, 513.
connexins in heart conduction tissues: GOURDIE, SEVERS, GREEN, ROTHERY, GERMROTH AND THOMPSON **105**, 985.
multiple types of lens gap junctions: LO AND REESE **106**, 227.
rapid gap junction formation in hemocytes: CHURCHILL, COODIN, SHIVERS AND CAVENEY **104**, 763.
the gap junction channel protein: FINBOW AND PITTS **106**, 463.
Gene
porcine myosin HC-β gene: CHANG, FERNANDES AND GOLDSPINK **106**, 331.
Gene cloning
molecular cloning of the SP-H antigen: MAEKAWA AND KURIYAMA **105**, 589.
Gene disruption
Trypanosoma cruzi developmental mutant: RIBEIRO DE JESUS, COOPER, ESPINOSA, GOMES, GARCIA AND CROSS **106**, 1023.
Gene expression
cell cycle genes in senescent cells: LUCIBELLO, SEWING, BRUSSELBACH, BURGER AND MULLER **105**, 123.
restriction of cell cycle progression: ADOLPH, BRUSSELBACH AND MULLER **105**, 113.
Gene regulation
cyclin D1 regulation: SEWING, BURGER, BRUSSELBACH, SCHALK, LUCIBELLO AND MULLER **104**, 545.
Gene transcription
5 S genes and transcript in *Pisum sativum*: HIGHETT, BEVEN AND SHAW **105**, 1151.
rDNA arrangement in *Pisum sativum*: HIGHETT, RAWLINS AND SHAW **104**, 843.
Gene transfer
the fate of implanted myoblasts: YAO AND KURACHI **105**, 957.
Geodia cydonium
polyubiquitin in marine sponge: PFEIFER, FRANK, SCHRODER, GAMULIN, RINKEVICH, BATEL, MULLER AND MULLER **106**, 545.
Germinal vesicle
3D surface structure of nuclear pore complex: GOLDBERG AND ALLEN **106**, 261.
Giant protein
titin interactions: SOTERIOU, GAMAGE AND TRINICK **104**, 119.
Glanzmann thrombasthenia
regulation of talin distribution in platelets: BERTAGNOLLI, LOCKE, HENSLER, BRAY AND BECKERLE **106**, 1189.
Glomerulus
$\alpha_3\beta_1$ in mesangial cell focal contacts: GRENZ, CARBONETTO AND GOODMAN **105**, 739.
Glucose transport
characterization of proximal renal cell lines: LACAVE, BENS, CARTIER, VALLET, ROBINE, PRINGAULT, KAHN AND VANDEWALLE **104**, 705.
GLUT
glucose transporter targeting: JAMES, PIPER AND SLOT **104**, 607.
Glutamic acid
adaptation of mammalian cells to glutamine-free medium: MCDERMOTT AND BUTLER **104**, 51.
Glutamine
adaptation of mammalian cells to glutamine-free medium: MCDERMOTT AND BUTLER **104**, 51.
Glutamine synthetase
adaptation of mammalian cells to glutamine-free medium: MCDERMOTT AND BUTLER **104**, 51.
Glycolipid anchor
signal for GPI anchor attachment: BEGHDADI-RAIS, SCHREYER, ROUSSEAUX, BOREL, EISENBERG, COHEN, BRON AND FASEL **105**, 831.
Glycosyl phosphatidylinositol
melanotransferrin in intestinal epithelial cells: ALEMANY, VILA, FRANCI, EGEA, REAL AND THOMSON **104**, 1155.

Glycosylation
abnormal subcellular compartmentalization in colon cancer: EGEA, FRANCI, GAMBUS, LESUFFLEUR, ZWEIBAUM AND REAL **105**, 819.
BiP from fission yeast: PIDOUX AND ARMSTRONG **105**, 1115.
cell cycle arrest and selective killing: LARSSON, CARLBERG AND ZETTERBERG **106**, 299.
GM-CSF
localisation of GM-CSF in bone marrow: DE WYNTER, ALLEN, COUTINHO, FLAVELL, FLAVELL AND DEXTER **106**, 761.
cGMP
platelet activating factor in *Dictyostelium*: SORDANO, CRISTINO, BUSSOLINO, WURSTER AND BOZZARO **104**, 197.
Goblet cell
goblet cell development: PAULUS, LOEFFLER, ZEIDLER, OWEN AND POTTEN **106**, 473.
Golgi
casein phosphorylation: TURNER, HANDEL, WILDE AND BURGOYNE **106**, 1221.
G proteins regulate p200 on Golgi: BRUNO DE ALMEIDA, DOHERTY, AUSIELLO AND STOW **106**, 1239.
Golgi clusters are not tubular endosomes: PYPAERT, NILSSON, BERGER AND WARREN **104**, 811.
Golgi unstacking in fission yeast: AYSCOUGH, HAJIBAGHERI, WATSON AND WARREN **106**, 1227.
immunoisolation of the yeast Golgi: BRYANT AND BOYD **106**, 815.
Golgi apparatus
abnormal subcellular compartmentalization in colon cancer: EGEA, FRANCI, GAMBUS, LESUFFLEUR, ZWEIBAUM AND REAL **105**, 819.
amplification of the Golgi complex: RUDICK, RUDICK AND BRUN-ZINKERNAGEL **104**, 509.
calmodulin in mitotic *Dictyostelium* cells: ZHU, LIU AND CLARKE **104**, 1119.
cytoarchitecture of living cells: PROVANCE, MCDOWALL, MARKO AND LUBY-PHELPS **106**, 565.
effect of monensin on plant Golgi: ZHANG, DRIOUICH AND STAEHELIN **104**, 819.
shear stress effects on Golgi apparatus/MTOC localization: COAN, WECHEZAK, VIGGERS AND SAUVAGE **104**, 1145.
GP11b-111a
regulation of talin distribution in platelets: BERTAGNOLLI, LOCKE, HENSLER, BRAY AND BECKERLE **106**, 1189.
GPI-anchored protein
sorting of apical proteins in Caco-2 cells: GARCIA, MIRRE, QUARONI, REGGIO AND LE BIVIC **104**, 1281.
G protein
G proteins regulate p200 on Golgi: BRUNO DE ALMEIDA, DOHERTY, AUSIELLO AND STOW **106**, 1239.
rab6 in photoreceptors: DERETIC AND PAPERMASTER **106**, 803.
Granule cell culture
β-spectrin in neurons: MALCHIODI-ALBEDI, CECCARINI, WINKELMANN, MORROW AND PETRUCCI **106**, 67.
Granuloma
proteoglycan and myelopoiesis: ALVAREZ-SILVA, DA SILVA AND BOROJEVIC **104**, 477.
Growth arrest
adipocytes: proliferation and differentiation: SMYTH, SPARKS AND WHARTON **106**, 1.
Growth cone
growth cone guidance by substratum adhesion: CLARK, BRITLAND AND CONNOLLY **105**, 203.
Growth factor
bFGF and tenascin expression: TUCKER, HAMMARBACK, JENRATH, MACKIE AND XU **104**, 69.
cyclin D1 regulation: SEWING, BURGER, BRUSSELBACH, SCHALK, LUCIBELLO AND MULLER **104**, 545.
fibrinogen Aα and Bβ chains are fibroblast mitogens: GRAY, BISHOP, REEVES AND LAURENT **104**, 409.
Growth plate
c-*myc*, TGF-β and chondrocyte differentiation: LOVERIDGE, FARQUHARSON, HESKETH, JAKOWLEW, WHITEHEAD AND THORP **105**, 949.
growth plate cartilage collagens: WARDALE AND DUANCE **105**, 975.
Growth substance
mitogenic activity of HRPE cells: YANG, SMETS, NEETENS AND VANDEN BERGHE **104**, 211.
GTPase
novel rab subfamily GTPases: OLKKONEN, DUPREE, KILLISCH, LUTCKE, ZERIAL AND SIMONS **106**, 1239.
GTP-binding protein
dynamin family protein in testis: NAKATA, TAKEMURA AND HIROKAWA **105**, 1.
GTP-binding protein in *Drosophila*: FREDIEU AND MAHOWALD **105**, 81.
Prp20 loses its dsDNA binding abilities during S phase: LEE, TAM, BELHUMEUR, DIPAOLO AND CLARK **106**, 287.
rab6p is distributed in cytosol by BFA: ROA, CORNET, YANG AND GOUD **106**, 789.
GTP hydrolysis
tubulin dimer formation requires GTP hydrolysis: FONTALBA, PACIUCCI, AVILA AND ZABALA **106**, 627.
Guanylate cyclase
role of cyclic GMP in regulating myosin: LIU, KUWAYAMA, ISHIDA AND NEWELL **106**, 591.
Guidance
growth cone guidance by substratum adhesion: CLARK, BRITLAND AND CONNOLLY **105**, 203.
H^+-ATPase
vacuolar proton pumps in *Dictyostelium*: NOLTA, PADH AND STECK **105**, 849.
Haemanthus
ARB behaviour in *Haemanthus* endosperm: CZABAN, FORER AND BAJER **105**, 571.
Haematology
monoclonal antibodies to insect blood cells: MULLETT, RATCLIFFE AND ROWLEY **105**, 93.
Haemopoiesis
myelo-erythroid progenitors from chick embryo aorta: CORMIER **105**, 661.
thymus-repopulating cells in marrow cultures: PRAKAPAS, DENOYELLE, DARGEMONT, KROESE, THIERY AND DEUGNIER **104**, 1039.
Haemopoietic stem cell
neutrophil development and protein kinase C: SHEARMAN, HEYWORTH, DEXTER, HAEFNER, OWEN AND WHETTON **104**, 173.
Hair cell
DNA replication in chick cochleas: HASHINO AND SALVI **105**, 23.
Hair follicle
aFGF and bFGF in developing ovine skin: DU CROS, ISAACS AND MOORE **105**, 667.
Hatching
fertilization envelope disassembly: MOZINGO, HOLLAR AND CHANDLER **104**, 929.
Hearing loss
waltzing guinea pig outer hair cells: CANLON AND DULON **104**, 1137.
Heart
connexins in heart conduction tissues: GOURDIE, SEVERS, GREEN, ROTHERY, GERMROTH AND THOMPSON **105**, 985.
Heat shock
cell cycle in *Drosophila melanogaster* embryos: MALDONADO-CODINA, LLAMAZARES AND GLOVER **105**, 711.

HeLa
HeLa spindles blocked in metaphase by vinblastine: WENDELL, WILSON AND JORDAN **104**, 261.
Hemidesmosome
RAC-11P/SD adhesion to laminin and kalinin: SONNENBERG, DE MELKER, MARTINEZ DE VELASCO, JANSSEN, CALAFAT AND NIESSEN **106**, 1083.
Hemocyte
rapid gap junction formation in hemocytes: CHURCHILL, COODIN, SHIVERS AND CAVENEY **104**, 763.
Heparin-binding peptide
cell attachment to thrombospondin: ADAMS AND LAWLER **104**, 1061.
Heparin sulfate proteogylcan
differential targeting of basic FGF: REILAND AND RAPRAEGER **105**, 1085.
Hepatocarcinogenesis
hepatocarcinogenesis in vitro: BAYLY, FRENCH, DIVE AND ROBERTS **104**, 307.
Hepatocyte
mRNAs in cultured chicken hepatocytes: DOUAIRE, BELLOIR, GUILLEMOT, FRASLIN, LANGLOIS AND MALLARD **104**, 713.
trout hepatocytes in monolayers and aggregates: FLOURIOT, VAILLANT, SALBERT, PELISSERO, GUIRAUD AND VALOTAIRE **105**, 407.
Hepatoma
regulation of hepatoma differentiation: GOSS **104**, 231.
Hepatoma cell line
hepatocarcinogenesis in vitro: BAYLY, FRENCH, DIVE AND ROBERTS **104**, 307.
Herbimycin A
$pp60^{c\text{-}src}$ and EGF-R in trophoblast differentiation: REBUT-BONNETON, BOUTEMY-ROULIER AND EVAIN-BRION **105**, 629.
***Herpes simplex* virus (HSV) gDI**
signal for GPI anchor attachment: BEGHDADI-RAIS, SCHREYER, ROUSSEAUX, BOREL, EISENBERG, COHEN, BRON AND FASEL **105**, 831.
Heterochromatin
cloned human heterochromatin protein HP1: SAUNDERS, CHUE, GOEBL, CRAIG, CLARK, POWERS, EISSENBERG, ELGIN, ROTHFIELD AND EARNSHAW **104**, 573.
Heterokaryon
fibronectin and laminin in heterokaryons: LAURILA AND LEIVO **104**, 59.
High endothelium
lymphocyte migration across high endothelium: HOURIHAN, ALLEN AND AGER **104**, 1049.
VCAM-1 expression by high endothelium: MAY, ENTWISTLE, HUMPHRIES AND AGER **106**, 109.
High-ploidy cell
high-ploidy tumour cells: DE LA HOZ AND BAROJA **104**, 31.
High-pressure freezing
endocytosis in freeze-fixed protoplasts: GALWAY, RENNIE AND FOWKE **106**, 847.
High-resolution autoradiography
rRNA detection in plant nucleoli by TEM: OLMEDILLA, TESTILLANO, VICENTE, DELSENY AND RISUENO **106**, 1333.
Higher plant
immunoblotting and immunofluorescence of plant lamins: MINGUEZ AND DIAZ DE LA ESPINA **106**, 431.
Histone
nuclear matrix during the cell cycle: LANG, DECRISTOFORO, WAITZ AND LOIDL **105**, 1121.
Histone acetylation
nuclear matrix during the cell cycle: LANG, DECRISTOFORO, WAITZ AND LOIDL **105**, 1121.
Histone acetyltransferase
nuclear matrix during the cell cycle: LANG, DECRISTOFORO, WAITZ AND LOIDL **105**, 1121.
Histone deacetylase
nuclear matrix during the cell cycle: LANG, DECRISTOFORO, WAITZ AND LOIDL **105**, 1121.
Histone kinase
6-DMAP accelerates transition to interphase: SZOLLOSI, KUBIAK, DEBEY, DE PENNART, SZOLLOSI AND MARO **104**, 861.
HIV
motility of HIV-induced T cell syncytia: SYLWESTER, WESSELS, ANDERSON, WARREN, SHUTT, KENNEDY AND SOLL **106**, 941.
Homeodomain
multiple mating types in mushrooms: KUES AND CASSELTON **104**, 227.
Hormonal regulation
regulation of hepatoma differentiation: GOSS **104**, 231.
HP1
cloned human heterochromatin protein HP1: SAUNDERS, CHUE, GOEBL, CRAIG, CLARK, POWERS, EISSENBERG, ELGIN, ROTHFIELD AND EARNSHAW **104**, 573.
HSP
thermotolerance in mammalian cells: KAMPINGA **104**, 11.
hsp40 (DnaJ homologue)
co-localization of hsp40 and hsc70(p73): HATTORI, KANEDA, LOKESHWAR, LASZLO AND OHTSUKA **104**, 629.
hsp70 (DnaK homologue)
a trypanosomal homologue of BiP/grp78: BANGS, UYETAKE, BRICKMAN, BALBER AND BOOTHROYD **105**, 1101.
BiP from fission yeast: PIDOUX AND ARMSTRONG **105**, 1115.
co-localization of hsp40 and hsc70(p73): HATTORI, KANEDA, LOKESHWAR, LASZLO AND OHTSUKA **104**, 629.
Leishmania mitochondrial stress protein: SEARLE, MCCROSSAN AND SMITH **104**, 1091.
HSV upregulation
characterization of an HSV-inducible transformed cell protein: GRASSIE, MCNAB AND MACNAB **104**, 1083.
HT-29 cell
action of TPA on HT-29 cells: GARCIA DE HERREROS, FABRE, BATLLE, BALAGUE AND REAL **105**, 1165.
mucin gene expression in HT-29 cells: LESUFFLEUR, PORCHET, AUBERT, SWALLOW, GUM, KIM, REAL AND ZWEIBAUM **106**, 771.
scattering of HT-29 cells: FABRE AND GARCIA DE HERREROS **106**, 513.
Human cancer cell
tenascin induction in cancer: HIRAIWA, KIDA, SAKAKURA AND KUSAKABE **104**, 289.
Hyaluronan
endocytosis of hyaluronan by chondrocytes: HUA, KNUDSON AND KNUDSON **106**, 365.
stimulation of collagen synthesis by angiogenic hyaluronan: ROONEY, WANG, KUMAR AND KUMAR **105**, 213.
Hyaluronan receptor
endocytosis of hyaluronan by chondrocytes: HUA, KNUDSON AND KNUDSON **106**, 365.
Hydrolase
characterization of proximal renal cell lines: LACAVE, BENS, CARTIER, VALLET, ROBINE, PRINGAULT, KAHN AND VANDEWALLE **104**, 705.
ICRF-193
topoisomerase II function in mitosis: CLARKE, JOHNSON AND DOWNES **105**, 563.
Image processing
rabbit thick filament structure: KENSLER AND STEWART **105**, 841.
Immortalization
gene expression in a clonal osteogenic cell line: POLIARD,

LAMBLIN, MARIE, BUC-CARON AND KELLERMANN **106**, 503.
Immunoblotting
immunoblotting and immunofluorescence of plant lamins: MINGUEZ AND DIAZ DE LA ESPINA **106**, 431.
Immunocytochemical localization
PCNA as a thyroid cell cycle marker: BAPTIST, DUMONT AND ROGER **105**, 69.
Immunocytochemistry
detection of DNA in the nucleoids: HAYASHI-ISIMARU, UEDA AND NONAKA **105**, 1159.
DNA and RNA in the Sertoli cell nucleolus: THIRY **105**, 33.
nuclear phospholipids during DNA replication: MARALDI, SANTI, ZINI, OGNIBENE, RIZZOLI, MAZZOTTI, DI PRIMIO, BAREGGI, BERTAGNOLO, PAGLIARINI AND CAPITANI **104**, 853.
Immunoelectron microscopy
binding of SH3 to leading lamellae: MERILAINEN, PALOVUORI, SORMUNEN, WASENIUS AND LEHTO **105**, 647.
detection of DNA in the nucleoids: HAYASHI-ISIMARU, UEDA AND NONAKA **105**, 1159.
titin in human myofibrillogenesis: VAN DER VEN, SCHAART, CROES, JAP, GINSEL AND RAMAEKERS **106**, 749.
Immunofluorescence
binding of SH3 to leading lamellae: MERILAINEN, PALOVUORI, SORMUNEN, WASENIUS AND LEHTO **105**, 647.
immunoblotting and immunofluorescence of plant lamins: MINGUEZ AND DIAZ DE LA ESPINA **106**, 431.
Immunoglobulin-C2 domain
titin-associated M-band proteins: VINKEMEIR, OBERMANN, WEBER AND FURST **106**, 319.
Immunogold cytochemistry
cell adhesion molecules in placental microvessels: LEACH, CLARK, LAMPUGNANI, ARROYO, DEJANA AND FIRTH **104**, 1073.
Immunogold labelling
cell and ECM interactions in development: FUCHS, JONES AND WILLIAMS **105**, 243.
Immunohistochemistry
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.
Immunoisolation
immunoisolation of the yeast Golgi: BRYANT AND BOYD **106**, 815.
Immunolocalization
collagenase and osteoclastic bone resorption: DELAISSE, EECKHOUT, NEFF, FRANCOIS-GILLET, HENRIET, SU, VAES AND BARON **106**, 1071.
titin in human myofibrillogenesis: VAN DER VEN, SCHAART, CROES, JAP, GINSEL AND RAMAEKERS **106**, 749.
In situ hybridization
5 S genes and transcript in *Pisum sativum*: HIGHETT, BEVEN AND SHAW **105**, 1151.
bFGF and tenascin expression: TUCKER, HAMMARBACK, JENRATH, MACKIE AND XU **104**, 69.
centromeric DNA from kinetochore fragments: OUSPENSKI AND BRINKLEY **105**, 359.
cotranslational assembly of cytoskeletal proteins: FULTON AND L'ECUYER **105**, 867.
DNA distribution in nucleoli: HOZAK, SCHOFER, SYLVESTER AND WACHTLER **104**, 1199.
mRNA in situ hybridization on cultured cells: DIRKS, VAN DE RIJKE, FUJISHITA, VAN DER PLOEG AND RAAP **104**, 1187.
porcine myosin HC-β gene: CHANG, FERNANDES AND GOLDSPINK **106**, 331.
rDNA arrangement in *Pisum sativum*: HIGHETT, RAWLINS AND SHAW **104**, 843.
rRNA detection in plant nucleoli by TEM: OLMEDILLA, TESTILLANO, VICENTE, DELSENY AND RISUENO **106**, 1333.
In situ nick translation
late endonuclease activation during apoptosis: OBERHAMMER, FRITSCH, SCHMIED, PAVELKA, PRINTZ, PURCHIO, LASSMANN AND SCHULTE-HERMANN **104**, 317.
In vitro clonal assay
myelo-erythroid progenitors from chick embryo aorta: CORMIER **105**, 661.
Induction synchrony
cell-free extracts of fission yeast: NOVAK, SVEICZER AND MITCHISON **105**, 529.
Inhibitor
inhibitor of cell growth from P388D1 macrophages: MCMURRAY, PROUDFOOT, DAVIS, PARROTT AND BOWYER **106**, 1301.
Inositol trisphosphate
Ca^{2+} signaling in epithelial cells: HANSEN, BOITANO, DIRKSEN AND SANDERSON **106**, 995.
Insect haemocyte
monoclonal antibodies to insect blood cells: MULLETT, RATCLIFFE AND ROWLEY **105**, 93.
Insulin
glucose transporter targeting: JAMES, PIPER AND SLOT **104**, 607.
Insulin-like growth factor
alveolar type II cell-fibroblast interactions: GRIFFIN, BHANDARI, HAMILTON, CHAN AND POWELL **105**, 423.
Ins*P*$_3$
evidence for two Ca^{2+} pools in *Dictyostelium*: FLAADT, JAWORSKI AND MALCHOW **105**, 1131.
Integrin
$\alpha_3\beta_1$ in mesangial cell focal contacts: GRENZ, CARBONETTO AND GOODMAN **105**, 739.
$\alpha_7\beta_1$ integrin is a component of the MTJ: BAO, LAKONISHOK AND HORWITZ **106**, 579.
adhesion and differentiation of keratinocyte: HOTCHIN, KOVACH AND WATT **106**, 1131.
adhesive structures in RSV-transformed cells: NAKAMURA, TANAKA AND SOBUE **106**, 1057.
distinct adhesion plaques in CHO cells: TRANQUI, USSON, MARIE AND BLOCK **106**, 377.
EGF and epithelial cell motility: MATTHAY, THIERY, LAFONT, STAMPFER AND BOYER **106**, 869.
endothelial cell attachment to tenascin: SRIRAMARAO, MENDLER AND BOURDON **105**, 1001.
hemidesmosome matrix elements: LANGHOFER, HOPKINSON AND JONES **105**, 753.
integrins in normal human melanocytes: ZAMBRUNO, MARCHISIO, MELCHIORI, BONDANZA, CANCEDDA AND DE LUCA **105**, 179.
nuclear signalling via integrin receptors: SHANKAR, DAVISON, HELFRICH, MASON AND HORTON **105**, 61.
RAC-11P/SD adhesion to laminin and kalinin: SONNENBERG, DE MELKER, MARTINEZ DE VELASCO, JANSSEN, CALAFAT AND NIESSEN **106**, 1083.
structure, function and distribution of β_5 integrins: PASQUALINI, BODOROVA, YE AND HEMLER **105**, 101.
the cytoplasmic domains of α_7 integrin: SONG, WANG, SATO, BIELSER AND KAUFMAN **106**, 1139.
$\alpha_4\beta_1$ Integrin
lymphocyte migration across high endothelium: HOURIHAN, ALLEN AND AGER **104**, 1049.
Intercellular communication
Ca^{2+} signaling in epithelial cells: HANSEN, BOITANO, DIRKSEN AND SANDERSON **106**, 995.
cell-cell communication in follicles: BOHRMANN **105**, 513.
Intercellular junction
cell adhesion molecules in placental microvessels: LEACH,

CLARK, LAMPUGNANI, ARROYO, DEJANA AND FIRTH **104**, 1073.
cell junctions during mitosis: BAKER AND GARROD **104**, 415.
Interferon-γ
MVEC differences in cytoskeleton: FENYVES, BEHRENS AND SPANEL-BOROWSKI **106**, 879.
Intermediate filament
an IF-like protein from squid nerves: ADJAYE, MARSH AND EAGLES **106**, 1283.
cellular tensegrity: INGBER **104**, 613.
filensin is related to IF proteins: REMINGTON **105**, 1057.
monoclonals to *Paramecium epiplasm*: NAHON, COFFE, LE GUYADER, DARMANADEN-DELORME, JEANMAIRE-WOLF, CLEROT AND ADOUTTE **104**, 975.
nestin expression in muscle development: SEJERSEN AND LENDAHL **106**, 1291.
profilaggrin phosphatase: KAM, RESING, LIM AND DALE **106**, 219.
structure of tektin B1 from microtubules: CHEN, PERRONE, AMOS AND LINCK **106**, 909.
Intermediate filament protein
Drosophila C-type nuclear lamin cDNA: BOSSIE AND SANDERS **104**, 1263.
nuclear matrix during the cell cycle: LANG, DECRISTOFORO, WAITZ AND LOIDL **105**, 1121.
titin in human myofibrillogenesis: VAN DER VEN, SCHAART, CROES, JAP, GINSEL AND RAMAEKERS **106**, 749.
Interphotoreceptor matrix
Xenopus laevis IRBP: GONZALEZ-FERNANDEZ, KITTREDGE, RAYBORN, HOLLYFIELD, LANDERS, SAHA AND GRAINGER **105**, 7.
Interphotoreceptor retinoid-binding protein
Xenopus laevis IRBP: GONZALEZ-FERNANDEZ, KITTREDGE, RAYBORN, HOLLYFIELD, LANDERS, SAHA AND GRAINGER **105**, 7.
Intestinal cell differentiation
action of TPA on HT-29 cells: GARCIA DE HERREROS, FABRE, BATLLE, BALAGUE AND REAL **105**, 1165.
Intracellular motility
factors affecting dynein localization: LIN AND COLLINS **105**, 579.
Intracellular protein targeting
intracellular protein targeting: FRANGIONI AND NEEL **105**, 481.
Intracellular trafficking
nanomelic chondrocytes do not translocate truncated precursor: VERTEL, WALTERS, GRIER, MAINE AND GOETINCK **104**, 939.
Intracellular transport
continuum of tubules and vacuoles in hyphae: SHEPHERD, ORLOVICH AND ASHFORD **104**, 495.
Intramembranous particle
band 3 aggregation in ovalocytes: CHE, CHERRY, BANNISTER AND DLUZEWSKI **105**, 655.
Intron
mRNA in situ hybridization on cultured cells: DIRKS, VAN DE RIJKE, FUJISHITA, VAN DER PLOEG AND RAAP **104**, 1187.
Invariant chain
endosomal targeting signals in Ii mutants: PIETERS, BAKKE AND DOBBERSTEIN **106**, 831.
Invasion
BrdU regulates melanoma cell invasion and differentiation: THOMAS, CHAN, CHANG AND DAMSKY **105**, 191.
CD44-CSPG in melanoma cell motility: FAASSEN, MOORADIAN, TRANQUILLO, DICKINSON, LETOURNEAU, OEGEMA AND MCCARTHY **105**, 501.
matrix metalloproteinase-9 from U937 cells: WATANABE, NAKANISHI, YAMASHITA, HAYAKAWA AND OKADA **104**, 991.
parasitophorous vacuole membrane lipids: WARD, MILLER AND DVORAK **106**, 237.
Isoform
$\alpha_3\beta_1$ in mesangial cell focal contacts: GRENZ, CARBONETTO AND GOODMAN **105**, 739.
K^+-ATPase
ATPase polarity in photoreceptors: BAUMANN AND TAKEYASU **105**, 287.
determining protein expression at the cell surface: STOORVOGEL, OORSCHOT AND NEVE **106**, 1201.
Kalinin
RAC-11P/SD adhesion to laminin and kalinin: SONNENBERG, DE MELKER, MARTINEZ DE VELASCO, JANSSEN, CALAFAT AND NIESSEN **106**, 1083.
Karyophilic protein
depletion of the nuclear lamina: JENKINS, HOLMAN, LYON, LANE, STICK AND HUTCHISON **106**, 275.
Karyoskeleton
nuclear lamina during spermatogenesis: VESTER, SMITH, KROHNE AND BENAVENTE **104**, 557.
KB cell
endocytosis of folate-protein conjugates: TUREK, LEAMON AND LOW **106**, 423.
Keratin
keratin synthesis by esophageal epithelium: PANG, SCHERMER, YU AND SUN **104**, 727.
Keratin 19
novel mitotic pole protein: PAUL AND QUARONI **106**, 967.
post-transcriptional regulation of keratin 19: CROWE **106**, 183.
Keratin gene K3
K3 keratin gene keratinocyte-specific promoter: WU, GALVIN, WU, XU, BLUMENBERG AND SUN **105**, 303.
Keratin glycosylation
soluble keratin polypeptides 8 and 18: CHOU, RIOPEL, ROTT AND OMARY**105**, 433.
Keratin phosphorylation
soluble keratin polypeptides 8 and 18: CHOU, RIOPEL, ROTT AND OMARY**105**, 433.
Keratin solubility
soluble keratin polypeptides 8 and 18: CHOU, RIOPEL, ROTT AND OMARY**105**, 433.
Keratinocyte
adhesion and differentiation of keratinocyte: HOTCHIN, KOVACH AND WATT **106**, 1131.
desmoyokin is homologous to AHNAK: HASHIMOTO, AMAGAI, PARRY, DIXON, TSUKITA, TSUKITA, MIKI, SAKAI, INOKUCHI, KUDOH, SCHIMIZU AND NISHIKAWA **105**, 275.
PA cascade in skin equivalent: CHEN, LYONS-GIORDANO, LAZARUS AND JENSEN **106**, 45.
Keratinocyte-specific promoter
K3 keratin gene keratinocyte-specific promoter: WU, GALVIN, WU, XU, BLUMENBERG AND SUN **105**, 303.
Keratocyte
corneal keratocyte networks: POOLE, BROOKES AND CLOVER **106**, 685.
Kex2p
immunoisolation of the yeast Golgi: BRYANT AND BOYD **106**, 815.
Kidney
$\alpha_3\beta_1$ in mesangial cell focal contacts: GRENZ, CARBONETTO AND GOODMAN **105**, 739.
Kinesin
kinesin-based motility of lytic granules: BURKHARDT, MCILVAIN, SHEETZ AND ARGON **104**, 151.
kinesin-like molecules in spindle formation: RODIONOV, GELFAND AND BORISY **106**, 1179.
Kinetochore
centromeric DNA from kinetochore fragments: OUSPENSKI AND BRINKLEY **105**, 359.

HeLa spindles blocked in metaphase by vinblastine: WENDELL, WILSON AND JORDAN **104**, 261.
Lamin
immunoblotting and immunofluorescence of plant lamins: MINGUEZ AND DIAZ DE LA ESPINA **106**, 431.
nuclear matrix during the cell cycle: LANG, DECRISTOFORO, WAITZ AND LOIDL **105**, 1121.
Lamin/chromatin association
internal lamin structures within G_1 nuclei: BRIDGER, KILL, O'FARRELL AND HUTCHISON **104**, 297.
Laminin
$\alpha_3\beta_1$ in mesangial cell focal contacts: GRENZ, CARBONETTO AND GOODMAN **105**, 739.
fibronectin and laminin in heterokaryons: LAURILA AND LEIVO **104**, 59.
growth cone guidance by substratum adhesion: CLARK, BRITLAND AND CONNOLLY **105**, 203.
hemidesmosome matrix elements: LANGHOFER, HOPKINSON AND JONES **105**, 753.
RAC-11P/SD adhesion to laminin and kalinin: SONNENBERG, DE MELKER, MARTINEZ DE VELASCO, JANSSEN, CALAFAT AND NIESSEN **106**, 1083.
the cytoplasmic domains of α_7 integrin: SONG, WANG, SATO, BIELSER AND KAUFMAN **106**, 1139.
Laser microbeam
astral and spindle forces in PtK_2 cells: AIST, LIANG AND BERNS **104**, 1207.
Laser microsurgery
laser-mediated access to plant plasma membrane: KURKDJIAN, LEITZ, MANIGAULT, HARIM AND GREULICH **105**, 263.
Laser scanning confocal microscope
microfilament localization in a dipteran embryo: CALLAINI, DALLAI AND RIPARBELLI **104**, 97.
Leading lamellae
binding of SH3 to leading lamellae: MERILAINEN, PALOVUORI, SORMUNEN, WASENIUS AND LEHTO **105**, 647.
Leishmania
Leishmania mitochondrial stress protein: SEARLE, MCCROSSAN AND SMITH **104**, 1091.
Lens
filensin is related to IF proteins: REMINGTON **105**, 1057.
multiple types of lens gap junctions: LO AND REESE **106**, 227.
Leucine zipper
molecular cloning of the SP-H antigen: MAEKAWA AND KURIYAMA **105**, 589.
Leukocyte
neutrophil/endothelium interactions: GODIN, CAPRANI, DUFAUX AND FLAUD **106**, 441.
Limb development
DNA fragmentation in interdigital tissue regression: GARCIA-MARTINEZ, MACIAS, GANAN, GARCIA-LOBO, FRANCIA, FERNANDEZ-TERAN AND HURLE **106**, 201.
Lipid
host antigen acquisition by *S. mansoni*: ROGERS, JACK AND FURLONG **106**, 485.
Lipid sorting
epithelial lipid sorting and Golgi structure: VAN MEER AND VAN 'T HOF **104**, 833.
Lipid transport
epithelial lipid sorting and Golgi structure: VAN MEER AND VAN 'T HOF **104**, 833.
Lipogenesis
mRNAs in cultured chicken hepatocytes: DOUAIRE, BELLOIR, GUILLEMOT, FRASLIN, LANGLOIS AND MALLARD **104**, 713.
Listeria monocytogenes
bacterial polarity and actin assembly: KOCKS, HELLIO, GOUNON, OHAYON AND COSSART **105**, 699.
Living cell
living cell imaging with the AFM: PARPURA, HAYDON AND HENDERSON **104**, 427.
LM
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.
Localization
subcellular distribution of Ro RNPs: PEEK, PRUIJN, VAN DER KEMP AND VAN VENROOIJ **106**, 929.
Lymphocyte
lymphocyte migration across high endothelium: HOURIHAN, ALLEN AND AGER **104**, 1049.
Lysosome
Chediak-Higashi syndrome: PEROU AND KAPLAN **106**, 99.
expression of mouse b-protein: WINDER, WITTBJER, ROSENGREN AND RORSMAN **106**, 153.
factors affecting dynein localization: LIN AND COLLINS **105**, 579.
Lytechinus pictus
echinoderm microtubule-associated protein (EMAP): SUPRENANT, DEAN, MCKEE AND HAKE **104**, 445.
fertilization envelope disassembly: MOZINGO, HOLLAR AND CHANDLER **104**, 929.
Lytechinus variegatus
echinoderm microtubule-associated protein (EMAP): SUPRENANT, DEAN, MCKEE AND HAKE **104**, 445.
Macrophage
carbon uptake by presenting cells in situ: WITMER-PACK, CROWLEY, INABA AND STEINMAN **105**, 965.
Chediak-Higashi syndrome: PEROU AND KAPLAN **106**, 99.
inhibitor of cell growth from P388D1 macrophages. MCMURRAY, PROUDFOOT, DAVIS, PARROTT AND BOWYER **106**, 1301.
op/op mouse macrophages and dendritic cells: WITMER-PACK, HUGHES, SCHULER, LAWSON, MCWILLIAM, INABA, STEINMAN AND GORDON **104**, 1021.
Magnesium
tubulin dimer formation requires GTP hydrolysis: FONTALBA, PACIUCCI, AVILA AND ZABALA **106**, 627.
Magnetic field
contact guidance in oriented collagen gels: GUIDO AND TRANQUILLO **105**, 317.
Maize meiotic mutant
maize polymitotic mutant: LIU, GOLUBOVSKAYA AND CANDE **106**, 1169.
Malaria
band 3 aggregation in ovalocytes: CHE, CHERRY, BANNISTER AND DLUZEWSKI **105**, 655.
Caup6 2+-ATPases of malaria parasites: KIMURA, YAMAGUCHI, TAKADA AND TANABE **104**, 1129.
parasitophorous vacuole membrane lipids: WARD, MILLER AND DVORAK **106**, 237.
Malignancy
high-ploidy tumour cells: DE LA HOZ AND BAROJA **104**, 31.
Mammalian autonomously replicating DNA
ors12 associates with the nuclear matrix: MAH, DIJKWEL, TODD, KLEIN, PRICE AND ZANNIS-HADJOPOULOS **105**, 807.
Mammalian expression vector
intracellular protein targeting: FRANGIONI AND NEEL **105**, 481.
Mammary cell
bFGF expression in mammary cell lines: KE, FERNIG, WILKINSON, WINSTANLEY, SMITH, RUDLAND AND BARRACLOUGH **106**, 135.
casein phosphorylation: TURNER, HANDEL, WILDE AND BURGOYNE **106**, 1221.
control of constitutive secretion in mammary cells: RENNISON, KERR, ADDEY, HANDEL, TURNER, WILDE AND BURGOYNE **106**, 641.

Mammary epithelial cell
EGF and epithelial cell motility: MATTHAY, THIERY, LAFONT, STAMPFER AND BOYER **106**, 869.
Mannose 6-phosphate receptor
determining protein expression at the cell surface: STOORVOGEL, OORSCHOT AND NEVE **106**, 1201.
MAP
a plant microtubule-associated protein: JIANG AND SONOBE **105**, 891.
association of $p34^{cdc2}$/cyclin B with microtubules: OOKATA, HISANAGA, OKUMURA AND KISHIMOTO **105**, 873.
HMW tau from dorsal root ganglia: GEORGIEFF, LIEM, COUCHIE, MAVILIA, NUNEZ AND SHELANSKI **105**, 729.
echinoderm microtubule-associated protein (EMAP): SUPRENANT, DEAN, MCKEE AND HAKE **104**, 445.
HMW tau and neurite outgrowth: TENG, GEORGIEFF, ALETTA, NUNEZ, SHELANSKI AND GREENE **106**, 611.
HMW tau from dorsal root ganglia: GEORGIEFF, LIEM, COUCHIE, MAVILIA, NUNEZ AND SHELANSKI **105**, 729.
MAP kinase
activation of centrosomes in vitro: OHTA, SHIINA, OKUMURA, HISANAGA, KISHIMOTO, ENDO, GOTOH, NISHIDA AND SAKAI **104**, 125.
MAP-reacting monoclonal antibody
tau interactions in cultured cells: CROSS, VIAL AND MACCIONI **105**, 51.
Mathematical modelling
cell shape and movement are not random: KILLICH, PLATH, WEI, BULTMANN, RENSING AND VICKER **106**, 1005.
Mating type
multiple mating types in mushrooms: KUES AND CASSELTON **104**, 227.
Mating-type switching
mycelial and syncytial growth in *S. pombe*: SIPICZKI, GRALLERT AND MIKLOS **104**, 485.
Matrix metalloproteinase
collagenase and osteoclastic bone resorption: DELAISSE, EECKHOUT, NEFF, FRANCOIS-GILLET, HENRIET, SU, VAES AND BARON **106**, 1071.
matrix metalloproteinase-9 from U937 cells: WATANABE, NAKANISHI, YAMASHITA, HAYAKAWA AND OKADA **104**, 991.
M-CSF
op/op mouse macrophages and dendritic cells: WITMER-PACK, HUGHES, SCHULER, LAWSON, MCWILLIAM, INABA, STEINMAN AND GORDON **104**, 1021.
MDCK cell
internalisation of desmosomes: BURDETT **106**, 1115.
MDCK cell multilayer
polarity in MDCK cell multilayers: ULLRICH, HAASE AND KOCH-BRANDT **104**, 719.
Medicago sativa
laser-mediated access to plant plasma membrane: KURKDJIAN, LEITZ, MANIGAULT, HARIM AND GREULICH **105**, 263.
Meiosis
actin-myosin in ascus morphogenesis: THOMPSON-COFFE AND ZICKLER **104**, 883.
maize polymitotic mutant: LIU, GOLUBOVSKAYA AND CANDE **106**, 1169.
meiotic role of *twine*: WHITE-COOPER, ALPHEY AND GLOVER **106**, 1035.
nuclear lamina during spermatogenesis: VESTER, SMITH, KROHNE AND BENAVENTE **104**, 557.
Melanocyte
effect of serial UVB exposure on tyrosinase: ABERDAM, ROMERO AND ORTONNE **106**, 1015.
integrins in normal human melanocytes: ZAMBRUNO, MARCHISIO, MELCHIORI, BONDANZA, CANCEDDA AND DE LUCA **105**, 179.
αMSH and normal human melanocyte growth: DE LUCA, SIEGRIST, BONDANZA, MATHOR, CANCEDDA AND EBERLE **105**, 1079.
pigmentary heterogeneity of melanocytes: ABDEL-MALEK, SWOPE, COLLINS, BOISSY, ZHAO AND NORLUND **106**, 1323.
Melanocyte differentiation
BrdU regulates melanoma cell invasion and differentiation: THOMAS, CHAN, CHANG AND DAMSKY **105**, 191.
distinct adhesion plaques in CHO cells: TRANQUI, USSON, MARIE AND BLOCK **106**, 377.
Melanogenesis
effect of serial UVB exposure on tyrosinase: ABERDAM, ROMERO AND ORTONNE **106**, 1015.
expression of mouse tyrosinase: WINDER, WITTBJER, ROSENGREN AND RORSMAN **104**, 467.
Melanogenic protein
pigmentary heterogeneity of melanocytes: ABDEL-MALEK, SWOPE, COLLINS, BOISSY, ZHAO AND NORLUND **106**, 1323.
Melanoma
integrins in normal human melanocytes: ZAMBRUNO, MARCHISIO, MELCHIORI, BONDANZA, CANCEDDA AND DE LUCA **105**, 179.
αMSH and normal human melanocyte growth: DE LUCA, SIEGRIST, BONDANZA, MATHOR, CANCEDDA AND EBERLE **105**, 1079.
Melanosome
expression of mouse b-protein: WINDER, WITTBJER, ROSENGREN AND RORSMAN **106**, 153.
Melanotransferrin
melanotransferrin in intestinal epithelial cells: ALEMANY, VILA, FRANCI, EGEA, REAL AND THOMSON **104**, 1155.
Membrane
role of proteases in sperm acrosome reaction: FLAHERTY AND SWANN **104**, 163.
Membrane formation
model system for membrane biogenesis: VERGERES, YEN, AGGELER, LAUSIER AND WASKELL **106**, 249.
Membrane fusion
acidosome development and maturation: ALLEN, MA AND FOK **106**, 411.
Membrane interaction
monoclonals to *Paramecium epiplasm*: NAHON, COFFE, LE GUYADER, DARMANADEN-DELORME, JEANMAIRE-WOLF, CLEROT AND ADOUTTE **104**, 975.
Membrane proliferation
model system for membrane biogenesis: VERGERES, YEN, AGGELER, LAUSIER AND WASKELL **106**, 249.
Membrane protrusion
cytochalasin D inhibits microvilli growth: FRIEDERICH, KREIS AND LOUVARD **105**, 765.
Membrane recycling
recycling after stimulated secretion: HURTLEY **106**, 649.
Membrane skeleton
AE3-ankyrin association: MORGANS AND KOPITO **105**, 1137.
Membrane tension
structure and formation of paddle cilia: DEINER, TAMM AND TAMM **104**, 1251.
Membrane traffic
recycling after stimulated secretion: HURTLEY **106**, 649.
regulation of cellular vesicle transport: HAMM-ALVAREZ, KIM AND SHEETZ **106**, 955.
Membrane transport
rab6 in photoreceptors: DERETIC AND PAPERMASTER **106**, 803.
Menadione
oxidative stress and transferrin receptor recycling: MALORNI, IOSI, SANTINI AND TESTA **106**, 309.

Metabolism
glucose transporter targeting: JAMES, PIPER AND SLOT **104**, 607.
Metalloproteinase
collagenase synthesis during tissue remodeling: GIRARD, MATSUBARA, KUBLIN, TESSIER, CINTRON AND FINI **104**, 1001.
Metaphase
abnormal anaphase resolution: GOMES, KARESS, OHKURA, GLOVER AND SUNKEL **104**, 583.
Metaphase delay
mitosis without chromatid separation: PHILP, AXTON, SAUNDERS AND GLOVER **106**, 87.
Metrial gland
Muc-1 protein expression in the mouse uterus: BRAGA AND GENDLER **105**, 397.
MHC class II
endosomal targeting signals in Ii mutants: PIETERS, BAKKE AND DOBBERSTEIN **106**, 831.
Microanatomy
corneal keratocyte networks: POOLE, BROOKES AND CLOVER **106**, 685.
Microfibril assembly
fibrillin synthesis and assembly: KIELTY AND SHUTTLEWORTH **106**, 167.
Microfilament
cytoskeletal changes induced by calyculin-A: HOSOYA, MITSUI, YAZAMA, ISHIHARA, OZAKI, KARAKI, HARTSHORNE AND MOHRI **105**, 883.
microfilament localization in a dipteran embryo: CALLAINI, DALLAI AND RIPARBELLI **104**, 97.
osteoclast migration and attachment: LAKKAKORPI, HELFRICH, HORTON AND VAANANEN **104**, 663.
Microgravity
PKC activity under microgravity: SCHMITT, OHLMANN, GACHET AND CAZENAVE **104**, 805.
Microinjection
fluid segregation in *Paramecium*: ISHIDA, AIHARA, ALLEN AND FOK **106**, 693.
kinesin-like molecules in spindle formation: RODIONOV, GELFAND AND BORISY **106**, 1179.
SPN/NuMA antibodies induce micronuclei: KALLAJOKI, HARBORTH, WEBER AND OSBORN **104**, 139.
topo II in *Drosophila* embryogenesis: BUCHENAU, SAUMWEBER AND ARNDT-JOVIN **104**, 1175.
transient presence of γ-tubulin in the midbody: JULIAN, TOLLON, LAJOIE-MAZENE, MOISAND, MAZARGUIL, PUGET AND WRIGHT **105**, 145.
Micromachined grooves
cytoskeleton of spreading fibroblasts: OAKLEY AND BRUNETTE **106**, 343.
Micronucleus
SPN/NuMA antibodies induce micronuclei: KALLAJOKI, HARBORTH, WEBER AND OSBORN **104**, 139.
Microsporogensis
maize polymitotic mutant: LIU, GOLUBOVSKAYA AND CANDE **106**, 1169.
Microtubular cytoskeleton
Crypthecodinium cohnii microtubular organization: PERRET, DAVOUST, ALBERT, BESSEAU AND SOYER-GOBILLARD **104**, 639.
Microtubule
activation of centrosomes in vitro: OHTA, SHIINA, OKUMURA, HISANAGA, KISHIMOTO, ENDO, GOTOH, NISHIDA AND SAKAI **104**, 125.
ARB behaviour in *Haemanthus* endosperm: CZABAN, FORER AND BAJER **105**, 571.
association of $p34^{cdc2}$/cyclin B with microtubules: OOKATA, HISANAGA, OKUMURA AND KISHIMOTO **105**, 873.
astral and spindle forces in PtK_2 cells: AIST, LIANG AND BERNS **104**, 1207.
CD18 expression in neutrophils: VOLZ **106**, 493.
cellular tensegrity: INGBER **104**, 613.
Chediak-Higashi syndrome: PEROU AND KAPLAN **106**, 99.
composite microtubules of the axon: BROWN, LI, SLAUGHTER AND BLACK **104**, 339.
cytoskeletal changes induced by calyculin-A: HOSOYA, MITSUI, YAZAMA, ISHIHARA, OZAKI, KARAKI, HARTSHORNE AND MOHRI **105**, 883.
four-repeat isoform of MAP2: DOLL, MEICHSNER, RIEDERER, HONEGGER AND MATUS **106**, 633.
Golgi unstacking in fission yeast: AYSCOUGH, HAJIBAGHERI, WATSON AND WARREN **106**, 1227.
interaction of microtubules and vimentin filaments: DRABEROVA AND DRABER **106**, 1263.
kinesin-based motility of lytic granules: BURKHARDT, MCILVAIN, SHEETZ AND ARGON **104**, 151.
maize polymitotic mutant: LIU, GOLUBOVSKAYA AND CANDE **106**, 1169.
midzone and midbody antigens in the nematode *Parascaris*: JIMENEZ AND GODAY **106**, 719.
molecular cloning of the SP-H antigen: MAEKAWA AND KURIYAMA **105**, 589.
organelle movement in *Neurospora crassa*: STEINBERG AND SCHLIWA **106**, 555.
regulation of cellular vesicle transport: HAMM-ALVAREZ, KIM AND SHEETZ **106**, 955.
resistance to anti-microtubule herbicides: JAMES, SILFLOW, STROOM AND LEFEBVRE **106**, 209.
tau interactions in cultured cells: CROSS, VIAL AND MACCIONI **105**, 51.
transient presence of γ-tubulin in the midbody: JULIAN, TOLLON, LAJOIE-MAZENE, MOISAND, MAZARGUIL, PUGET AND WRIGHT **105**, 145.
β1 tubulin gene expression during *Drosophila* embryogensis: BUTTGEREIT **105**, 721.
Microtubule assembly
neurite tension and microtubule assembly: ZHENG, BUXBAUM AND HEIDEMANN **104**, 1239.
Microtubule-associated protein (see MAP)
Microtubule bundle
a plant microtubule-associated protein: JIANG AND SONOBE **105**, 891.
Microtubule dynamics
composite microtubules of the axon: BROWN, LI, SLAUGHTER AND BLACK **104**, 339.
Microtubule-interacting protein
interaction of microtubules and vimentin filaments: DRABEROVA AND DRABER **106**, 1263.
Microtubule motor
kinesin-like molecules in spindle formation: RODIONOV, GELFAND AND BORISY **106**, 1179.
Microtubule organizing (nucleating) centre
basal body-associated γ-tubulin: MURESAN, JOSHI AND BESHARSE **104**, 1229.
shear stress effects on Golgi apparatus/MTOC localization: COAN, WECHEZAK, VIGGERS AND SAUVAGE **104**, 1145.
transient presence of γ-tubulin in the midbody: JULIAN, TOLLON, LAJOIE-MAZENE, MOISAND, MAZARGUIL, PUGET AND WRIGHT **105**, 145.
transient presence of γ-tubulin in the midbody: JULIAN, TOLLON, LAJOIE-MAZENE, MOISAND, MAZARGUIL, PUGET AND WRIGHT **105**, 145.
γ-tubulin and centrosomes during early mouse development: GUETH-HALLONET, ANTONY, AGHION, SANTA-MARIA, LAJOIE-MAZENC, WRIGHT AND MARO **105**, 157.
γ-tubulin in plants: LIU, MARC, JOSHI AND PALEVITZ **104**, 1217.

Microtubule protein
a plant microtubule-associated protein: JIANG AND SONOBE **105**, 891.
Microvascular endothelial cell
MVEC differences in cytoskeleton: FENYVES, BEHRENS AND SPANEL-BOROWSKI **106**, 879.
Microvasculature
endothelial cell isolation and culture: SCOTT AND BICKNELL **105**, 269.
Microvilli
brush border protein expression during brush border assembly in Caco-2_{BBe} cells: PETERSON, BEMENT AND MOOSEKER **105**, 461.
cellular distribution of ezrin and moesin: BERRYMAN, FRANCK AND BRETSCHER **105**, 1025.
Mid-blastula transition
xnf7 nuclear localization signal: LI AND ETKIN **105**, 389.
Midbody
midzone and midbody antigens in the nematode *Parascaris*: JIMENEZ AND GODAY **106**, 719.
transient presence of γ-tubulin in the midbody: JULIAN, TOLLON, LAJOIE-MAZENE, MOISAND, MAZARGUIL, PUGET AND WRIGHT **105**, 145.
Migration
focal adhesion disassembly and migration: DUNLEVY AND COUCHMAN **105**, 489.
integrins in normal human melanocytes: ZAMBRUNO, MARCHISIO, MELCHIORI, BONDANZA, CANCEDDA AND DE LUCA **105**, 179.
neural crest cell attachment and migration: PERRIS, SYFRIG, PAULSSON AND BRONNER-FRASER **106**, 1357.
neutrophil/endothelium interactions: GODIN, CAPRANI, DUFAUX AND FLAUD **106**, 441.
Miniprotoplast
a plant microtubule-associated protein: JIANG AND SONOBE **105**, 891.
Minus-end kinesin motor
diffusional movement of ncd motor protein: CHANDRA, ENDOW AND SALMON **104**, 899.
Mitochondria
organelle movement in *Neurospora crassa*: STEINBERG AND SCHLIWA **106**, 555.
regulation of mitochondrial transport: MORRIS AND HOLLENBECK **104**, 917.
Mitochondrial expression
Leishmania mitochondrial stress protein: SEARLE, MCCROSSAN AND SMITH **104**, 1091.
Mitochondrial import signal
intracellular protein targeting: FRANGIONI AND NEEL **105**, 481.
Mitochondrial nucleoid
detection of DNA in the nucleoids: HAYASHI-ISIMARU, UEDA AND NONAKA **105**, 1159.
Mitogen
inhibitor of cell growth from P388D1 macrophages: MCMURRAY, PROUDFOOT, DAVIS, PARROTT AND BOWYER **106**, 1301.
Mitosis
abnormal anaphase resolution: GOMES, KARESS, OHKURA, GLOVER AND SUNKEL **104**, 583.
astral and spindle forces in PtK_2 cells: AIST, LIANG AND BERNS **104**, 1207.
calmodulin in mitotic *Dictyostelium* cells: ZHU, LIU AND CLARKE **104**, 1119.
cell cycle localization of UBF: ROUSSEL, ANDRE, MASSON, GERAUD AND HERNANDEZ-VERDUN **104**, 327.
centromeric DNA from kinetochore fragments: OUSPENSKI AND BRINKLEY **105**, 359.
Crypthecodinium cohnii microtubular organization: PERRET, DAVOUST, ALBERT, BESSEAU AND SOYER-GOBILLARD **104**, 639.
Golgi clusters are not tubular endosomes: PYPAERT, NILSSON, BERGER AND WARREN **104**, 811.
HeLa spindles blocked in metaphase by vinblastine: WENDELL, WILSON AND JORDAN **104**, 261.
inactivation of cdc2 kinase during mitosis: SUPRYNOWICZ **104**, 873.
kinesin-like molecules in spindle formation: RODIONOV, GELFAND AND BORISY **106**, 1179.
meiotic role of *twine*: WHITE-COOPER, ALPHEY AND GLOVER **106**, 1035.
mitosis and kinase inhibitors: NICKLAS, KRAWITZ AND WARD **104**, 961.
mitosis without chromatid separation: PHILP, AXTON, SAUNDERS AND GLOVER **106**, 87.
molecular cloning of the SP-H antigen: MAEKAWA AND KURIYAMA **105**, 589.
new *cut* genes required in fission yeast mitosis: SAMEJIMA, MATSUMOTO, NAKASEKO, BEACH AND YANAGIDA **105**, 135.
novel cell cycle-related centromere protein: CASIANO, LANDBERG, OCHS AND TAN **106**, 1045.
nuclear matrix during the cell cycle: LANG, DECRISTOFORO, WAITZ AND LOIDL **105**, 1121.
SPN/NuMA antibodies induce micronuclei: KAI LAJOKI, HARBORTH, WEBER AND OSBORN **104**, 139.
topo II in *Drosophila* embryogenesis: BUCHENAU, SAUMWEBER AND ARNDT-JOVIN **104**, 1175.
transient presence of γ-tubulin in the midbody: JULIAN, TOLLON, LAJOIE-MAZENE, MOISAND, MAZARGUIL, PUGET AND WRIGHT **105**, 145.
γ-tubulin in plants: LIU, MARC, JOSHI AND PALEVITZ **104**, 1217.
Mitotic domain
cell cycle in *Drosophila melanogaster* embryos: MALDONADO-CODINA, LLAMAZARES AND GLOVER **105**, 711.
Mitotic pole
molecular cloning of the SP-H antigen: MAEKAWA AND KURIYAMA **105**, 589.
Mitotic spindle
novel mitotic pole protein: PAUL AND QUARONI **106**, 967.
Moesin
cellular distribution of ezrin and moesin: BERRYMAN, FRANCK AND BRETSCHER **105**, 1025.
moesin and ezrin in the cortical cytoskeleton: FRANCK, GARY AND BRETSCHER **105**, 219.
Molluscan veligers
structure and formation of paddle cilia: DEINER, TAMM AND TAMM **104**, 1251.
Monensin
effect of monensin on plant Golgi: ZHANG, DRIOUICH AND STAEHELIN **104**, 819.
epithelial lipid sorting and Golgi structure: VAN MEER AND VAN 'T HOF **104**, 833.
Monoclonal antibody
analysis of a 40 kDa nuclear protein: KANEDA, KINOSHITA, SATO, TANAKA AND KANEDA **106**, 741.
contractile vacuole proton pumps in *Dictyostelium*: FOK, CLARKE, MA AND ALLEN **106**, 1103.
fluid segregation in *Paramecium*: ISHIDA, AIHARA, ALLEN AND FOK **106**, 693.
internal lamin structures within G_1 nuclei: BRIDGER, KILL, O'FARRELL AND HUTCHISON **104**, 297.
localisation of GM-CSF in bone marrow: DE WYNTER, ALLEN, COUTINHO, FLAVELL, FLAVELL AND DEXTER **106**, 761.
monoclonal antibodies to insect blood cells: MULLETT, RATCLIFFE AND ROWLEY **105**, 93.
monoclonals to *Paramecium epiplasm*: NAHON, COFFE, LE GUYADER, DARMANADEN-DELORME, JEANMAIRE-WOLF, CLEROT AND ADOUTTE **104**, 975.

scale protein of *Apedinella radians*: KOUTOULIS, LUDWIG AND WETHERBEE **104**, 391.
solid phase fibronectin and vitronectin: UNDERWOOD, STEELE AND DALTON **104**, 793.
structure, function and distribution of β_5 integrins: PASQUALINI, BODOROVA, YE AND HEMLER **105**, 101.
Mononuclear phagocyte
matrix metalloproteinase-9 from U937 cells: WATANABE, NAKANISHI, YAMASHITA, HAYAKAWA AND OKADA **104**, 991.
Morphogenesis
role of myosin II in *Dictyostelium* development: ELIOTT, JOSS, SPUDICH AND WILLIAMS **104**, 457.
Morphology
cadherins in spindle carcinoma cells: NAVARRO, LOZANO AND CANO **105**, 923.
Motility
CD44-CSPG in melanoma cell motility: FAASSEN, MOORADIAN, TRANQUILLO, DICKINSON, LETOURNEAU, OEGEMA AND MCCARTHY **105**, 501.
EGF and epithelial cell motility: MATTHAY, THIERY, LAFONT, STAMPFER AND BOYER **106**, 869.
growth cone guidance by substratum adhesion: CLARK, BRITLAND AND CONNOLLY **105**, 203.
motility of HIV-induced T cell syncytia: SYLWESTER, WESSELS, ANDERSON, WARREN, SHUTT, KENNEDY AND SOLL **106**, 941.
phosphorylation of ciliary dynein: WALCZAK AND NELSON **106**, 1369.
waltzing guinea pig outer hair cells: CANLON AND DULON **104**, 1137.
Motor protein
new *cut* genes required in fission yeast mitosis: SAMEJIMA, MATSUMOTO, NAKASEKO, BEACH AND YANAGIDA **105**, 135.
Mouse oocyte
6-DMAP accelerates transition to interphase: SZOLLOSI, KUBIAK, DEBEY, DE PENNART, SZOLLOSI AND MARO **104**, 861.
M-phase promoting factor
modelling M-phase control in *Xenopus*: NOVAK AND TYSON **106**, 1153.
M-protein
titin-associated M-band proteins: VINKEMEIR, OBERMANN, WEBER AND FURST **106**, 319.
mRNA
mRNA in situ hybridization on cultured cells: DIRKS, VAN DE RIJKE, FUJISHITA, VAN DER PLOEG AND RAAP **104**, 1187.
mRNAs in cultured chicken hepatocytes: DOUAIRE, BELLOIR, GUILLEMOT, FRASLIN, LANGLOIS AND MALLARD **104**, 713.
mRNA stability
post-transcriptional regulation of keratin 19: CROWE **106**, 183.
αMSH
αMSH and normal human melanocyte growth: DE LUCA, SIEGRIST, BONDANZA, MATHOR, CANCEDDA AND EBERLE **105**, 1079.
***MUC* gene**
mucin gene expression in HT-29 cells: LESUFFLEUR, PORCHET, AUBERT, SWALLOW, GUM, KIM, REAL AND ZWEIBAUM **106**, 771.
Muc-1
Muc-1 protein expression in the mouse uterus: BRAGA AND GENDLER **105**, 397.
MUC1
expression of CFTR and MUC1 in ductal epithelia: CHAMBERS AND HARRIS **105**, 417.
Mucin
abnormal subcellular compartmentalization in colon cancer: EGEA, FRANCI, GAMBUS, LESUFFLEUR, ZWEIBAUM AND REAL **105**, 819.
mucin gene expression in HT-29 cells: LESUFFLEUR, PORCHET, AUBERT, SWALLOW, GUM, KIM, REAL AND ZWEIBAUM **106**, 771.
Mucus
calcyclin expression in mouse tissues: TIMMONS, CHAN, RIGBY AND POIRIER **104**, 187.
Multicatalytic proteinase
proteasomes of salmonid fish sperm: INABA, AKAZOME AND MORISAWA **104**, 907.
Multigene family
nuclear lamina during spermatogenesis: VESTER, SMITH, KROHNE AND BENAVENTE **104**, 557.
Mus musculus
Mus musculus DBA/2 chromosome organization: MITCHELL, NICOL, MALLOY AND KIPLING **106**, 79.
Muscle
loss of bFGF from wounded myofibers: CLARKE, KHAKEE AND MCNEIL **106**, 121.
β-spectrin in neurons: MALCHIODI-ALBEDI, CECCARINI, WINKELMANN, MORROW AND PETRUCCI **106**, 67.
the fate of implanted myoblasts: YAO AND KURACHI **105**, 957.
Muscle attachment site
β1 tubulin gene expression during *Drosophila* embryogensis: BUTTGEREIT **105**, 721.
Muscle development
$\alpha_7\beta_1$ integrin is a component of the MTJ: BAO, LAKONISHOK AND HORWITZ **106**, 579.
the cytoplasmic domains of α_7 integrin: SONG, WANG, SATO, BIELSER AND KAUFMAN **106**, 1139.
Mutant
abnormal anaphase resolution: GOMES, KARESS, OHKURA, GLOVER AND SUNKEL **104**, 583.
nanomelic chondrocytes do not translocate truncated precursor: VERTEL, WALTERS, GRIER, MAINE AND GOETINCK **104**, 939.
c-*myc*
c-*myc*, TGF-β and chondrocyte differentiation: LOVERIDGE, FARQUHARSON, HESKETH, JAKOWLEW, WHITEHEAD AND THORP **105**, 949.
c-*myc* epitope tag
novel rab subfamily GTPases: OLKKONEN, DUPREE, KILLISCH, LUTCKE, ZERIAL AND SIMONS **106**, 1239.
Myelo-erythroid progenitor cell
myelo-erythroid progenitors from chick embryo aorta: CORMIER **105**, 661.
Myelopoiesis
proteoglycan and myelopoiesis: ALVAREZ-SILVA, DA SILVA AND BOROJEVIC **104**, 477.
Myf-5
role of Myf-5 in somitogenesis: ARNOLD AND BRAUN **104**, 957.
Myofiber
loss of bFGF from wounded myofibers: CLARKE, KHAKEE AND MCNEIL **106**, 121.
Myofibril
titin-associated M-band proteins: VINKEMEIR, OBERMANN, WEBER AND FURST **106**, 319.
Myofibrillogenesis
titin in human myofibrillogenesis: VAN DER VEN, SCHAART, CROES, JAP, GINSEL AND RAMAEKERS **106**, 749.
Myofibroblast
stress fiber orientation: PETROLL, CAVANAGH, BARRY, ANDREWS AND JESTER **104**, 353.
Myogenesis
nestin expression in muscle development: SEJERSEN AND LENDAHL **106**, 1291.
the cytoplasmic domains of α_7 integrin: SONG, WANG, SATO, BIELSER AND KAUFMAN **106**, 1139.

Myosin
actin-myosin in ascus morphogenesis: THOMPSON-COFFE AND ZICKLER **104**, 883.
calpain II in the retina: AZARIAN, SCHLAMP AND WILLIAMS **105**, 787.
cotranslational assembly of cytoskeletal proteins: FULTON AND L'ECUYER **105**, 867.
role of cyclic GMP in regulating myosin: LIU, KUWAYAMA, ISHIDA AND NEWELL **106**, 591.
titin in human myofibrillogenesis: VAN DER VEN, SCHAART, CROES, JAP, GINSEL AND RAMAEKERS **106**, 749.
Myosin I
brush border protein expression in Caco-2_{BBe} cells: PETERSON, BEMENT AND MOOSEKER **105**, 461.
Myosin II
mechanism for the localization of myosin II: YUMURA AND KITANISHI-YUMURA **105**, 233.
role of myosin II in *Dictyostelium* development: ELIOTT, JOSS, SPUDICH AND WILLIAMS **104**, 457.
Myosin heavy chain
porcine myosin HC-β gene: CHANG, FERNANDES AND GOLDSPINK **106**, 331.
Myotendinous junction
$\alpha_7\beta_1$ integrin is a component of the MTJ: BAO, LAKONISHOK AND HORWITZ **106**, 579.
Myristoylation
localization of wt and myr⁻ c-Src: DAVID-PFEUTY, BAGRODIA AND SHALLOWAY **105**, 613.
Na
ATPase polarity in photoreceptors: BAUMANN AND TAKEYASU **105**, 287.
Na^+
determining protein expression at the cell surface: STOORVOGEL, OORSCHOT AND NEVE **106**, 1201.
Nanosurgery
living cell imaging with the AFM: PARPURA, HAYDON AND HENDERSON **104**, 427.
Native electrophoresis
tubulin dimer formation requires GTP hydrolysis: FONTALBA, PACIUCCI, AVILA AND ZABALA **106**, 627.
Nebulin
titin in human myofibrillogenesis: VAN DER VEN, SCHAART, CROES, JAP, GINSEL AND RAMAEKERS **106**, 749.
Nematode
midzone and midbody antigens in the nematode *Parascaris*: JIMENEZ AND GODAY **106**, 719.
Nephro
cell-cell communication in follicles: BOHRMANN **105**, 513.
Nerve growth factor (see NGF)
Neural crest cell
neural crest cell attachment and migration: PERRIS, SYFRIG, PAULSSON AND BRONNER-FRASER **106**, 1357.
Neurite growth
dual function of tenascin: WEHRLE-HALLER AND CHIQUET **106**, 597.
Neuron
growth cone guidance by substratum adhesion: CLARK, BRITLAND AND CONNOLLY **105**, 203.
snRNPs, SC-35 and actin in interphase nuclei: SAHLAS, MILANKOV, PARK AND DE BONI **105**, 347.
Neuron-glia interaction
ATPase polarity in photoreceptors: BAUMANN AND TAKEYASU **105**, 287.
Neuronal compartment
β-spectrin in neurons: MALCHIODI-ALBEDI, CECCARINI, WINKELMANN, MORROW AND PETRUCCI **106**, 67.
Neuronal differentiation
HMW tau and neurite outgrowth: TENG, GEORGIEFF, ALETTA, NUNEZ, SHELANSKI AND GREENE **106**, 611.
Neuronal morphology
HMW tau and neurite outgrowth: TENG, GEORGIEFF, ALETTA, NUNEZ, SHELANSKI AND GREENE **106**, 611.
Neuronal polarity
effects of cytoskeleton drugs on neuronal polarity: LAFONT, ROUGET, ROUSSELET, VALENZA AND PROCHIANTZ **104**, 433.
Neurospora crassa
organelle movement in *Neurospora crassa*: STEINBERG AND SCHLIWA **106**, 555.
Neutrophil
CD18 expression in neutrophils: VOLZ **106**, 493.
cytoskeleton and tyrosine phosphorylation: BENNETT, DIXON AND KELLIE **106**, 891.
host antigen acquisition by *S. mansoni*: ROGERS, JACK AND FURLONG **106**, 485.
neutrophil development and protein kinase C: SHEARMAN, HEYWORTH, DEXTER, HAEFNER, OWEN AND WHETTON **104**, 173.
neutrophil/endothelium interactions: GODIN, CAPRANI, DUFAUX AND FLAUD **106**, 441.
NGF
HMW tau and neurite outgrowth: TENG, GEORGIEFF, ALETTA, NUNEZ, SHELANSKI AND GREENE **106**, 611.
NLS
nucleolar targeting: SCHMIDT-ZACHMANN AND NIGG **105**, 799.
Nocodazole
actin-myosin in ascus morphogenesis: THOMPSON-COFFE AND ZICKLER **104**, 883.
epithelial lipid sorting and Golgi structure: VAN MEER AND VAN 'T HOF **104**, 833.
Nondisjunction
mitosis and kinase inhibitors: NICKLAS, KRAWITZ AND WARD **104**, 961.
NONA
NONA distribution in vivo: BUCHENAU, ARNDT-JOVIN AND SAUMWEBER **106**, 189.
Non-genotoxic carcinogenesis
hepatocarcinogenesis in vitro: BAYLY, FRENCH, DIVE AND ROBERTS **104**, 307.
NOR
cell cycle localization of UBF: ROUSSEL, ANDRE, MASSON, GERAUD AND HERNANDEZ-VERDUN **104**, 327.
Nuclear actin
snRNPs, SC-35 and actin in interphase nuclei: SAHLAS, MILANKOV, PARK AND DE BONI **105**, 347.
Nuclear calcium
nuclear signalling via integrin receptors: SHANKAR, DAVISON, HELFRICH, MASON AND HORTON **105**, 61.
Nuclear envelope
analysis of a 40 kDa nuclear protein: KANEDA, KINOSHITA, SATO, TANAKA AND KANEDA **106**, 741.
3D surface structure of nuclear pore complex: GOLDBERG AND ALLEN **106**, 261.
Nuclear lamin
Drosophila C-type nuclear lamin cDNA: BOSSIE AND SANDERS **104**, 1263.
intracellular protein targeting: FRANGIONI AND NEEL **105**, 481.
nuclear lamina during spermatogenesis: VESTER, SMITH, KROHNE AND BENAVENTE **104**, 557.
Nuclear lamina
depletion of the nuclear lamina: JENKINS, HOLMAN, LYON, LANE, STICK AND HUTCHISON **106**, 275.
internal lamin structures within G_1 nuclei: BRIDGER, KILL, O'FARRELL AND HUTCHISON **104**, 297.
Nuclear localization
nuclear localization of aFGF: CAO, EKSTROM AND PETTERSSON **104**, 77.

Nuclear localization signal
intracellular protein targeting: FRANGIONI AND NEEL **105**, 481.
Nuclear matrix
cellular tensegrity: INGBER **104**, 613.
depletion of the nuclear lamina: JENKINS, HOLMAN, LYON, LANE, STICK AND HUTCHISON **106**, 275.
novel cell cycle-related centromere protein: CASIANO, LANDBERG, OCHS AND TAN **106**, 1045.
nuclear matrix during the cell cycle: LANG, DECRISTOFORO, WAITZ AND LOIDL **105**, 1121.
ors12 associates with the nuclear matrix: MAH, DIJKWEL, TODD, KLEIN, PRICE AND ZANNIS-HADJOPOULOS **105**, 807.
SPN/NuMA antibodies induce micronuclei: KALLAJOKI, HARBORTH, WEBER AND OSBORN **104**, 139.
Nuclear phospholipid
nuclear phospholipids during DNA replication: MARALDI, SANTI, ZINI, OGNIBENE, RIZZOLI, MAZZOTTI, DI PRIMIO, BAREGGI, BERTAGNOLO, PAGLIARINI AND CAPITANI **104**, 853.
Nuclear pore complex
3D surface structure of nuclear pore complex: GOLDBERG AND ALLEN **106**, 261.
vaults localize to the NPC: CHUGANI, ROME AND KEDERSHA **106**, 23.
Nuclear position
shear stress effects on Golgi apparatus/MTOC localization: COAN, WECHEZAK, VIGGERS AND SAUVAGE **104**, 1145.
Nuclear protein
nuclear mitotic apparatus protein: TANG, TANG, CHEN AND WU **104**, 249.
Nuclear structure
Prp20 loses its dsDNA binding abilities during S phase: LEE, TAM, BELHUMEUR, DIPAOLO AND CLARK **106**, 287.
Nuclear translocation
transcription factors and the cytoplasm: WHITESIDE AND GOODBOURN **104**, 949.
Nuclear translocation signal
xnf7 nuclear localization signal: LI AND ETKIN **105**, 389.
Nuclear transport
cyclin A localization: MARIDOR, GALLANT, GOLSTEYN AND NIGG **106**, 535.
nucleolar targeting: SCHMIDT-ZACHMANN AND NIGG **105**, 799.
vaults localize to the NPC: CHUGANI, ROME AND KEDERSHA **106**, 23.
Nuclease digestion
transitions during chromatin isolation: GIANNASCA, HOROWITZ AND WOODCOCK **105**, 551.
Nucleocytoplasmic shuttling
estrogen receptor shuttling: DAUVOIS, WHITE AND PARKER **106**, 1377.
Nucleolar accumulation
nucleolar targeting: SCHMIDT-ZACHMANN AND NIGG **105**, 799.
Nucleolin
nucleolar targeting: SCHMIDT-ZACHMANN AND NIGG **105**, 799.
Nucleolus
5 S genes and transcript in *Pisum sativum*: HIGHETT, BEVEN AND SHAW **105**, 1151.
cell cycle localization of UBF: ROUSSEL, ANDRE, MASSON, GERAUD AND HERNANDEZ-VERDUN **104**, 327.
DNA and RNA in the Sertoli cell nucleolus: THIRY **105**, 33.
DNA distribution in nucleoli: HOZAK, SCHOFER, SYLVESTER AND WACHTLER **104**, 1199.
localization of DAI and VA RNA_I: JIMENEZ-GARCIA, GREEN, MATHEWS AND SPECTOR **106**, 11.
Nucleoskeleton
sites of DNA replication: HASSAN AND COOK **105**, 541.
Nucleus
binding proteins for nuclear localization sequences: STOCHAJ, BOSSIE, VAN ZEE, WHALEN AND SILVER **104**, 89.
depletion of the nuclear lamina: JENKINS, HOLMAN, LYON, LANE, STICK AND HUTCHISON **106**, 275.
transitions during chromatin isolation: GIANNASCA, HOROWITZ AND WOODCOCK **105**, 551.
NuMa
molecular cloning of the SP-H antigen: MAEKAWA AND KURIYAMA **105**, 589.
nuclear mitotic apparatus protein: TANG, TANG, CHEN AND WU **104**, 249.
SPN/NuMA antibodies induce micronuclei: KALLAJOKI, HARBORTH, WEBER AND OSBORN **104**, 139.
Okadaic acid
CD18 expression in neutrophils: VOLZ **106**, 493.
profilaggrin phosphatase: KAM, RESING, LIM AND DALE **106**, 219.
regulation of cellular vesicle transport: HAMM-ALVAREZ, KIM AND SHEETZ **106**, 955.
Oligogalacturonide
oligogalacturonides increase cytosolic calcium: MESSIAEN, READ, VAN CUTSEM AND TREWAVAS **104**, 365.
Oocyte
echinderm microtubule-associated protein (EMAP): **104**, 445.
γ-tubulin and centrosomes during early mouse development: GUETH-HALLONET, ANTONY, AGHION, SANTA-MARIA, LAJOIE-MAZENC, WRIGHT AND MARO **105**, 157.
γ-tubulin during early mouse development: PALACIOS, JOSHI, SIMERLY AND SCHATTEN **104**, 383.
Oogenesis
cell-cell communication in follicles: BOHRMANN **105**, 513.
Organellar DNA
detection of DNA in the nucleoids: HAYASHI-ISIMARU, UEDA AND NONAKA **105**, 1159.
Organelle
Ca^{2+}-ATPases of malaria parasites: KIMURA, YAMAGUCHI, TAKADA AND TANABE **104**, 1129.
Organelle biogenesis
acidosome development and maturation: ALLEN, MA AND FOK **106**, 411.
Organelle fusion
cycloheximide inhibits autophagic degradation: LAWRENCE AND BROWN **105**, 473.
Organelle motility
kinesin-based motility of lytic granules: BURKHARDT, MCILVAIN, SHEETZ AND ARGON **104**, 151.
organelle movement in *Neurospora crassa*: STEINBERG AND SCHLIWA **106**, 555.
regulation of mitochondrial transport: MORRIS AND HOLLENBECK **104**, 917.
ors12
ors12 associates with the nuclear matrix: MAH, DIJKWEL, TODD, KLEIN, PRICE AND ZANNIS-HADJOPOULOS **105**, 807.
Oryzalin
resistance to anti-microtubule herbicides: JAMES, SILFLOW, STROOM AND LEFEBVRE **106**, 209.
Oscillator
cyclic AMP and circadian control of cell division: CARRE AND EDMUNDS **104**, 1163.
Osmium tetroxide
open DNA structures in eukaryotic cells: PALECEK, ROBERT-NICOUD AND JOVIN **104**, 653.
Osmoregulation
contractile vacuole proton pumps in *Dictyostelium*: FOK, CLARKE, MA AND ALLEN **106**, 1103.
fluid segregation in *Paramecium*: ISHIDA, AIHARA, ALLEN AND FOK **106**, 693.

Osteoblast
gene expression in a clonal osteogenic cell line: POLIARD, LAMBLIN, MARIE, BUC-CARON AND KELLERMANN **106**, 503.
osteopontin mRNA expression in human bone: MERRY, DODDS, LITTLEWOOD AND GOWEN **104**, 1013.
Osteoclast
c-*myc*, TGF-β and chondrocyte differentiation: LOVERIDGE, FARQUHARSON, HESKETH, JAKOWLEW, WHITEHEAD AND THORP **105**, 949.
nuclear signalling via integrin receptors: SHANKAR, DAVISON, HELFRICH, MASON AND HORTON **105**, 61.
osteoclast migration and attachment: LAKKAKORPI, HELFRICH, HORTON AND VAANANEN **104**, 663.
Osteoclast/bone resorption
collagenase and osteoclastic bone resorption: DELAISSE, EECKHOUT, NEFF, FRANCOIS-GILLET, HENRIET, SU, VAES AND BARON **106**, 1071.
Osteopetrosis
op/op mouse macrophages and dendritic cells: WITMER-PACK, HUGHES, SCHULER, LAWSON, MCWILLIAM, INABA, STEINMAN AND GORDON **104**, 1021.
Osteopontin
osteopontin mRNA expression in human bone: MERRY, DODDS, LITTLEWOOD AND GOWEN **104**, 1013.
Outer dynein arm
flagellar outer arm dynein mutants: MITCHELL AND KANG **105**, 1069.
Outer hair cell
waltzing guinea pig outer hair cells: CANLON AND DULON **104**, 1137.
Ovariectomy
Muc-1 protein expression in the mouse uterus: BRAGA AND GENDLER **105**, 397.
Oxidative stress
oxidative stress and transferrin receptor recycling: MALORNI, IOSI, SANTINI AND TESTA **106**, 309.
p53
p53 in human breast cancer: VOJTESEK AND LANE **105**, 607.
p53 expression
p53 in human breast cancer: VOJTESEK AND LANE **105**, 607.
p63 cDNA
cDNA cloning of p63: SCHWEIZER, ROHRER, JENO, DEMAIO, BUCHMAN AND HAURI **104**, 685.
p200
G proteins regulate p200 on Golgi: BRUNO DE ALMEIDA, DOHERTY, AUSIELLO AND STOW **106**, 1239.
Paddle cilia
structure and formation of paddle cilia: DEINER, TAMM AND TAMM **104**, 1251.
Palmitoylation
cDNA cloning of p63: SCHWEIZER, ROHRER, JENO, DEMAIO, BUCHMAN AND HAURI **104**, 685.
Pancreas
role of a phosphoprotein in exocytosis: MACLEAN, MARCINIAK, HALL AND EDWARDSON **106**, 663.
Parabolic flight
PKC activity under microgravity: SCHMITT, OHLMANN, GACHET AND CAZENAVE **104**, 805.
Paramecium
acidosome development and maturation: ALLEN, MA AND FOK **106**, 411.
contractile vacuole proton pumps in *Dictyostelium*: FOK, CLARKE, MA AND ALLEN **106**, 1103.
fluid segregation in *Paramecium*: ISHIDA, AIHARA, ALLEN AND FOK **106**, 693.
Parasitic protozoa
Caup6 2+-ATPases of malaria parasites: KIMURA, YAMAGUCHI, TAKADA AND TANABE **104**, 1129.
Parasitophorous vacuole membrane
parasitophorous vacuole membrane lipids: WARD, MILLER AND DVORAK **106**, 237.
Parthenogenetic activation
6-DMAP accelerates transition to interphase: SZOLLOSI, KUBIAK, DEBEY, DE PENNART, SZOLLOSI AND MARO **104**, 861.
Patch clamp
rapid gap junction formation in hemocytes: CHURCHILL, COODIN, SHIVERS AND CAVENEY **104**, 763.
Pathogenesis
characterization of an HSV-inducible transformed cell protein: GRASSIE, MCNAB AND MACNAB **104**, 1083.
Paxillin
pp125^{FAK} in development: TURNER, SCHALLER AND PARSONS **105**, 637.
PC12
secretion of PC12 acetylcholinesterase: SCHWEITZER **106**, 731.
snRNPs, SC-35 and actin in interphase nuclei: SAHLAS, MILANKOV, PARK AND DE BONI **105**, 347.
PCNA
PCNA as a thyroid cell cycle marker: BAPTIST, DUMONT AND ROGER **105**, 69.
PCR
dynamin family protein in testis: NAKATA, TAKEMURA AND HIROKAWA **105**, 1.
Pea
depolymerization of plant actin: ANDERSLAND AND PARTHASARATHY **104**, 1273.
Pectin
oligogalacturonides increase cytosolic calcium: MESSIAEN, READ, VAN CUTSEM AND TREWAVAS **104**, 365.
Pericentriolar material
activation of centrosomes in vitro: OHTA, SHIINA, OKUMURA, HISANAGA, KISHIMOTO, ENDO, GOTOH, NISHIDA AND SAKAI **104**, 125.
Perichromosomal protein
analysis of a 40 kDa nuclear protein: KANEDA, KINOSHITA, SATO, TANAKA AND KANEDA **106**, 741.
Peri-implantation period
Muc-1 protein expression in the mouse uterus: BRAGA AND GENDLER **105**, 397.
Peripheral axon
HMW tau from dorsal root ganglia: GEORGIEFF, LIEM, COUCHIE, MAVILIA, NUNEZ AND SHELANSKI **105**, 729.
Permeability
neutrophil/endothelium interactions: GODIN, CAPRANI, DUFAUX AND FLAUD **106**, 441.
Peroxidase-polylysine conjugate
regulation of HRP-PLL transcytosis: TAUB AND SHEN **106**, 1313.
Peroxisome proliferator
hepatocarcinogenesis in vitro: BAYLY, FRENCH, DIVE AND ROBERTS **104**, 307.
PG-M
proteoglycans in cell-substratum adhesion: YAMAGATA, SAGA, KATO, BERNFIELD AND KIMATA **106**, 55.
pH
mechanism for the localization of myosin II: YUMURA AND KITANISHI-YUMURA **105**, 233.
Phalloidin
depolymerization of plant actin: ANDERSLAND AND PARTHASARATHY **104**, 1273.
Phenotypic expression
fibronectin and laminin in heterokaryons: LAURILA AND LEIVO **104**, 59.
Phorbol myristate acetate
CD18 expression in neutrophils: VOLZ **106**, 493.

Phosphatase
the cytoplasmic domains of α_7 integrin: SONG, WANG, SATO, BIELSER AND KAUFMAN **106**, 1139.
Phospholipase C
chemotaxis in *Dictyostelium discoideum*: BOMINAAR AND VAN HAASTERT **104**, 181.
Phosphoprotein
role of a phosphoprotein in exocytosis: MACLEAN, MARCINIAK, HALL AND EDWARDSON **106**, 663.
Phosphorylation
activation of topo II by casein kinase II: CARDENAS, WALTER, HANNA AND GASSER **104**, 533.
casein phosphorylation: TURNER, HANDEL, WILDE AND BURGOYNE **106**, 1221.
6-DMAP accelerates transition to interphase: SZOLLOSI, KUBIAK, DEBEY, DE PENNART, SZOLLOSI AND MARO **104**, 861.
regulation of talin distribution in platelets: BERTAGNOLLI, LOCKE, HENSLER, BRAY AND BECKERLE **106**, 1189.
topoisomerase II phosphorylation by CKII: CARDENAS AND GASSER **104**, 219.
Phosphotyrosine
pp125^{FAK} in development: TURNER, SCHALLER AND PARSONS **105**, 637.
Photolithography
growth cone guidance by substratum adhesion: CLARK, BRITLAND AND CONNOLLY **105**, 203.
Photoreceptor
ATPase polarity in photoreceptors: BAUMANN AND TAKEYASU **105**, 287.
calpain II in the retina: AZARIAN, SCHLAMP AND WILLIAMS **105**, 787.
Photoreceptor cell
basal body-associated γ-tubulin: MURESAN, JOSHI AND BESHARSE **104**, 1229.
creatine kinase in photoreceptor cell outer segments: HEMMER, RIESINGER, WALLIMANN, EPPENBERGER AND QUEST **106**, 671.
Phragmoplast
γ-tubulin in plants: LIU, MARC, JOSHI AND PALEVITZ **104**, 1217.
Physarum polycephalum
nuclear matrix during the cell cycle: LANG, DECRISTOFORO, WAITZ AND LOIDL **105**, 1121.
Picea glauca
endocytosis in freeze-fixed protoplasts: GALWAY, RENNIE AND FOWKE **106**, 847.
Pigmentary heterogeneity
pigmentary heterogeneity of melanocytes: ABDEL-MALEK, SWOPE, COLLINS, BOISSY, ZHAO AND NORLUND **106**, 1323.
Pigmentation
expression of mouse b-protein: WINDER, WITTBJER, ROSENGREN AND RORSMAN **106**, 153.
expression of mouse tyrosinase: WINDER, WITTBJER, ROSENGREN AND RORSMAN **104**, 467.
Pisolithus tinctorius
cell-to-cell transport via motile tubules: SHEPHERD, ORLOVICH AND ASHFORD **105**, 1173.
continuum of tubules and vacuoles in hyphae: SHEPHERD, ORLOVICH AND ASHFORD **104**, 495.
PKC
PKC activity under microgravity: SCHMITT, OHLMANN, GACHET AND CAZENAVE **104**, 805.
Placenta
cell adhesion molecules in placental microvessels: LEACH, CLARK, LAMPUGNANI, ARROYO, DEJANA AND FIRTH **104**, 1073.
Plakoglobin
cadherins in spindle carcinoma cells: NAVARRO, LOZANO AND CANO **105**, 923.
E-cadherin-associated protein complexes: PIEPENHAGEN AND NELSON **104**, 751.
Plant cell
laser-mediated access to plant plasma membrane: KURKDJIAN, LEITZ, MANIGAULT, HARIM AND GREULICH **105**, 263.
Plant nucleolus
rRNA detection in plant nucleoli by TEM: OLMEDILLA, TESTILLANO, VICENTE, DELSENY AND RISUENO **106**, 1333.
Plasma membrane
determining protein expression at the cell surface: STOORVOGEL, OORSCHOT AND NEVE **106**, 1201.
Plasminogen activator
3T3 cells induce angiogenesis in vitro: MONTESANO, PEPPER AND ORCI **105**, 1013.
PA cascade in skin equivalent: CHEN, LYONS-GIORDANO, LAZARUS AND JENSEN **106**, 45.
Plasminogen activator inhibitor
PA cascade in skin equivalent: CHEN, LYONS-GIORDANO, LAZARUS AND JENSEN **106**, 45.
Plasmodium falciparum
Caup6 2+-ATPases of malaria parasites: KIMURA, YAMAGUCHI, TAKADA AND TANABE **104**, 1129.
Plastome
DNA replication in chloroplasts: HEINHORST AND CANNON **104**, 1.
Platelet
PKC activity under microgravity: SCHMITT, OHLMANN, GACHET AND CAZENAVE **104**, 805.
regulation of talin distribution in platelets: BERTAGNOLLI, LOCKE, HENSLER, BRAY AND BECKERLE **106**, 1189.
Platelet activating factor
platelet activating factor in *Dictyostelium*: SORDANO, CRISTINO, BUSSOLINO, WURSTER AND BOZZARO **104**, 197.
Pleiomorphic vacuolar system
cell-to-cell transport via motile tubules: SHEPHERD, ORLOVICH AND ASHFORD **105**, 1173.
Podosome
adhesive structures in RSV-transformed cells: NAKAMURA, TANAKA AND SOBUE **106**, 1057.
analysis of contractile proteins: TANAKA, WATANABE, NAKAMURA AND SOBUE **104**, 595.
Polarity
mycelial and syncytial growth in *S. pombe*: SIPICZKI, GRALLERT AND MIKLOS **104**, 485.
Polarization
melanotransferrin in intestinal epithelial cells: ALEMANY, VILA, FRANCI, EGEA, REAL AND THOMSON **104**, 1155.
Polymorphism
Mus musculus DBA/2 chromosome organization: MITCHELL, NICOL, MALLOY AND KIPLING **106**, 79.
Polymorphonuclear leucocyte
morphological polarization of human PMNs: ZAFFRAN, LEPIDI, BONGRAND, MEGE AND CAPO **105**, 675.
Postsynaptic density
β-spectrin in neurons: MALCHIODI-ALBEDI, CECCARINI, WINKELMANN, MORROW AND PETRUCCI **106**, 67.
Post-translational modification
centrosome-associated G_2/M phase-prevalent protein: ROTHBARTH, PETZELT, LU, TODOROV, JOSWIG, PEPPERKOK, ANSORGE AND WERNER **104**, 19.
pp60$^{c\text{-}src}$
pp60$^{c\text{-}src}$ and EGF-R in trophoblast differentiation: REBUT-BONNETON, BOUTEMY-ROULIER AND EVAIN-BRION **105**, 629.

pp125^{FAK}
pp125^{FAK} in development: TURNER, SCHALLER AND PARSONS **105**, 637.
Pregnancy
Muc-1 protein expression in the mouse uterus: BRAGA AND GENDLER **105**, 397.
Preimplantation mouse embryo
γ-tubulin and centrosomes during early mouse development: GUETH-HALLONET, ANTONY, AGHION, SANTA-MARIA, LAJOIE-MAZENC, WRIGHT AND MARO **105**, 157.
Preprophase band
γ-tubulin in plants: LIU, MARC, JOSHI AND PALEVITZ **104**, 1217.
Primer recognition protein
annexin II and *Xenopus* DNA replication: VISHWANATHA AND KUMBLE **105**, 533.
Procoagulant
tumors and endothelial cell coagulation: LICHTENBELD, MULLER, VAN DAM-MIERAS AND BLIJHAM **106**, 657.
(Pro)collagenase
collagenase and osteoclastic bone resorption: DELAISSE, EECKHOUT, NEFF, FRANCOIS-GILLET, HENRIET, SU, VAES AND BARON **106**, 1071.
Profilaggrin
profilaggrin phosphatase: KAM, RESING, LIM AND DALE **106**, 219.
Progesterone
Muc-1 protein expression in the mouse uterus: BRAGA AND GENDLER **105**, 397.
Proliferation
adipocytes: proliferation and differentiation: SMYTH, SPARKS AND WHARTON **106**, 1.
goblet cell development: PAULUS, LOEFFLER, ZEIDLER, OWEN AND POTTEN **106**, 473.
Protease
role of proteases in sperm acrosome reaction: FLAHERTY AND SWANN **104**, 163.
Proteasome
proteasomes of salmonid fish sperm: INABA, AKAZOME AND MORISAWA **104**, 907.
53 kDa Protein
the ER-to-Golgi exocytic pathway: SCHWEIZER, ERICSSON, BACHI, GRIFFITHS AND HAURI **104**, 671.
63 kDa Protein
the ER-to-Golgi exocytic pathway: SCHWEIZER, ERICSSON, BACHI, GRIFFITHS AND HAURI **104**, 671.
Protein assembly
tubulin dimer formation requires GTP hydrolysis: FONTALBA, PACIUCCI, AVILA AND ZABALA **106**, 627.
Protein denaturation
thermotolerance in mammalian cells: KAMPINGA **104**, 11.
Protein kinase
mitosis and kinase inhibitors: NICKLAS, KRAWITZ AND WARD **104**, 961.
the cytoplasmic domains of α_7 integrin: SONG, WANG, SATO, BIELSER AND KAUFMAN **106**, 1139.
Protein kinase activity
cell cycle genes in senescent cells: LUCIBELLO, SEWING, BRUSSELBACH, BURGER AND MULLER **105**, 123.
Protein kinase C
CD18 expression in neutrophils: VOLZ **106**, 493.
neutrophil development and protein kinase C: SHEARMAN, HEYWORTH, DEXTER, HAEFNER, OWEN AND WHETTON **104**, 173.
PKC-dependent ciliary phosphorylation: SALATHE, PRATT AND WANNER **106**, 1211.
Protein targeting
binding proteins for nuclear localization sequences: STOCHAJ, BOSSIE, VAN ZEE, WHALEN AND SILVER **104**, 89.
Proteinase
BrdU regulates melanoma cell invasion and differentiation: THOMAS, CHAN, CHANG AND DAMSKY **105**, 191.
Proteoglycan
nanomelic chondrocytes do not translocate truncated precursor: VERTEL, WALTERS, GRIER, MAINE AND GOETINCK **104**, 939.
proteoglycan and myelopoiesis: ALVAREZ-SILVA, DA SILVA AND BOROJEVIC **104**, 477.
proteoglycans in cell-substratum adhesion: YAMAGATA, SAGA, KATO, BERNFIELD AND KIMATA **106**, 55.
Proton pump
contractile vacuole proton pumps in *Dictyostelium*: FOK, CLARKE, MA AND ALLEN **106**, 1103.
Proto-oncogene
c-*myc*, TGF-β and chondrocyte differentiation: LOVERIDGE, FARQUHARSON, HESKETH, JAKOWLEW, WHITEHEAD AND THORP **105**, 949.
Protoplast
endocytosis in freeze-fixed protoplasts: GALWAY, RENNIE AND FOWKE **106**, 847.
laser-mediated access to plant plasma membrane: KURKDJIAN, LEITZ, MANIGAULT, HARIM AND GREULICH **105**, 263.
organelle movement in *Neurospora crassa*: STEINBERG AND SCHLIWA **106**, 555.
Proximal tubule
immortalized kidney epithelial cells: CARTIER, LACAVE, VALLET, HAGEGE, HELLIO, ROBINE, PRINGAULT, CLUZEAUD, BRIAND, KAHN AND VANDEWALLE **104**, 695.
Proximal tubule cell
characterization of proximal renal cell lines: LACAVE, BENS, CARTIER, VALLET, ROBINE, PRINGAULT, KAHN AND VANDEWALLE **104**, 705.
PtK$_2$ cell
centrosome-associated G_2/M phase-prevalent protein: ROTHBARTH, PETZELT, LU, TODOROV, JOSWIG, PEPPERKOK, ANSORGE AND WERNER **104**, 19.
Purinergic receptor
Ca^{2+} signaling in epithelial cells: HANSEN, BOITANO, DIRKSEN AND SANDERSON **106**, 995.
independent propagating $[Ca^{2+}]i$ waves: MAHONEY, SLAKEY, HEPLER AND GROSS **104**, 1101.
L-pyruvate kinase
immortalized kidney epithelial cells: CARTIER, LACAVE, VALLET, HAGEGE, HELLIO, ROBINE, PRINGAULT, CLUZEAUD, BRIAND, KAHN AND VANDEWALLE **104**, 695.
Quick-freeze deep-etch
acidosome development and maturation: ALLEN, MA AND FOK **106**, 411.
rab protein
novel rab subfamily GTPases: OLKKONEN, DUPREE, KILLISCH, LUTCKE, ZERIAL AND SIMONS **106**, 1239.
rab6 protein
rab6 in photoreceptors: DERETIC AND PAPERMASTER **106**, 803.
rab6p and synaptogenesis in cultured neurons: TIXIER-VIDAL, BARRET, PICART, MAYAU, VOGT, WIEDENMANN AND GOUD **105**, 935.
rab6p is distributed in cytosol by BFA: ROA, CORNET, YANG AND GOUD **106**, 789.
rab12
novel rab subfamily GTPases: OLKKONEN, DUPREE, KILLISCH, LUTCKE, ZERIAL AND SIMONS **106**, 1239.
rab22
novel rab subfamily GTPases: OLKKONEN, DUPREE, KILLISCH, LUTCKE, ZERIAL AND SIMONS **106**, 1239.

rab24
novel rab subfamily GTPases: OLKKONEN, DUPREE, KILLISCH, LUTCKE, ZERIAL AND SIMONS **106**, 1239.
RACE PCR
novel rab subfamily GTPases: OLKKONEN, DUPREE, KILLISCH, LUTCKE, ZERIAL AND SIMONS **106**, 1239.
Rainbow trout
trout hepatocytes in monolayers and aggregates: FLOURIOT, VAILLANT, SALBERT, PELISSERO, GUIRAUD AND VALOTAIRE **105**, 407.
Rapid freezing
multiple types of lens gap junctions: LO AND REESE **106**, 227.
RCC1
Prp20 loses its dsDNA binding abilities during S phase: LEE, TAM, BELHUMEUR, DIPAOLO AND CLARK **106**, 287.
rDNA
DNA distribution in nucleoli: HOZAK, SCHOFER, SYLVESTER AND WACHTLER **104**, 1199.
rDNA arrangement in *Pisum sativum*: HIGHETT, RAWLINS AND SHAW **104**, 843.
Receptor
bFGF expression in mammary cell lines: KE, FERNIG, WILKINSON, WINSTANLEY, SMITH, RUDLAND AND BARRACLOUGH **106**, 135.
differential targeting of basic FGF: REILAND AND RAPRAEGER **105**, 1085.
Receptor-mediated Ca^{2+} entry
evidence for two Ca^{2+} pools in *Dictyostelium*: FLAADT, JAWORSKI AND MALCHOW **105**, 1131.
Regeneration
DNA replication in chick cochleas: HASHINO AND SALVI **105**, 23.
Regulated
secretion of PC12 acetylcholinesterase: SCHWEITZER **106**, 731.
Regulation
porcine myosin HC-β gene: CHANG, FERNANDES AND GOLDSPINK **106**, 331.
regulation of HRP-PLL transcytosis: TAUB AND SHEN **106**, 1313.
Renal cultured cell
immortalized kidney epithelial cells: CARTIER, LACAVE, VALLET, HAGEGE, HELLIO, ROBINE, PRINGAULT, CLUZEAUD, BRIAND, KAHN AND VANDEWALLE **104**, 695.
Reorganization
reorganization of RER in AR42J cells: RAJASEKARAN, MORIMOTO, HANZEL, RODRIGUEZ-BOULAN AND KREIBICH **105**, 333.
Replication foci
sites of DNA replication: HASSAN AND COOK **105**, 541.
Restriction point
restriction of cell cycle progression: ADOLPH, BRUSSELBACH AND MULLER **105**, 113.
Retina
ATPase polarity in photoreceptors: BAUMANN AND TAKEYASU **105**, 287.
calpain II in the retina: AZARIAN, SCHLAMP AND WILLIAMS **105**, 787.
creatine kinase in photoreceptor cell outer segments: HEMMER, RIESINGER, WALLIMANN, EPPENBERGER AND QUEST **106**, 671.
stimulation of barrier function of RPE: RIZZOLA AND LI **106**, 859.
Retinal pigment epithelial cell (human)
mitogenic activity of HRPE cells: YANG, SMETS, NEETENS AND VANDEN BERGHE **104**, 211.
Retinal pigment epithelium
stimulation of barrier function of RPE: RIZZOLA AND LI **106**, 859.
Retinoic acid
post-transcriptional regulation of keratin 19: CROWE **106**, 183.
Retinoid-binding protein
Xenopus laevis IRBP: GONZALEZ-FERNANDEZ, KITTREDGE, RAYBORN, HOLLYFIELD, LANDERS, SAHA AND GRAINGER **105**, 7.
Retrograde transport
factors affecting dynein localization: LIN AND COLLINS **105**, 579.
Retroviral vector
HMW tau and neurite outgrowth: TENG, GEORGIEFF, ALETTA, NUNEZ, SHELANSKI AND GREENE **106**, 611.
Retrovirus
the fate of implanted myoblasts: YAO AND KURACHI **105**, 957.
RGD
endothelial cell adhesion to tenascin domains: JOSHI, CHUNG, AUKHIL AND ERICKSON **106**, 389.
RGD peptide
cell attachment to thrombospondin: ADAMS AND LAWLER **104**, 1061.
Rhodopsin
rab6 in photoreceptors: DERETIC AND PAPERMASTER **106**, 803.
Ribonucleoprotein particle
vaults localize to the NPC: CHUGANI, ROME AND KEDERSHA **106**, 23.
Ribophorin
reorganization of RER in AR42J cells: RAJASEKARAN, MORIMOTO, HANZEL, RODRIGUEZ-BOULAN AND KREIBICH **105**, 333.
Ribosome
echinderm microtubule-associated protein (EMAP): **104**, 445.
reorganization of RER in AR42J cells: RAJASEKARAN, MORIMOTO, HANZEL, RODRIGUEZ-BOULAN AND KREIBICH **105**, 333.
Rice
depolymerization of plant actin: ANDERSLAND AND PARTHASARATHY **104**, 1273.
RNA polymerase I transcription factor
cell cycle localization of UBF: ROUSSEL, ANDRE, MASSON, GERAUD AND HERNANDEZ-VERDUN **104**, 327.
RNA polymerase II/transcription
minichromosomal attachments in nuclei: JACKSON AND COOK **105**, 1143.
Ro 31-8220
CD18 expression in neutrophils: VOLZ **106**, 493.
Ro protein
subcellular distribution of Ro RNPs: PEEK, PRUIJN, VAN DER KEMP AND VAN VENROOIJ **106**, 929.
Ro RNP
subcellular distribution of Ro RNPs: PEEK, PRUIJN, VAN DER KEMP AND VAN VENROOIJ **106**, 929.
Rod outer segment
creatine kinase in photoreceptor cell outer segments: HEMMER, RIESINGER, WALLIMANN, EPPENBERGER AND QUEST **106**, 671.
Rolling
neutrophil/endothelium interactions: GODIN, CAPRANI, DUFAUX AND FLAUD **106**, 441.
Root hair
laser-mediated access to plant plasma membrane: KURKDJIAN, LEITZ, MANIGAULT, HARIM AND GREULICH **105**, 263.
Rotating oscillatory wave
cell shape and movement are not random: KILLICH, PLATH, WEI, BULTMANN, RENSING AND VICKER **106**, 1005.
Rous sarcoma virus
adhesive structures in RSV-transformed cells: NAKAMURA, TANAKA AND SOBUE **106**, 1057.
RP-A phosphorylation
RP-A phosphorylation: FANG AND NEWPORT **106**, 983.

RPE
immortalization of RPE: NABI, MATHEWS, COHEN-GOULD, GUNDERSEN AND RODRIGUEZ-BOULAN **104**, 37.
rRNA transcription
rRNA detection in plant nucleoli by TEM: OLMEDILLA, TESTILLANO, VICENTE, DELSENY AND RISUENO **106**, 1333.
5 S rRNA
5 S genes and transcript in *Pisum sativum*: HIGHETT, BEVEN AND SHAW **105**, 1151.
S91 melanoma cell
effect of serial UVB exposure on tyrosinase: ABERDAM, ROMERO AND ORTONNE **106**, 1015.
S phase
nuclear phospholipids during DNA replication: MARALDI, SANTI, ZINI, OGNIBENE, RIZZOLI, MAZZOTTI, DI PRIMIO, BAREGGI, BERTAGNOLO, PAGLIARINI AND CAPITANI **104**, 853.
Saccharomyces cerevisiae
Ypt7p in yeast endocytosis: SCHIMMOLLER AND RIEZMAN **106**, 823.
Sand dollar
echinderm microtubule-associated protein (EMAP): **104**, 445.
Saporin
differential targeting of basic FGF: REILAND AND RAPRAEGER **105**, 1085.
Sarcomere
titin interactions: SOTERIOU, GAMAGE AND TRINICK **104**, 119.
Sarcomeric muscle
titin-associated M-band proteins: VINKEMEIR, OBERMANN, WEBER AND FURST **106**, 319.
Satellite
Drosophila dodecasatellite: CARMENA, ABAD, VILLASANTE AND GONZALEZ **105**, 41.
Satellite cell
dual function of tenascin: WEHRLE-HALLER AND CHIQUET **106**, 597.
Schistosoma mansoni
host antigen acquisition by *S. mansoni*: ROGERS, JACK AND FURLONG **106**, 485.
Schistosomiasis
proteoglycan and myelopoiesis: ALVAREZ-SILVA, DA SILVA AND BOROJEVIC **104**, 477.
Schizosaccharomyces pombe
cell-free extracts of fission yeast: NOVAK, SVEICZER AND MITCHISON **105**, 529.
Schizosaccharomyces pombe adenylate cyclase pathway: BYRNE AND HOFFMAN **105**, 1095.
Sea urchin
echinderm microtubule-associated protein (EMAP): **104**, 445.
Sea urchin egg
DNA replication in egg extracts: ZHANG AND RUDERMAN **104**, 565.
fertilization envelope disassembly: MOZINGO, HOLLAR AND CHANDLER **104**, 929.
sec7
immunoisolation of the yeast Golgi: BRYANT AND BOYD **106**, 815.
Secretion
amplification of the Golgi complex: RUDICK, RUDICK AND BRUN-ZINKERNAGEL **104**, 509.
calcyclin expression in mouse tissues: TIMMONS, CHAN, RIGBY AND POIRIER **104**, 187.
control of constitutive secretion in mammary cells: RENNISON, KERR, ADDEY, HANDEL, TURNER, WILDE AND BURGOYNE **106**, 641.
recycling after stimulated secretion: HURTLEY **106**, 649.
reorganization of RER in AR42J cells: RAJASEKARAN, MORIMOTO, HANZEL, RODRIGUEZ-BOULAN AND KREIBICH **105**, 333.
secretion of PC12 acetylcholinesterase: SCHWEITZER **106**, 731.
Secretory granule
kinesin-based motility of lytic granules: BURKHARDT, MCILVAIN, SHEETZ AND ARGON **104**, 151.
Secretory pathway
abnormal subcellular compartmentalization in colon cancer: EGEA, FRANCI, GAMBUS, LESUFFLEUR, ZWEIBAUM AND REAL **105**, 819.
Semliki Forest virus vector
novel rab subfamily GTPases: OLKKONEN, DUPREE, KILLISCH, LUTCKE, ZERIAL AND SIMONS **106**, 1239.
Senescence
cell cycle genes in senescent cells: LUCIBELLO, SEWING, BRUSSELBACH, BURGER AND MULLER **105**, 123.
Septation
mycelial and syncytial growth in *S. pombe*: SIPICZKI, GRALLERT AND MIKLOS **104**, 485.
Sequence
Ca^{2+}-ATPases of malaria parasites: KIMURA, YAMAGUCHI, TAKADA AND TANABE **104**, 1129.
Sequence analysis
an IF-like protein from squid nerves: ADJAYE, MARSH AND EAGLES **106**, 1283.
Sertoli cell
DNA and RNA in the Sertoli cell nucleolus: THIRY **105**, 33.
dynamin family protein in testis: NAKATA, TAKEMURA AND HIROKAWA **105**, 1.
Serum
regulation of cellular vesicle transport: HAMM-ALVAREZ, KIM AND SHEETZ **106**, 955.
stellation of BHK21 cells: EDWARDS, CAMPBELL, CARR AND EDWARDS **104**, 399.
Serum depletion
factors affecting dynein localization: LIN AND COLLINS **105**, 579.
Sexual cell fusion
repression of sexual fusion in *Dictyostelium discoideum*: FANG, AIBA, HIGA, URUSHIHARA AND YANAGISAWA **106**, 785.
Sexual development
multiple mating types in mushrooms: KUES AND CASSELTON **104**, 227.
SH2 domain
v-Src SH2 domain in yeast killing: BOSCHELLI, UPTAIN AND LIGHTBODY **105**, 519.
SH3
binding of SH3 to leading lamellae: MERILAINEN, PALOVUORI, SORMUNEN, WASENIUS AND LEHTO **105**, 647.
Shape change
CD18 expression in neutrophils: VOLZ **106**, 493.
Shear rate
neutrophil/endothelium interactions: GODIN, CAPRANI, DUFAUX AND FLAUD **106**, 441.
Shear stress
shear stress effects on Golgi apparatus/MTOC localization: COAN, WECHEZAK, VIGGERS AND SAUVAGE **104**, 1145.
Shuttle buffer
calcium buffers block cytokinesis: MILLER, FLUCK, MCLAUGHLIN AND JAFFE **106**, 523.
Signal transduction
calcium homeostasis in plants: GILROY, BETHKE AND JONES **106**, 453.
characterization of a mouse CAP cDNA: VOJTEK AND COOPER **105**, 777.
cyclin D1 regulation: SEWING, BURGER, BRUSSELBACH, SCHALK, LUCIBELLO AND MULLER **104**, 545.
nuclear signalling via integrin receptors: SHANKAR, DAVISON, HELFRICH, MASON AND HORTON **105**, 61.

PKC activity under microgravity: SCHMITT, OHLMANN, GACHET AND CAZENAVE **104**, 805.
platelet activating factor in *Dictyostelium*: SORDANO, CRISTINO, BUSSOLINO, WURSTER AND BOZZARO **104**, 197.
Schizosaccharomyces pombe adenylate cyclase pathway: BYRNE AND HOFFMAN **105**, 1095.
transcription factors and the cytoplasm: WHITESIDE AND GOODBOURN **104**, 949.
Single channel
rapid gap junction formation in hemocytes: CHURCHILL, COODIN, SHIVERS AND CAVENEY **104**, 763.
β-Site tail motif
mutations in the β-site of vimentin: KOUKLIS, HATZFELD, BRUNKENER, WEBER AND GEORGATOS **106**, 919.
Skeletal muscle
novel developmental exon in rat fast troponin T: MORGAN, EARNSHAW AND DHOOT **106**, 903.
role of Myf-5 in somitogenesis: ARNOLD AND BRAUN **104**, 957.
Skin
integrins in normal human melanocytes: ZAMBRUNO, MARCHISIO, MELCHIORI, BONDANZA, CANCEDDA AND DE LUCA **105**, 179.
Skin equivalent
PA cascade in skin equivalent: CHEN, LYONS-GIORDANO, LAZARUS AND JENSEN **106**, 45.
Slime mold
platelet activating factor in *Dictyostelium*: SORDANO, CRISTINO, BUSSOLINO, WURSTER AND BOZZARO **104**, 197.
Smooth muscle
independent propagating $[Ca^{2+}]i$ waves: MAHONEY, SLAKEY, HEPLER AND GROSS **104**, 1101.
snRNP
interaction of p150 with snRNPs: BLENCOWE, CARMO-FONSECA, BEHRENS, LURHMANN AND LAMOND **105**, 685.
snRNPs, SC-35 and actin in interphase nuclei: SAHLAS, MILANKOV, PARK AND DE BONI **105**, 347.
Somatic cell hybrid
expression of fibronectins in hybrid cells: MARDON, GRANT, GRANT AND HARRIS **104**, 783.
Somitogenesis
role of Myf-5 in somitogenesis: ARNOLD AND BRAUN **104**, 957.
Sorting
glucose transporter targeting: JAMES, PIPER AND SLOT **104**, 607.
rab6 in photoreceptors: DERETIC AND PAPERMASTER **106**, 803.
secretion of PC12 acetylcholinesterase: SCHWEITZER **106**, 731.
Spectrin
band 3 aggregation in ovalocytes: CHE, CHERRY, BANNISTER AND DLUZEWSKI **105**, 655.
Sperm
6-DMAP accelerates transition to interphase: SZOLLOSI, KUBIAK, DEBEY, DE PENNART, SZOLLOSI AND MARO **104**, 861.
role of proteases in sperm acrosome reaction: FLAHERTY AND SWANN **104**, 163.
Sperm flagella
proteasomes of salmonid fish sperm: INABA, AKAZOME AND MORISAWA **104**, 907.
Sperm motility
proteasomes of salmonid fish sperm: INABA, AKAZOME AND MORISAWA **104**, 907.
Spermatogenesis
nuclear lamina during spermatogenesis: VESTER, SMITH, KROHNE AND BENAVENTE **104**, 557.
Sphingolipid
epithelial lipid sorting and Golgi structure: VAN MEER AND VAN 'T HOF **104**, 833.
Spindle
astral and spindle forces in PtK_2 cells: AIST, LIANG AND BERNS **104**, 1207.
kinesin-like molecules in spindle formation: RODIONOV, GELFAND AND BORISY **106**, 1179.
molecular cloning of the SP-H antigen: MAEKAWA AND KURIYAMA **105**, 589.
Spindle movement
new *cut* genes required in fission yeast mitosis: SAMEJIMA, MATSUMOTO, NAKASEKO, BEACH AND YANAGIDA **105**, 135.
Splice variant
CD44 expression on murine tissues: KENNEL, LANKFORD, FOOTE, SHINPOCK AND STRINGER **104**, 373.
Splicing
interaction of p150 with snRNPs: BLENCOWE, CARMO-FONSECA, BEHRENS, LURHMANN AND LAMOND **105**, 685.
Splicing factor SC-35
snRNPs, SC-35 and actin in interphase nuclei: SAHLAS, MILANKOV, PARK AND DE BONI **105**, 347.
SPN antigen
SPN/NuMA antibodies induce micronuclei: KALLAJOKI, HARBORTH, WEBER AND OSBORN **104**, 139.
Sponge
polyubiquitin in marine sponge: PFEIFER, FRANK, SCHRODER, GAMULIN, RINKEVICH, BATEL, MULLER AND MULLER **106**, 545.
Squid nerve
an IF-like protein from squid nerves: ADJAYE, MARSH AND EAGLES **106**, 1283.
Src
adhesive structures in RSV-transformed cells: NAKAMURA, TANAKA AND SOBUE **106**, 1057.
c-Src
localization of wt and myr⁻ c-Src: DAVID-PFEUTY, BAGRODIA AND SHALLOWAY **105**, 613.
c-Src overexpresser cell
localization of wt and myr⁻ c-Src: DAVID-PFEUTY, BAGRODIA AND SHALLOWAY **105**, 613.
v-Src
v-Src SH2 domain in yeast killing: BOSCHELLI, UPTAIN AND LIGHTBODY **105**, 519.
Starfish
echinderm microtubule-associated protein (EMAP): **104**, 445.
Starfish oocyte
association of $p34^{cdc2}$/cyclin B with microtubules: OOKATA, HISANAGA, OKUMURA AND KISHIMOTO **105**, 873.
Stem cell
distribution of EGF receptor: ZIESKE AND WASSON **106**, 145.
Stress
stress-relaxation of fibroblasts: LEE, LIN, MOCHITATE AND GRINNELL **105**, 167.
Stress fibre
stress fiber orientation: PETROLL, CAVANAGH, BARRY, ANDREWS AND JESTER **104**, 353.
Strongylocentrotus purpuratus
echinoderm microtubule-associated protein (EMAP): SUPRENANT, DEAN, MCKEE AND HAKE **104**, 445.
fertilization envelope disassembly: MOZINGO, HOLLAR AND CHANDLER **104**, 929.
3-D Structure
5 S genes and transcript in *Pisum sativum*: HIGHETT, BEVEN AND SHAW **105**, 1151.
Suramin
Ca^{2+} signaling in epithelial cells: HANSEN, BOITANO, DIRKSEN AND SANDERSON **106**, 995.

Surface glycoprotein
Trypanosoma cruzi developmental mutant: RIBEIRO DE JESUS, COOPER, ESPINOSA, GOMES, GARCIA AND CROSS **106**, 1023.
Surface polarity
bacterial polarity and actin assembly: KOCKS, HELLIO, GOUNON, OHAYON AND COSSART **105**, 699.
Surfactant
alveolar type II cell-fibroblast interactions: GRIFFIN, BHANDARI, HAMILTON, CHAN AND POWELL **105**, 423.
SV40
characterization of proximal renal cell lines: LACAVE, BENS, CARTIER, VALLET, ROBINE, PRINGAULT, KAHN AND VANDEWALLE **104**, 705.
immortalization of RPE: NABI, MATHEWS, COHEN-GOULD, GUNDERSEN AND RODRIGUEZ-BOULAN **104**, 37.
immortalized kidney epithelial cells: CARTIER, LACAVE, VALLET, HAGEGE, HELLIO, ROBINE, PRINGAULT, CLUZEAUD, BRIAND, KAHN AND VANDEWALLE **104**, 695.
SV40 oncogene
gene expression in a clonal osteogenic cell line: POLIARD, LAMBLIN, MARIE, BUC-CARON AND KELLERMANN **106**, 503.
Swelling
effect of monensin on plant Golgi: ZHANG, DRIOUICH AND STAEHELIN **104**, 819.
Swiss 3T3 cell
bFGF and tenascin expression: TUCKER, HAMMARBACK, JENRATH, MACKIE AND XU **104**, 69.
Swollen vesicle
effect of monensin on plant Golgi: ZHANG, DRIOUICH AND STAEHELIN **104**, 819.
Synaptogenesis
Rab6p and synaptogenesis in cultured neurons: TIXIER-VIDAL, BARRET, PICART, MAYAU, VOGT, WIEDENMANN AND GOUD **105**, 935.
Synaptophysin
Rab6p and synaptogenesis in cultured neurons: TIXIER-VIDAL, BARRET, PICART, MAYAU, VOGT, WIEDENMANN AND GOUD **105**, 935.
Syncytia
motility of HIV-induced T cell syncytia: SYLWESTER, WESSELS, ANDERSON, WARREN, SHUTT, KENNEDY AND SOLL **106**, 941.
Synergetic
cell shape and movement are not random: KILLICH, PLATH, WEI, BULTMANN, RENSING AND VICKER **106**, 1005.
T cell
motility of HIV-induced T cell syncytia: SYLWESTER, WESSELS, ANDERSON, WARREN, SHUTT, KENNEDY AND SOLL **106**, 941.
T-cell development
thymus-repopulating cells in marrow cultures: PRAKAPAS, DENOYELLE, DARGEMONT, KROESE, THIERY AND DEUGNIER **104**, 1039.
Tail domain
mutations in the β-site of vimentin: KOUKLIS, HATZFELD, BRUNKENER, WEBER AND GEORGATOS **106**, 919.
Talin
distinct adhesion plaques in CHO cells: TRANQUI, USSON, MARIE AND BLOCK **106**, 377.
regulation of talin distribution in platelets: BERTAGNOLLI, LOCKE, HENSLER, BRAY AND BECKERLE **106**, 1189.
Targeted oncogenesis
immortalized kidney epithelial cells: CARTIER, LACAVE, VALLET, HAGEGE, HELLIO, ROBINE, PRINGAULT, CLUZEAUD, BRIAND, KAHN AND VANDEWALLE **104**, 695.
tau
tau interactions in cultured cells: CROSS, VIAL AND MACCIONI **105**, 51.
Telophase disc
calcium buffers block cytokinesis: MILLER, FLUCK, MCLAUGHLIN AND JAFFE **106**, 523.
Tenascin
dual function of tenascin: WEHRLE-HALLER AND CHIQUET **106**, 597.
endothelial cell adhesion to tenascin domains: JOSHI, CHUNG, AUKHIL AND ERICKSON **106**, 389.
endothelial cell attachment to tenascin: SRIRAMARAO, MENDLER AND BOURDON **105**, 1001.
tenascin induction in cancer: HIRAIWA, KIDA, SAKAKURA AND KUSAKABE **104**, 289.
Terminal web
brush border protein expression in Caco-2_{BBe} cells: PETERSON, BEMENT AND MOOSEKER **105**, 461.
Testis
dynamin family protein in testis: NAKATA, TAKEMURA AND HIROKAWA **105**, 1.
Thermotolerance
thermotolerance in mammalian cells: KAMPINGA **104**, 11.
Thick filament
titin interactions: SOTERIOU, GAMAGE AND TRINICK **104**, 119.
Three-dimensional structure
rDNA arrangement in *Pisum sativum*: HIGHETT, RAWLINS AND SHAW **104**, 843.
three rows
mitosis without chromatid separation: PHILP, AXTON, SAUNDERS AND GLOVER **106**, 87.
Thrombin
fibrinogen Aα and Bβ chains are fibroblast mitogens: GRAY, BISHOP, REEVES AND LAURENT **104**, 409.
Thrombospondin
cell attachment to thrombospondin: ADAMS AND LAWLER **104**, 1061.
Thy-1
signal for GPI anchor attachment: BEGHDADI-RAIS, SCHREYER, ROUSSEAUX, BOREL, EISENBERG, COHEN, BRON AND FASEL **105**, 831.
Thymic stroma
thymic stromal cells and T cell development: SCREPANTI, MODESTI AND GULINO **105**, 601.
Thymocyte
thymic stromal cells and T cell development: SCREPANTI, MODESTI AND GULINO **105**, 601.
Thyroid
PCNA as a thyroid cell cycle marker: BAPTIST, DUMONT AND ROGER **105**, 69.
Thyrotropin
PCNA as a thyroid cell cycle marker: BAPTIST, DUMONT AND ROGER **105**, 69.
Tight junction
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.
stimulation of barrier function of RPE: RIZZOLA AND LI **106**, 859.
Tissue culture
endothelial cell isolation and culture: SCOTT AND BICKNELL **105**, 269.
Tissue distribution
CD44 expression on murine tissues: KENNEL, LANKFORD, FOOTE, SHINPOCK AND STRINGER **104**, 373.
Tissue remodeling
collagenase synthesis during tissue remodeling: GIRARD, MATSUBARA, KUBLIN, TESSIER, CINTRON AND FINI **104**, 1001.

Tissue-specific enhancer
β1 tubulin gene expression during *Drosophila* embryogensis: BUTTGEREIT **105**, 721.
Titanium
cytoskeleton of spreading fibroblasts: OAKLEY AND BRUNETTE **106**, 343.
Titin
cotranslational assembly of cytoskeletal proteins: FULTON AND L'ECUYER **105**, 867.
titin in human myofibrillogenesis: VAN DER VEN, SCHAART, CROES, JAP, GINSEL AND RAMAEKERS **106**, 749.
titin interactions: SOTERIOU, GAMAGE AND TRINICK **104**, 119.
Tobacco BY-2 cell
a plant microtubule-associated protein: JIANG AND SONOBE **105**, 891.
Topoisomerase II
activation of topo II by casein kinase II: CARDENAS, WALTER, HANNA AND GASSER **104**, 533.
topo II in *Drosophila* embryogenesis: BUCHENAU, SAUMWEBER AND ARNDT-JOVIN **104**, 1175.
topoisomerase II function in mitosis: CLARKE, JOHNSON AND DOWNES **105**, 563.
topoisomerase II phosphorylation by CKII: CARDENAS AND GASSER **104**, 219.
TPA tumor promoter
action of TPA on HT-29 cells: GARCIA DE HERREROS, FABRE, BATLLE, BALAGUE AND REAL **105**, 1165.
scattering of HT-29 cells: FABRE AND GARCIA DE HERREROS **106**, 513.
Transcription
DNA distribution in nucleoli: HOZAK, SCHOFER, SYLVESTER AND WACHTLER **104**, 1199.
NONA distribution in vivo: BUCHENAU, ARNDT-JOVIN AND SAUMWEBER **106**, 189.
restriction of cell cycle progression: ADOLPH, BRUSSELBACH AND MULLER **105**, 113.
xnf7 nuclear localization signal: LI AND ETKIN **105**, 389.
Transcription factor
transcription factors and the cytoplasm: WHITESIDE AND GOODBOURN **104**, 949.
Transcytosis
regulation of HRP-PLL transcytosis: TAUB AND SHEN **106**, 1313.
Transendothelial migration
lymphocyte migration across high endothelium: HOURIHAN, ALLEN AND AGER **104**, 1049.
Transfection
cytochalasin D inhibits microvilli growth: FRIEDERICH, KREIS AND LOUVARD **105**, 765.
expression of mouse tyrosinase: WINDER, WITTBJER, ROSENGREN AND RORSMAN **104**, 467.
molecular cloning of the SP-H antigen: MAEKAWA AND KURIYAMA **105**, 589.
Transferrin
transferrin receptor at the blood-brain barrier: ROBERTS, FINE AND SANDRA **104**, 521.
Transferrin receptor
oxidative stress and transferrin receptor recycling: MALORNI, IOSI, SANTINI AND TESTA **106**, 309.
Transformation
analysis of contractile proteins: TANAKA, WATANABE, NAKAMURA AND SOBUE **104**, 595.
Transforming growth factor-β
c-*myc*, TGF-β and chondrocyte differentiation: LOVERIDGE, FARQUHARSON, HESKETH, JAKOWLEW, WHITEHEAD AND THORP **105**, 949.
Transient dichroism
band 3 aggregation in ovalocytes: CHE, CHERRY, BANNISTER AND DLUZEWSKI **105**, 655.
Translation RNA localization
localization of DAI and VA RNA$_I$: JIMENEZ-GARCIA, GREEN, MATHEWS AND SPECTOR **106**, 11.
Transport vesicle
acidosome development and maturation: ALLEN, MA AND FOK **106**, 411.
Trophoblast cell differentiation
pp60$^{c\text{-}src}$ and EGF-R in trophoblast differentiation: REBUT-BONNETON, BOUTEMY-ROULIER AND EVAIN-BRION **105**, 629.
Troponin T
novel developmental exon in rat fast troponin T: MORGAN, EARNSHAW AND DHOOT **106**, 903.
Trypanosoma cruzi
Trypanosoma cruzi developmental mutant: RIBEIRO DE JESUS, COOPER, ESPINOSA, GOMES, GARCIA AND CROSS **106**, 1023.
Trypanosome
a trypanosomal homologue of BiP/grp78: BANGS, UYETAKE, BRICKMAN, BALBER AND BOOTHROYD **105**, 1101.
Tubule
continuum of tubules and vacuoles in hyphae: SHEPHERD, ORLOVICH AND ASHFORD **104**, 495.
Tubulin
basal body-associated γ-tubulin: MURESAN, JOSHI AND BESHARSE **104**, 1229.
Dictyostelium α- and β-tubulin: TRIVINOS-LAGOS, OHMACHI, ALBRIGHTSON, BURNS, ENNIS AND CHISHOLM **105**, 903.
transient presence of γ-tubulin in the midbody: JULIAN, TOLLON, LAJOIE-MAZENE, MOISAND, MAZARGUIL, PUGET AND WRIGHT **105**, 145.
tubulin dimer formation requires GTP hydrolysis: FONTALBA, PACIUCCI, AVILA AND ZABALA **106**, 627.
γ-tubulin and centrosomes during early mouse development: GUETH-HALLONET, ANTONY, AGHION, SANTA-MARIA, LAJOIE-MAZENC, WRIGHT AND MARO **105**, 157.
γ-tubulin during early mouse development: PALACIOS, JOSHI, SIMERLY AND SCHATTEN **104**, 383.
γ-tubulin in plants: LIU, MARC, JOSHI AND PALEVITZ **104**, 1217.
α-Tubulin gene
resistance to anti-microtubule herbicides: JAMES, SILFLOW, STROOM AND LEFEBVRE **106**, 209.
Tumor cell
tumors and endothelial cell coagulation: LICHTENBELD, MULLER, VAN DAM-MIERAS AND BLIJHAM **106**, 657.
Tumorigenesis
characterization of an HSV-inducible transformed cell protein: GRASSIE, MCNAB AND MACNAB **104**, 1083.
expression of fibronectins in hybrid cells: MARDON, GRANT, GRANT AND HARRIS **104**, 783.
Tumour proliferation
high-ploidy tumour cells: DE LA HOZ AND BAROJA **104**, 31.
Tunicamycin
cell cycle arrest and selective killing: LARSSON, CARLBERG AND ZETTERBERG **106**, 299.
twine
meiotic role of *twine*: WHITE-COOPER, ALPHEY AND GLOVER **106**, 1035.
Tyrosinase
effect of serial UVB exposure on tyrosinase: ABERDAM, ROMERO AND ORTONNE **106**, 1015.
expression of mouse tyrosinase: WINDER, WITTBJER, ROSENGREN AND RORSMAN **104**, 467.

Tyrosinase-related protein 1
expression of mouse b-protein: WINDER, WITTBJER, ROSENGREN AND RORSMAN **106**, 153.
Tyrosinated tubulin
composite microtubules of the axon: BROWN, LI, SLAUGHTER AND BLACK **104**, 339.
Tyrosine kinase
PKC-dependent ciliary phosphorylation: SALATHE, PRATT AND WANNER **106**, 1211.
pp60$^{c\text{-}src}$ and EGF-R in trophoblast differentiation: REBUT-BONNETON, BOUTEMY-ROULIER AND EVAIN-BRION **105**, 629.
Tyrosine phosphorylation
cytoskeleton and tyrosine phosphorylation: BENNETT, DIXON AND KELLIE **106**, 891.
UBF
cell cycle localization of UBF: ROUSSEL, ANDRE, MASSON, GERAUD AND HERNANDEZ-VERDUN **104**, 327.
Ubiquitin
polyubiquitin in marine sponge: PFEIFER, FRANK, SCHRODER, GAMULIN, RINKEVICH, BATEL, MULLER AND MULLER **106**, 545.
Ultrastructural cytochemistry
rRNA detection in plant nucleoli by TEM: OLMEDILLA, TESTILLANO, VICENTE, DELSENY AND RISUENO **106**, 1333.
Ultrastructure
transitions during chromatin isolation: GIANNASCA, HOROWITZ AND WOODCOCK **105**, 551.
Ultraviolet light
ARB behaviour in *Haemanthus* endosperm: CZABAN, FORER AND BAJER **105**, 571.
Un-swelling
effect of monensin on plant Golgi: ZHANG, DRIOUICH AND STAEHELIN **104**, 819.
Uroplakin III
molecular cloning of uroplakin III: WU AND SUN **106**, 31.
UVB irradiation
effect of serial UVB exposure on tyrosinase: ABERDAM, ROMERO AND ORTONNE **106**, 1015.
Vaccinia T7 expression
novel rab subfamily GTPases: OLKKONEN, DUPREE, KILLISCH, LUTCKE, ZERIAL AND SIMONS **106**, 1239.
Vaccinia virus expression system
nuclear localization of aFGF: CAO, EKSTROM AND PETTERSSON **104**, 77.
Vacuolar proton pump
vacuolar proton pumps in *Dictyostelium*: NOLTA, PADH AND STECK **105**, 849.
Vacuole
continuum of tubules and vacuoles in hyphae: SHEPHERD, ORLOVICH AND ASHFORD **104**, 495.
Vascular endothelial cell (human)
mitogenic activity of HRPE cells: YANG, SMETS, NEETENS AND VANDEN BERGHE **104**, 211.
Vault
vaults localize to the NPC: CHUGANI, ROME AND KEDERSHA **106**, 23.
VCAM-1
VCAM-1 expression by high endothelium: MAY, ENTWISTLE, HUMPHRIES AND AGER **106**, 109.
Versican
proteoglycans in cell-substratum adhesion: YAMAGATA, SAGA, KATO, BERNFIELD AND KIMATA **106**, 55.
Vesicle
secretion of PC12 acetylcholinesterase: SCHWEITZER **106**, 731.
tumors and endothelial cell coagulation: LICHTENBELD, MULLER, VAN DAM-MIERAS AND BLIJHAM **106**, 657.
Vesicle motility
regulation of cellular vesicle transport: HAMM-ALVAREZ, KIM AND SHEETZ **106**, 955.
Viability dye
corneal keratocyte networks: POOLE, BROOKES AND CLOVER **106**, 685.
Video microscopy
cell shape and movement are not random: KILLICH, PLATH, WEI, BULTMANN, RENSING AND VICKER **106**, 1005.
Villin
cytochalasin D inhibits microvilli growth: FRIEDERICH, KREIS AND LOUVARD **105**, 765.
Vimentin
cotranslational assembly of cytoskeletal proteins: FULTON AND L'ECUYER **105**, 867.
cytoarchitecture of living cells: PROVANCE, MCDOWALL, MARKO AND LUBY-PHELPS **106**, 565.
mutations in the β-site of vimentin: KOUKLIS, HATZFELD, BRUNKENER, WEBER AND GEORGATOS **106**, 919.
Vimentin filament
interaction of microtubules and vimentin filaments: DRABEROVA AND DRABER **106**, 1263.
Vinblastine
HeLa spindles blocked in metaphase by vinblastine: WENDELL, WILSON AND JORDAN **104**, 261.
Vitellogenin
trout hepatocytes in monolayers and aggregates: FLOURIOT, VAILLANT, SALBERT, PELISSERO, GUIRAUD AND VALOTAIRE **105**, 407.
Vitronectin
adhesive structures in RSV-transformed cells: NAKAMURA, TANAKA AND SOBUE **106**, 1057.
solid phase fibronectin and vitronectin: UNDERWOOD, STEELE AND DALTON **104**, 793.
Vitronectin receptor
nuclear signalling via integrin receptors: SHANKAR, DAVISON, HELFRICH, MASON AND HORTON **105**, 61.
osteoclast migration and attachment: LAKKAKORPI, HELFRICH, HORTON AND VAANANEN **104**, 663.
Volvox
polarity in *Volvox*: HOOPS **104**, 105.
Wall-less fz;sg;os-1 mutant (SLIME)
organelle movement in *Neurospora crassa*: STEINBERG AND SCHLIWA **106**, 555.
Wee1
modelling M-phase control in *Xenopus*: NOVAK AND TYSON **106**, 1153.
Whole epithelial tissue
actin and α-actinin in whole epithelial tissue: KHOORY, WU AND SVOBODA **106**, 703.
Wound contraction
stress fiber orientation: PETROLL, CAVANAGH, BARRY, ANDREWS AND JESTER **104**, 353.
Wound healing
collagenase synthesis during tissue remodeling: GIRARD, MATSUBARA, KUBLIN, TESSIER, CINTRON AND FINI **104**, 1001.
EGF and epithelial cell motility: MATTHAY, THIERY, LAFONT, STAMPFER AND BOYER **106**, 869.
Wounded myofiber
loss of bFGF from wounded myofibers: CLARKE, KHAKEE AND MCNEIL **106**, 121.
Xenopus laevis
Xenopus laevis IRBP: GONZALEZ-FERNANDEZ, KITTREDGE,

RAYBORN, HOLLYFIELD, LANDERS, SAHA AND GRAINGER **105**, 7.
xnf7 nuclear localization signal: LI AND ETKIN **105**, 389.
Xyloglucan (XG)
effect of monensin on plant Golgi: ZHANG, DRIOUICH AND STAEHELIN **104**, 819.
Yeast
activation of topo II by casein kinase II: CARDENAS, WALTER, HANNA AND GASSER **104**, 533.
immunoisolation of the yeast Golgi: BRYANT AND BOYD **106**, 815.
Zyxin
adherens junctions in brain microvessels: SCHULZE AND FIRTH **104**, 773.